Vital Statistics of New York State 1985



New York State Department of Health
David Axelrod, M.D. Commissioner

VITAL STATISTICS
OF
NEW YORK STATE
1985

NEW YORK STATE DEPARTMENT OF HEALTH
DAVID AXELROD, M.D., *Commissioner*

FOREWORD

This report of the Bureau of Biostatistics summarizes selected vital and health statistics for the resident population of the State of New York for the year 1985. It presents representative data reflecting the needs and interests of consumers of health information.

These statistics provide a useful, quantitative information source for consumers in the public and private sectors in support of a variety of uses and activities — population dynamics analysis, health economics, planning, progam development and evaluation, research and surveillance.



David Axelrod, M.D.
Commissioner of Health

CONTENTS

		Page
HIGHLIGHTS		9
MAPS		37
Map 1.	Live Birth Rates: New York State, 1985	
Map 2.	Low Birthweight (<2500 gm) Rates: New York State, 1985	
Map 3.	Abortion Ratio: New York State, 1985	
Map 4.	Spontaneous Fetal Death Rates 20+ Weeks Gestation: New York State, 1985	
Map 5.	Neonatal Mortality Rates: New York State, 1985	
Map 6.	Postneonatal Mortality Rates: New York State, 1985	
Map 7.	Infant Mortality Rates: New York State, 1985	
Map 8.	Perinatal Mortality: New York State, 1985	
Map 9.	Death Rates: New York State, 1985	
Map 10.	Diseases of the Heart Death Rates: New York State, 1985	
Map 11.	Malignant Neoplasms Death Rates: New York State, 1985	
Map 12.	Cerebrovascular Disease Death Rates: New York State, 1985	
Map 13.	All Other Causes Death Rates: New York State, 1985	
FIGURES		53
Figure 1.	Daily Averages of Vital Statistics in New York State, 1985	
Figure 2.	Live Birth Rates: New York State, New York City, Upstate New York 1965-1985	
Figure 3.	Fetal Mortality Rates: New York State, New York City, Upstate New York 1965-1985	
Figure 4.	Crude and Age-Sex-Adjusted Death Rates: New York State, New York City, Upstate New York 1965-1985	
Figure 5.	Infant Mortality Rates: New York State, New York City, Upstate New York 1965-1985	
Figure 6.	Neonatal Mortality Rates: New York State, New York City, Upstate New York 1965-1985	

TABLES

Table 1. Estimated Population by Sex and Age, July 1, 1985: New York State, New York City and Upstate New York

Table 2. Spontaneous Fetal Deaths 20+ Weeks Gestation and Fetal Mortality Rates: New York State, New York City and Upstate New York, 1965-1985

Table 3. Live Births, Live Birth Rates and General Fertility Rates: New York State, New York City and Upstate New York, 1965-1985

Table 4. Deaths, Crude Death Rates and Age-Sex-Adjusted Death Rates: New York State, New York City and Upstate New York, 1965-1985

Table 5. Infant Deaths (Deaths under One Year of Age) and Infant Mortality Rates: New York State, New York City and Upstate New York, 1965-1985

Table 6. Neonatal Deaths (Deaths under 28 Days of Age) and Neonatal Mortality Rates: New York State, New York City and Upstate New York, 1965-1985

Table 7. Live Births by Birthweight and Race, Month in Which Prenatal Care Began and Race, by Age of Mother: New York State, 1985

Table 8. Live Births by Birthweight and Race, Month in Which Prenatal Care Began and Race, by Age of Mother: Upstate New York, 1985

Table 8A. Live Births by Birthweight and Race, Month in Which Prenatal Care Began and Race, by Age of Mother: New York City, 1985

Table 9. Live Births by Sex and Race, Live Birth Order and Race, by Age of Mother: New York State, 1985

Table 10. Live Births by Sex and Race, Live Birth Order and Race, by Age of Mother: Upstate New York, 1985

Table 10A. Live Births by Sex and Race, Live Birth Order and Race, by Age of Mother: New York City, 1985

Table 11. Deaths and Death Rates by Age and Sex: New York State, New York City and Upstate New York, 1985

Table 12. Deaths and Death Rates from Selected Causes: New York State, 1985

Table 13. Deaths and Death Rates from Selected Causes: New York City, 1985

Table 14. Deaths and Death Rates from Selected Causes: Upstate New York, 1985

Table 15. Deaths from Five Leading Causes by Age and Race: New York State, 1985

Table 16. Deaths from Five Leading Causes by Age and Race: Upstate New York, 1985

Table 16A. Deaths from Five Leading Causes by Age and Race: New York City, 1985

Table 17. Infant Deaths from Selected Causes by Age and Sex: New York State, 1985

Table 18. Infant Deaths from Selected Causes by Age and Sex: Upstate New York, 1985

Table 19. Infant Deaths among Race other than White from Selected Causes by Age and Sex: New York State, 1985

Table 20. Infant Deaths among Race other than White from Selected Causes by Age and Sex: Upstate New York, 1985

Table 21. Live Births by Resident County and Mother's Age, New York State, 1985

Table 22. Induced Abortions by Resident County and Mother's Age, New York State, 1985

Table 23. Fetal Deaths (Gestation 20 Weeks and Over) Excluding Induced Abortions by Resident County and Mother's Age, New York State, 1985

Table 24. Total Pregnancies (including Spontaneous Fetal Deaths Gestation 20 Weeks and Over) by Resident County and Mother's Age, New York State, 1985

Table 25. Out of Wedlock Live Births by Resident County and Mother's Age, New York State, 1985

Table 26. Live Births with Birth Order Four or Higher by Resident County and Mother' Age, New York State, 1985

Table 27. Marriages Occurring in Upstate New York by Ages of Bride and Groom, 1985

Table 28. Dissolutions of Marriage by Duration of Marriage and Type of Dissolution: Certificates of Dissolution of Marriage Filed in New York State, 1985

Table 29. Basic New York State Vital Statistics by County and by Cities and Villages with 10,000 or More Population: 1983-1985

Page

Table 30. Reportable Diseases, Cases and Deaths: New York State, New York City and Upstate New York, 1984-1985

Table 31. Live Births, Deaths, Fetal Deaths, Infant Deaths, Neonatal Deaths and Rates: New York State, 1900-1985

Table 32. Live Births, Deaths, Fetal Deaths, Infant Deaths, Neonatal Deaths and Rates: New York City, 1900-1985

Table 33. Live Births, Deaths, Fetal Deaths, Infant Deaths, Neonatal Deaths and Rates: Upstate New York, 1900-1985

Table 34. Deaths and Death Rates from Selected Causes: New York State, 1900-1985

Table 35. Deaths and Death Rates from Selected Causes: New York City, 1900-1985

Table 36. Deaths and Death Rates from Selected Causes: Upstate New York, 1900-1985

TECHNICAL NOTES 171

ARTICLES: VITAL STATISTICS QUARTERLY AND ANNUAL PUBLICATIONS 177

HIGHLIGHTS

INTRODUCTION

This report summarizes selected vital and health statistics for New York State for the calendar year 1985. The major sources of data were the statistical tape files developed and maintained by the Bureau of Biostatistics, New York State Department of Health. These files contain information extracted from the certificates of the live births, deaths, fetal deaths, marriages and dissolutions of marriage occurring in New York State, as well as selected data from the certificates of the births and deaths of New York State residents that occurred in other states and Canada. Supplementary data were obtained from the Census Bureau and from other related federal and state information reporting systems.

The quality of medical and demographic statistics depend directly upon the completeness and accuracy of information recorded on the certificates. A review of reporting completeness on various certificates found that more than 95 percent of the records contained a response for each of the variables in this report. The percentage of vital records agreeing with the matched hospital records ranged from a high of over 99 percent for sex of child on the birth certificate to a low of about 75 percent for the three-digit code for the underlying cause of death (Carucci 1979).

POPULATION

New York State's resident population rose in 1985 to 17,658,400, an increase of less than 1 percent over the 1984 figure. There were 7,159,500 people residing in New York City and 10,498,900 in upstate (New York State exclusive of New York City). In each of these areas, the population increase in the last year remained well below the 1 percent level.

The population sex ratio in 1985 remained at the level reported in each of the years since 1980, 111 females for every 100 males. This ratio varied with the age of the population and showed the effect of early male mortality. Among children and teenagers, there were only 96 females for every 100 males. The number of females exceeded males for the first time among people aged 20-24, as shown by a substantial increase in the sex ratio to 106 females per 100 males. Although the female to male ratio increased in most five year age groups, it remained under 110 until after age 39 and under 120 until after age 64. After that, the ratio of females to males rose sharply in each five year cohort until among people aged 80 and over there were 232 women for every 100 men (Figure A).

Relative to 1984, the population decreased in five age groups: 10-14, 15-19, 20-24, 50-54 and 55-59. Increases occurred at all other age levels. The shifts in the population age structure reflected net migration, the relative size of each birth cohort as it has aged and changes in mortality. The decreases noted in the number of people aged 10 to 24 resulted in part from the lower birth rates of the 1970s, and the decreases in the older groups originated in the smaller birth cohorts of the depression years. Increases among those under age 5 (1.8 percent) and between the ages of 25-39 (2.4 percent) reflected the higher birth rates of recent years and of the "baby boom" period. The largest increase (3.6 percent) occurred among people 80

FIGURE A: Population sex ratio* by age
New York State residents, 1985



* Number of females per 100 males

years and older, and reflected the effect of improved health and medical care upon longevity. The continued aging of the state's population has had a marked effect on the birth and death statistics, which are used to describe the health status of the state's residents.

LIVE BIRTHS

Trends

The number of resident live births in New York State increased in 1985 to 258,826 and the rate increased to 14.7 live births per 1,000 population. Relative to 1984, the number increased by 3.4 percent and the rate by 2.8 percent. These increases were the largest since 1979.

The increase in resident live births occurred in both New York City and upstate New York. In New York City, the number rose by 3.9 percent to 113,784 and the rate climbed by 3.2 percent to 15.9 live births per 1,000 population, a level higher than that reported for the United States. In upstate, the number of births reached 145,042, 2.9 percent more than reported in 1984 and the rate increased by 2.2 percent to 13.8 live births per 1,000 population.

In contrast, the 1985 provisional birth rate for the United States remained at the 1984 level of 15.7.

An increase in the birth rate can result from an increase in the number of women of childbearing years or an increase in fertility -- the number of births per 1,000 women aged 15-44. In New York State in 1985, the total number of women of childbearing age increased by 1.1 percent over the previous year to 4,283,495. This represented 46.1 percent of the state's female population and was a slight increase over the 45.9 percent reported in 1984. At the same time, the general fertility rate rose to 60.4, an increase of 1.3 live births per 1,000 women aged 15-44. This rate, however, was 8.6 percent lower than the 66.1 reported for the United States.

There was an increase in the fertility rate specific to each five year age group. The largest increases occurred among older women; there was an increase of 2.7 births per 1,000 women aged 30-34, 1.8 for women aged 25-29 and 1.7 for women aged 35-39. Thus, the increase in births in 1985 may be attributed to increases in both the number of women at risk of childbearing and the rate of childbearing itself. The largest increases in fertility rates occurred in those age groups showing the largest increases in population.

Maternal Age

The percent distribution of New York State's 1985 resident live births by mother's age showed that the increase in births to older women begun in the early 1970s has continued. In 1985, 29.9 percent of women giving birth were between the ages of 30 and 39 compared to 28.9 percent in 1984, an increase of 1 birth in every 100. At the same time, there was a corresponding decline in the percentage of births among women under the age of 25, from 36.8 to 35.8 percent. There was no change in the percentage of births to women aged 25-29 (33.1 percent) and 40 to 44 years (1.1 percent).

Compared to 1970, the change in the 1985 age distribution was even greater. The percentage of live births increased by 10 births in every 100 for women aged 30-39, by 3 births in 100 for women aged 25-29 and decreased by almost 13 births in 100 for women under the age of 25 (Figure B).

FIGURE B: Percentage of live births by age of mother, New York State residents 1970 and 1985



Median maternal age, another indicator of the increased age at parity, rose slightly in the past year from 27.0 to 27.1 years. These small increments have occurred annually for many years, and the cumulative effect has been significant. Between 1970 and 1985, the annual increments amounted to an overall increase of over 21 months in the median age of mothers.

The median age also revealed regional differences in the age of childbearing. Between 1984 and 1985, the median maternal age among New York City residents rose from 26.8 to 27.0 years; among upstate residents, this statistic rose from 27.1 to 27.3 years.

Teenaged Mothers

Teenaged mothers (females aged 10-19) accounted for 25,973 or 10.0 percent of New York State's 1985 resident live births. This represented a decrease of 0.8 percent in the number and 4.8 percent in the percentage from the levels reported in 1984. A reduction in the live births to teenagers aged 15 to 19 accounted for nearly 88 percent of the decrease observed in the 10-19 age group.

Since 1970, the percentage of live births to mothers under the age of 15 has remained fairly constant, about 0.2 percent of all live births. The reductions in the numbers, percentages and rates noted during this period have occurred mainly among older teenagers (15-19) and may be attributed to several factors.

The numbers of births among older teenagers have declined from over 39,000 in 1970 to just under 26,000 in 1985. There was a sharp drop between 1970 and 1971 that was probably related to the legalization of induced abortions in New York State. A second, more gradual decline that occurred after 1977 was probably associated with the decrease in the number of females aged 15-19. Table A shows the distribution of live births to older teenagers by single year of mother's age.

Table A
Resident Live Births to Teenagers by Single Year of Age
New York State

Mother's Age	1985	1984	1970
15	1,333	1,243	1,882
16	2,874	2,765	3,996
17	4,801	4,903	6,800
18	7,011	7,231	11,156
19	9,451	9,516	15,512
Total	25,470	25,658	39,346

While the numbers decreased between 1971 and 1974, the percentages increased, and it was not until after 1976 that the percentages began to fall consistently. This trend was influenced not only by the decrease in births to teenagers but also by the changes in the number of live births to older women. The large drop in the number of births to women aged 20-24 during the early 1970s made the small decrease in births to teenagers appear as an increase in terms of the overall percentage. The increases in births to women aged 25 and older that occurred after 1976 made the percentage of births to teenagers appear smaller than it would have, had the number of births to older women remained constant.

The age specific fertility rates -- the number of live births per 1,000 females aged 15-19 -- dropped sharply between 1970 and 1971 and declined gradually thereafter until 1979. This statistic indicated a decrease in the rate of childbearing among these young women. However, since 1980, the trend in this rate has been gradually upward, and the rate in 1985, 36.7, was the highest reported since 1975. This has occurred even though the numbers and percentages have shown steady decreases. If the upward trend in teenaged fertility continues as the larger numbers of females born in the past few years become teenagers, then the "epidemic" of live births to teenagers, which gave concern during the 1970s, will have returned (Figure C).

Birth Order

With the increase in births between 1984 and 1985, the number of births increased in all birth orders. Presented as percentages, the distribution showed a small but significant change. In 1985, first order births accounted for 45.0 percent of all live births. This represented a decrease from 1984 of 3 in every 1,000 births and marked 1985 as the first year in over a decade in which the percentage of first order births did not increase. The percentage of second and third order births increased relative to 1984 levels to 31.2 and 14.5 percent respectively. These increases, however, represented just another point in a long trend of small random fluctuations. The percentage of births that were fourth order or higher decreased from 9.3 to 9.2 percent, continuing the general decline noted in these births over the years.

Relative to 1970, first order births have increased from 38.6 to 45.0 percent. This meant that out of every 100 births in 1985 there were almost 7 more first births than in 1970. For second and third births, the increase was more modest, almost 2 out of every 100; for fourth order births and higher, there was a large decrease of almost 9 in every 100 births (Figure D).

The median maternal age increased for first, second and third order births, continuing the trend begun in the 1970s. In 1985, the median age of women giving birth for the first time was 25.1 years, compared to 24.9 years in 1984 and 22.5 years in 1970. For women bearing their second child, the median age was 27.6 years in 1985, 27.4 years in 1984 and 25.0 years in 1970. For those experiencing a third live birth, the median ages equalled 29.2 years in 1985, 29.1 years in 1984 and 27.5 years in 1970. The increase in median age between 1970 and 1985 was 2.6 years for first and second order births, and 1.7 years for third order births.

The age data indicate that women are waiting until their mid or late twenties to start their families, and that they are having second and third children at correspondingly older ages.

Taken together, the birth order and median age data indicate that second and third births have not become rare, but that for women who have more than one child, the intervals between births are shorter. In 1985, the difference between the median age of first and third births was 4.1 years compared to 5.0 years in 1970.

FIGURE C: Ratios of the number, percentage, and rate* of live births to the corresponding 1970 statistic, females aged 15-19**, 1970 - 1985



* Live births per 1,000 females aged 15 - 19
** New York State residents

FIGURE D: Percentage of live births by birth order, New York State Residents 1970, 1975, 1980, 1985



Race/Ethnicity

In 1985, the number of New York State resident live births increased for most races. Births totaled 190,487 for whites, 57,024 for blacks, 7,567 for Asians, 653 for Native Americans and 655 for other races. The increases in the number of babies born were larger for blacks and Asians. In the last year, births to blacks and Asians increased by 5.7 and 9.8 percent respectively. These higher numbers raised the percentages of black and Asian births in 1985 to 22.2 and 3.0 percent respectively. Births among whites increased by only 1.8 percent, and this smaller increase had the effect of reducing the percentage of white newborns from 75.2 to 74.3 percent of all births. Births classified as Hispanics regardless of race increased by 2.6 percent in 1985 to 42,495. They accounted for 16.4 percent of 1985 births as compared to 16.5 percent in 1984.

The median maternal ages of the various race and ethnic groups differed markedly. For Asians it was 29.5 years, for whites 27.5 years, for Hispanics 25.6 years, for blacks 25.3 years and for Native Americans 24.7 years.

Marital Status

The number of out-of-wedlock resident live births increased in New York State in 1985 by 7.1 percent to 72,659. This number brought the percentage of out of-wedlock-births to 28.1 percent, an increase of 1.0 percentage point over the 27.1 reported in 1984. Table B summarizes the out-of-wedlock percentages specific to each age, race/ethnicity and education category.

Table B
Percentage of Live Births to Unwed Mothers for
Age, Race/Ethnicity and Education,
New York State Resident Live Births 1985

Demographic Characteristics		Percentage
Age (Figure E)	Less than 20	75
	20-24	38
	25-29	18
	30-34	15
	35-39	17
Race/Ethnicity (mutually exclusive)	White	12
	Black	65
	Hispanic	48
Education	Less than 12 yrs	61
	12 years	28
	More than 12 yrs	12

The proportion of out-of-wedlock births decreases as women grow older, or they increase the years of education completed. Blacks have the highest percentage of out-of-wedlock births followed by Hispanics and non-Hispanic whites.

FIGURE E: Age-specific percentages* of out of wedlock live births, New York State residents 1980 - 1985



* Out of wedlock live births in specified age group per 100 live births in same group

An analysis was made of the race, age and education distributions of the 1980 and 1984 out-of-wedlock births to determine how changes in these distributions may have accounted for the observed increase in the out-of-wedlock percentages. The effect of these variables was controlled by standardization (Das Gupta 1978). The standardized out-of-wedlock percentages for 1980 and 1984 were found to differ by 4.3 percentage points compared to a difference of 3.9 points in the observed percentages. Thus, when population characteristics were held constant by standardization, the rate of out-of-wedlock childbearing appeared to increase. The higher out-of-wedlock activity did not result merely from population changes, but rather from other factors in society. The concern with this trend comes from the fact that many birth related problems, such as inadequate prenatal care and low birthweight are related to unwed marital status.

Prenatal Care

The number of women obtaining prenatal care in the first trimester of pregnancy (early) in New York State increased in 1985 by 3.1 percent over the 1984 figure to 168,842, and the percentage rose by less than 1 percent from 68.3 in 1984 to 68.5 percent of the births reporting this information. The number of women whose prenatal care began after the sixth month of pregnancy (late/none) declined by about 1 percent since 1984 to 24,436 and the percentage dipped in the same period from 10.3 to 9.9 percent.

Regional differences were evident. In New York City, tne percentage of women obtaining early prenatal care was 49.3 percent compared to 82.8 percent in upstate. The percentage of New York City residents with late or no prenatal care was 19.1 percent compared to 3.1 percent in upstate. The disparity between New York City and upstate has existed for many years. Through the 1980s, the percentage of women with prenatal care starting after the sixth month of pregnancy has consistently been five to six times higher in New York City than in upstate.

Statewide, the percentage of teenagers with early prenatal care in 1985 was 41.4 percent, compared to 71.5 percent of all other women; the percentage of women with late or no prenatal care was 21.5 percent among teenagers, compared to 8.7 percent among women of other ages.

The proportion of women with inadequate prenatal care (late/none) varied by race and ethnicity. Among non-Hispanic whites, the late or no prenatal care percentage was 3.5 percent in 1985 compared to 20.1 percent for non-Hispanic blacks and 22.2 percent for Hispanics. While these percentages have fluctuated during the 1980s, they are not substantially different from the late or no prenatal care percentages reported in 1980: 3.4 percent for non-Hispanic whites, 20.8 percent for non-Hispanic blacks and 22.9 percent for Hispanics. One other factor that merited attention was the increase in the percentage of records with no response in this item, 4.8 percent in 1985 compared to 4.2 percent in 1984. Almost two-thirds of the records containing no information on the start of prenatal care were certificates filed for black or Hispanic infants. However, many black and Hispanic women who had obtained prenatal care at clinics did not have prenatal care information accurately reported on the birth certificate.

Birthweight

The number of New York State infants weighing less than 2,500 grams (low birthweight) at birth increased in 1985 by 2.8 percent over the 1984 number to 18,088, a result of the large increase in the number of 1985 resident live births. The percentage of low birthweight babies, however, remained at the the 1984 level of 7.0 percent. This ended the slow decline in the low birthweight percentage which occurred between 1980 (7.5 percent) and 1984 (7.0 percent). Table C shows the low birthweight percentages for 1980 and 1985 for selected levels of four factors known to be associated with low birthweight: mother's age, race/ethnicity (Figure F), marital status and trimester in which prenatal care started.

Table C
Percentage of Low Birthweight Infants for Age, Race/Ethnicity, Marital Status, and Start of Prenatal Care
New York State Resident Live Births, 1980 and 1985

Characteristics		Percentages 1980	1985
Age	Less than 20 yrs	10.7	9.7
	20-24	7.6	7.4
	25-29	6.5	6.2
	30-34	6.5	6.4
	35-39	7.9	7.3
	40 years and older	9.2	9.4
Race/Ethnicity	Whites	5.7	5.1
	Blacks	12.9	12.5
	Hispanics	8.2	7.6
Marital Status	Unwed	12.4	11.3
	Wed	5.9	5.3
Start of Prenatal Care	First trimester	6.2	5.7
	Second trimester	8.2	7.6
	Third trimester or None	12.4	11.9

Those at greatest risk of low birthweight infants are women under 20 or over 39 years of age, blacks, unwed mothers and those starting prenatal care after the sixth month of pregnancy. The largest decrease in the low birthweight percentage since 1980 occurred among unmarried women and amounted to only slightly more than 1 percentage point. Changes in the demographic risk factors have had little impact on reducing low birthweight percentages.

FETAL DEATHS

Spontaneous Fetal Deaths

Resident spontaneous fetal deaths increased in New York State in 1985 by 6.8 percent over the 1984 figure to 15,419; the spontaneous fetal death rate for 1985 increased by 3.1 percent to 56.2 spontaneous fetal deaths per 1,000 total births. In New York City, spontaneous fetal deaths increased in the

FIGURE F: Percentages of live births weighing less than 2,500 grams by race/ethnicity*
New York State residents, 1980 - 1985



* Mutually exclusive categories

last year by 12.7 percent, reaching 5,647 and by 8.2 percent in the rate to 47.3 spontaneous fetal deaths per 1,000 total births. In upstate New York, the number of spontaneous fetal deaths reached 9,772, an increase of 3.7 percent over 1984, while the rate increased by less than 1 percent to 63.1. The 6.8 percent increase in spontaneous fetal deaths in 1985 followed a 2.6 percent decrease in 1984. Changes in population composition cannot explain in a consistent fashion the fluctuations observed from year to year. The only explanation for these marked variations lies in incomplete reporting.

Induced Abortions

The number of women obtaining an induced abortion in New York State in 1985 increased to 156,435, 2.6 percent more than in 1984. The residence of 148,610 of these women was New York State: 94,270 resided in New York City, and 54,340 in upstate New York. Residents of other states and Canada accounted for 7,825 of the state's recorded induced abortions. This represented the first increase since 1972, the year prior to the legalization of induced abortions in all states.

There were 574 resident induced abortions for every 1,000 resident live births (induced abortion ratio) in New York State in 1985. Comparable statistics for New York City and upstate were 828 and 375 resident induced abortions per 1,000 resident live births respectively. With the number of live births increasing faster than the number of induced abortions, abortion ratios in the state declined from the levels reported in 1984. For every 1,000 live births in 1985, the number of induced abortions declined by 6 in New York City and by 10 in the rest of the state.

Detailed characteristics associated with induced abortions are examined in a special report, Induced Abortions Recorded in New York State, prepared annually by the Bureau of Biostatistics.

DEATHS

Trends

There were 170,193 deaths of New York State residents in 1985, 0.7 percent more than in 1984. In New York City, resident deaths totaled 73,764 or 0.2 percent more than in the previous year; for upstate, the 96,429 resident deaths in 1985 represented an increase of 1.1 percent.

The crude death rates for the state and its major areas, however, remained unchanged or declined slightly. The rates were 9.6 deaths per 1,000 population for the state as a whole, 9.2 for upstate and 10.3 for New York City. The New York City rate alone showed a decline, 1 death per 10,000 population. The National Center for Health Statistics reported a provisional crude death rate of 8.7 for the United States for 1985. This rate also showed no change in the past year.

New York State's crude death rate has not changed since 1983. Although lower than the 10.2 reported in 1970, it remains higher than the most recent low of 9.2 reported in 1979.

One major factor contributing to the higher crude death rates has been the aging of the state's population. When the differences in age distributions were controlled by standardization, the adjusted mortality rates equalled 6.0 deaths per 1,000 population for New York State, 6.5 for New York City and 5.6 for upstate New York. Adjusting the U.S. rate to the same standard population resulted in a rate of 5.8 deaths per 1,000 population. All the adjusted rates except that for New York City remained at the 1984 levels. For New York City, the 1985 rate was 1 death in 10,000 population higher than in 1984.

Demographic Characteristics

Males accounted for 86,376 of New York State's 1985 resident deaths. The sex-specific rate resulting from this number, 10.3 male deaths per 1,000 male population, remained at the level reported since 1981. A distribution of the age-specific rates for males showed that relative to 1984, there were increases in the death rates of men aged 25-34 and 35-44, and decreases in the rates for males aged 15-19 and 55 years and older.

Females accounted for 83,817 of the state's deaths; the sex-specific rate for women declined very slightly in the past year (1 fewer death for every 10,000 women in the population) to 9.0 female deaths per 1,000 female population. The age-specific rates for women increased in the groups aged 25-34 and 35-44. Decreased rates occurred in the groups of females under 5 years of age, aged 20-24 and 55 years and older.

Deaths among races other than white increased in number from 21,987 in 1984 to 22,289 in 1985. This brought the percentage of deaths of minority residents to 13.3 percent of all deaths occurring in 1985, an increase of 0.2 percentage points over the last year. Of the 22,289 minority deaths, 20,876 or 93.7 percent were blacks, and 1,232 or 5.5 percent were of Asian origin. When ethnicity alone was counted, Hispanics accounted for 7,192 or 4.3 percent of all deaths.

Causes of Death

For the past 25 years, the five leading causes of death in New York State were diseases of the heart, malignant neoplasms, cerebrovascular disease, pneumonia/influenza and accidents. Each year since 1980, these have accounted for a smaller percentage of the state's total deaths: 78.7 percent in 1980, 77.2 in 1984 and 76.0 in 1985. Mortality rates, however, have increased in several other causes or groups of related causes preventing any major decrease in the overall level of mortality. The group of illnesses comprising chronic obstructive lung disease accounted for more deaths (5,190) in 1985 than accidents (4,411) and replaces it as the fifth leading cause of death.

Between 1980 and 1985 many causes of death showed marked changes in the rates. The rates of decrease for selected causes were: 22 deaths per 100,000 population for diseases of the heart, 11 for cerebrovascular disease, 4 for cirrhosis of the liver, 4 for motor vehicle accidents, 3 for other accidents, 3 for homicides, 1 for suicides and 1 for diabetes. The rates of increase during this time were: 10 deaths per 100,000 population for acquired immune deficiency syndrome (AIDS), 5 for chronic obstructive lung disease, 4 for infectious/parasitic disease, 2 for malignant neoplasms, 2 for nephritis/

nephrotic syndrome/nephroses, 2 for hereditary/degenerative diseases of the central nervous system, 1 for pneumonia/influenza and 1 for mental disorders. The residual category increased by 8 deaths per 100,000. These increases offset the decreased rates reported above and kept the crude mortality rate at 9.6 (Figure G).

Between 1984 and 1985, the pattern of change in the cause-specific mortality rates differed somewhat from that described for the five year period. The rate for diseases of the heart decreased by almost 12 deaths per 100,000 population; the rates for cerebrovascular disease, malignant neoplasms, cirrhosis of the liver, motor vehicle accidents, other accidents, suicides, homicides and enteritis/colitis each declined by less than 1 death per 100,000 population. Offsetting these decreases were increases of 4 per 100,000 for AIDS, 2 for pneumonia/influenza, 1 for chronic obstructive lung disease and 1 for infectious/parasitic diseases. Smaller increases occurred in the rates for diabetes, endocrine and metabolic disorders, nephritis, mental disorders, diseases of the blood and diseases of the central nervous system. The rate for the residual category increased by 3.4 deaths per 100,000 population.

In both the five year and one year periods, the same shift appeared; mortality from heart disease, cerebrovascular disease and accidents was gradually replaced by deaths from a wide range of other conditions and illnesses. These causes reflected the increased presence of communicable diseases, influenza, and diseases specific to New York's aging population.

Thus, in New York State there are two groups of causes to be monitored: the leading causes that account for many deaths and are decreasing, and the emerging causes that now account for relatively few deaths, but are steadily increasing in numbers (Figure H).

The decreases observed in recent years in the crude death rates from the three largest causes of death: heart disease, cerebrovascular disease and malignant neoplasms occurred in spite of the aging of the state's population. If the age distributions of the 1984 and 1985 populations had been the same as that of the 1980 population, the decrease in the death rates from all three of these causes would have been larger (Table D).

Table D
Crude and Adjusted* Cause-Specific Death Rates**
New York State Residents, 1980, 1984, and 1985

Cause	Rate	1980	1984	1985
Heart disease	Crude	422.0	411.7	400.0
	Adjusted	422.0	388.4	372.3
Cerebrovascular disease	Crude	69.0	58.2	57.5
	Adjusted	69.0	54.4	53.0
Malignant neoplasms	Crude	213.5	215.7	215.2
	Adjusted	213.5	208.7	206.9

* Standard population was 1980 population
** Deaths per 100,000 population

While most age groups showed decreases in the age-specific rates for these causes, a few increases appeared. Between 1984 and 1985, there were increases in the death rates from heart disease of people aged 20-29 and 30-39, in the death rates from cerebrovascular disease of people aged 20-29 and 40-49 and in the death rates from malignant neoplasms of people under age 10 and aged 50-59.

FIGURE G: Change* in the death rates for selected causes of death between 1980 and 1985 New York State residents



* Expressed as deaths per 100,000 population

** Chronic obstructive lung disease

*** Central nervous system

FIGURE H: Percentages of deaths from selected causes, New York State residents, 1985 unspecified



* Chronic obstructive lung disease

Two causes of death showing marked increases in 1985 were AIDS and chronic obstructive lung disease.

AIDS, a sexually transmitted disease, was not identified as a major health problem until the early 1980s. Through December of 1982, there were 678 cases diagnosed. Deaths, small in number, were grouped with all deaths from disorders involving the immune mechanism, or were coded with the diseases that resulted from the breakdown of the immune system. In 1982, there were 48 deaths from all disorders of the immune system; many other deaths resulting from AIDS were not separately classified. Separate mortality counts for AIDS began in 1983 with 437 deaths, a rate of 2.5 deaths per 100,000 population. These figures climbed rapidly to 993 in 1984 with a rate of 5.7 and to 1,717 in 1985 with a rate of 9.7. In 1985, males accounted for 1,509 or 87.9 percent of all AIDS deaths. Of these, 40.4 percent were men aged 30-39 and 23.0 percent were men aged 40-49. Twenty boys under the age of 10 years died from AIDS. There were 208 AIDS deaths of females; women aged 30-39 and 20-29 accounted for 47.6 and 26.0 percent of these deaths respectively. Eighteen girls under the age of 10 died from this cause.

There were 5,190 deaths from chronic obstructive lung disease in New York State in 1985, resulting in a rate of 29.4 deaths per 100,000 population. The rate for men was 36.5; the rate for women, 23.0. Over 60 percent of these deaths occurred to people aged 70 years and older. Chronic obstructive lung disease includes bronchitis, emphysema, asthma, bronchiectasis, extrinsic allergic alveolitis and other chronic obstructions (Figures I - M).

INFANT MORTALITY

Infant Deaths

The number of resident infant deaths (deaths to infants under one year of age) increased in New York State in 1985 to 2,773. This was 1.6 percent greater than the 1984 number. The 1985 infant mortality rate for the state decreased by 1.8 percent from the 1984 level to 10.7 infant deaths per 1,000 live births, the lowest rate reported for the state to date.

In New York City, the number of resident infant deaths increased in 1985 by 4.1 percent over the 1984 number to 1,458, but the rate remained unchanged from the 1984 rate of 12.8. In upstate New York, the absolute number of infant deaths decreased during this last year by 13 to 1,315. This decline combined with a small increase in live births to reduce the infant mortality rate by 3.2 percent for upstate residents to 9.1 infant deaths per 1,000 live births.

Although the infant mortality rate for New York City remained unchanged in 1985, it showed a greater decrease than upstate when compared to the rates for 1980. Between 1980 and 1985, the New York City infant mortality rate dropped from 15.1 to 12.8 infant deaths per 1,000 live births. This meant that for every 10,000 live births, there were 23 fewer infant deaths in 1985 than in 1980. During the same period, the infant mortality rates for upstate dropped from 10.5 to 9.1; for every 10,000 live births in upstate, there were 14 fewer infant deaths during the same time.

FIGURE I: Percentage of deaths by cause for persons aged 1 to 19 by race/ethnicity*
New York State residents 1985



* Mutually exclusive categories
** Motor Vehicle accidents

FIGURE J: Percentage of deaths by cause for persons aged 20 to 39 by race/ethnicity* New York State residents 1985



* Mutually exclusive categories
** Motor Vehicle accidents
*** Includes drug and alcohol dependence

FIGURE K: Percentage of deaths by cause for persons aged 40 to 59 by race/ethnicity*
New York State residents 1985



* Mutually exclusive categories
** Chronic obstructive lung disease

FIGURE L: Percentage of deaths by cause for persons aged 60 to 79 by race/ethnicity*
New York State residents 1985



* Mutually exclusive categories
** Chronic obstructive lung disease

FIGURE M: Percentage of deaths by cause for persons aged 80 and older by race/ethnicity*
New York State residents 1985



* Mutually exclusive categories
** Chronic obstructive lung disease
*** Non-motor vehicle accidents

The National Center for Health Statistics reported a provisional infant mortality rate of 10.6 for the nation as a whole in 1985. This represented a one year decline of about 1 percent.

Neonatal Deaths

In 1985, the number of neonatal deaths (deaths of infants less than 28 days of age) increased in New York City to 979 and declined in upstate New York to 920. Relative to 1984, these figures represented a 7.8 percent increase for New York City and a 1.8 percent decline in the rest of the state. The small decrease in upstate New York did not offset the gain in New York City. Therefore, a 2.9 percent increase resulted in 1985, as the statewide number of neonatal deaths rose to 1,899.

In 1985, the increased number of neonatal deaths in New York City resulted in a higher neonatal mortality rate for that area, 8.6 neonatal deaths per 1,000 live births compared to 8.3 in 1984. The lower number of neonatal deaths in upstate reduced that rate to 6.3, 4.5 percent less than the 1984 rate. The statewide neonatal mortality rate declined to 7.3 neonatal deaths per 1,000 live births. This represented a decrease of 1.3 percent from the 1984 rate.

Neonatal deaths accounted for 68.5 percent of all infant deaths in 1985 compared to 67.6 percent in 1984. This reverses the trend of the past few years in which neonatal deaths accounted for decreasing percentages of all infant deaths.

Postneonatal Deaths

Between 1984 and 1985 postneonatal deaths (deaths to infants 28-365 days of age) decreased in New York City to 479 and increased in upstate to 395. The post neonatal mortality rates declined to 4.2 postneonatal deaths per 1,000 live births in New York City and to 2.7 in upstate. The statewide postneonatal mortality rate declined to 3.4.

Infant Mortality by Race

Of the 2,773 infant deaths in 1985, 1,620 were white infants, 865 were black and 48 were Asians. However, almost 9 percent of the records reported no information on race. The infant mortality rates were 8.5 for whites, 15.2 for blacks and 6.3 for Asians.

Perinatal Deaths

Perinatal mortality is a measure of the mortality occurring either shortly before or after the time of birth. There are various definitions for this measurement; the one used in this report is late spontaneous fetal deaths (gestations 20 weeks or more) plus neonatal deaths. Resident perinatal deaths in New York State in 1985 totaled 4,300, an increase of 4.3 percent over the 4,121 reported in 1984. The perinatal mortality rate for 1985 (defined as the number of perinatal deaths per 1,000 live births plus spontaneous fetal deaths with gestations of 20 weeks or more) remained at the 1984 level of 16.5.

MARRIAGES

The number and rate of marriages increased in New York State in 1985. The number of marriages rose by 1.8 percent over the number reported in 1984 to 170,675 and the rate increased by 1.0 percent to 9.7 marriages per 1,000 population.

The increase in the number of marriages occurred in both New York City and upstate New York. There were 80,609 ceremonies reported in New York City, 2.1 percent more than in 1984. The 90,066 ceremonies occurring in upstate represented an increase of 1.6 percent in the past year.

The National Center for Health Statistics reported a provisional marriage rate of 10.2 for the nation, a decrease of 2.9 percent from the 10.5 reported in both 1983 and 1984.

In upstate New York, the median age at marriage increased between 1984 and 1985 continuing the recent trend. For grooms, the median age rose from 25.3 to 25.6 years for first marriages and from 27.3 to 27.6 years for all marriages. For brides, the median age increased from 23.6 to 23.9 years for first marriages and from 25.2 to 25.5 years for all marriages. These data were not available for New York City.

DISSOLUTIONS OF MARRIAGES

The number of dissolutions in New York State increased in the past year by 4.6 percent to 67,616, and the rate rose by 2.7 percent to 3.8 dissolutions per 1,000 population. This increase was centered in New York City where the number of dissolutions filed in 1985 jumped by 11.7 percent to 35,150 and the rate rose by 11.4 percent to 4.9 dissolutions per 1,000 population. There was a decrease in dissolutions in upstate New York; the number declined by 2.1 percent to 32,466 and the rate dipped from 3.2 in 1984 to 3.1, a decrease of 3.1 percent. The National Center for Health Statistics reported a 2 percent increase in the provisional divorce rate for the United States that went from 4.9 in 1984 to 5.0 dissolutions per 1,000 population.

Almost 99 percent of all dissolutions were divorces. The median length of the marriages dissolved in 1985 was 7.6 years, almost 7 months shorter than the 8.2 years for marriages dissolved in 1984.

SUMMARY

The number of resident live births increased in New York State in 1985 by 3.4 percent over the 1984 number to 258,826 and the rate rose by 2.8 percent to 14.7 births per 1,000 population, the highest since 1971. The median maternal age rose to 27.1 years, continuing the steady increase begun in the 1970s. The percentage of first births decreased for the first time in over a decade. The shifts in the median ages by birth order showed that women who bear more than one child are having them at closer intervals.

Teenaged mothers accounted for 25,973 or 10.0 percent of the state's 1985 resident live births. Although the number of babies has decreased in the last 15 years, the fertility rate for mothers aged 15 to 19 has gradually increased since 1980, reaching 36.7 births per 1,000 females aged 15 to 19, the highest level since 1975.

There were 72,659 births to unwed mothers. This brought the percentage of out-of-wedlock births to 28.1 percent of all live births and continued uninterrupted the increase observed in this percentage throughout the past decade.

Because of the increase in births in 1985 the number of women receiving prenatal care in the first trimester increased by about 3 percent. However, the percentage of women with early care increased by less than one woman in 100. The number of women receiving late or no prenatal care declined in 1985, but the decrease in the percentage amounted to less than one woman in 100.

The low birthweight percentage in New York State in 1985, remained at the 1984 level of 7.0 percent. Since 1980, the decrease in the percentage of low birthweight babies has amounted to only 5 in every 1,000 births.

There were 170,193 deaths of New York State residents in 1985 and the crude death rate remained at the 1984 level of 9.6 deaths per 1,000 population. An increase in the proportion of people over the age of 80 years has been a major factor keeping the death rate from any substantial decrease. Between 1984 and 1985, death rates from diseases of the heart, cerebrovascular disease and accidents decreased markedly; and the death rate from malignant neoplasms dipped slightly. However, death rates from influenza/pneumonia, acquired immune deficiency syndrome and chronic obstructive lung diseases increased measurably.

In New York State in 1985, infant deaths increased to 2,773 and the infant mortality rate declined to 10.7 infant deaths per 1,000 live births. The decrease in infant mortality over the past decade has resulted more from the survival of high risk infants than from any reduction in the percentage of infants at risk of death (Hospital Report 1984).

There were 170,675 marriage ceremonies in New York State in 1985, yielding a rate of 9.7 marriages per 1,000 population. The median age at marriage rose to 25.5 years for brides and to 27.6 years for grooms in upstate New York.

There were 67,616 dissolutions of marriage in 1985 with a rate of 3.8 dissolutions per 1,000 population. The median duration of the marriages dissolved in 1985 declined to 7.6 years from 8.2 in 1984 and from 8.5 in the early 1980s.

REFERENCES

Carucci, P.M. 1979. Reliability of statistical and medical information reported on birth and death certificates. Monograph Number 15. Albany: New York State Department of Health.

Das Gupta, P. 1978. A general method of decomposing a difference between two rates into several components. Demography. Vol.15, Number 1. February 1978. pp.99-112.

Bureau of Biostatistics, 1984. Selected Health Statistics for Hospitals New York State* 1984. Albany: New York State Department of Health.

MAPS

All maps were produced using the SAS/GRAPH module of the SAS system running on an IBM 3081. Maps were drawn on a Hewlett-Packard 7475A plotter.

DEFINITION OF RATES

Live Birth Rates:	**Per 1000 Population**
Death Rates:	**Per 1000 Population**
Infant Death Rates:	**Per 1000 Live Births**
Neonatal Death Rates:	**Per 1000 Live Births**
Selected Cause of Death Rates:	**Per 100,000 Population**

NEW YORK STATE

MAP 1: LIVE BIRTH RATES

PER 1,000 POPULATION - NEW YORK STATE, 1985



MAP 2: LOW BIRTHWEIGHT (<2500 GRAMS) RATES

PER 100 LIVE BIRTHS - NEW YORK STATE, 1985



2.9-4.5 4.6-6.3 6.4-8.0 8.1-9.8

MAP 3: ABORTION RATIO

PER 1,000 LIVE BIRTHS - NEW YORK STATE, 1985

MAP 4: SPONTANEOUS FETAL DEATH (20+ WEEKS GESTATION) RATES

PER 1,000 LIVE BIRTHS + SPONTANEOUS FETAL DEATHS (20+ WEEKS GESTATION) - NEW YORK STATE, 1985



2.5-5.5 5.6-8.5 8.6-11.6 11.7-35.1

MAP 5: NEONATAL MORTALITY RATES

PER 1,000 LIVE BIRTHS - NEW YORK STATE, 1985



MAP 6: POSTNEONATAL MORTALITY RATES

PER 1,000 LIVE BIRTHS - NEW YORK STATE, 1985



0.0-2.3 2.4-4.7 4.8-7.1 7.2-9.6

MAP 7: INFANT MORTALITY RATES

PER 1,000 LIVE BIRTHS - NEW YORK STATE, 1985



0.0-4.7 4.8-9.5 9.6-14.3 14.4-19.2

MAP 8: PERINATAL MORTALITY RATES

PER 1,000 LIVE BIRTHS + SPONTANEOUS FETAL DEATHS (20+ WEEKS GESTATION) - NEW YORK STATE, 1985



0.0-5.7 5.8-11.4 11.5-17.2 17.3-23.1

MAP 9: DEATH RATES

PER 1,000 POPULATION - NEW YORK STATE, 1985



5.8-7.7 | 7.8-9.6 | 9.7-11.6 | 11.7-13.7

MAP 10: DISEASES OF THE HEART DEATH RATES

PER 100,000 POPULATION - NEW YORK STATE, 1985



MAP 11: MALIGNANT NEOPLASMS DEATH RATES

PER 100,000 POPULATION - NEW YORK STATE, 1985



MAP 12: CEREBROVASCULAR DISEASE DEATH RATES

PER 100,000 POPULATION - NEW YORK STATE, 1985



MAP 13: ALL OTHER CAUSES DEATH RATES

PER 100,000 POPULATION - NEW YORK STATE, 1985



FIGURES

SEE TECHNICAL NOTES FOR DEFINITION OF RATES

FIGURE 1

DAILY AVERAGES OF VITAL STATISTICS IN NEW YORK STATE, 1985



FIGURE 2. LIVE BIRTH RATES: NEW YORK STATE, NEW YORK CITY, UPSTATE NEW YORK 1965-1985



FIGURE 3. FETAL MORTALITY RATES: NEW YORK STATE, NEW YORK CITY, UPSTATE NEW YORK 1965-1985



FIGURE 4. CRUDE AND AGE-SEX ADJUSTED* DEATH RATES: NEW YORK STATE, NEW YORK CITY, UPSTATE NEW YORK 1965-1985



*SEE TABLE 4 FOR METHOD OF ADJUSTMENT AND STANDARD POPULATION USED

FIGURE 5. INFANT MORTALITY RATES: NEW YORK STATE, NEW YORK CITY, UPSTATE NEW YORK 1965-1985



FIGURE 6. NEONATAL MORTALITY RATES: NEW YORK STATE, NEW YORK CITY, UPSTATE NEW YORK 1965-1985

TABLES

The following symbols are used in the tables

Symbol	Meaning
*	Rate less than 0.05
**	Not available/not tabulated
-	Quantity zero

SEE TECHNICAL NOTES FOR DEFINITION OF RATES

TABLE 1. ESTIMATED POPULATION BY SEX AND AGE, JULY 1, 1985: NEW YORK STATE, NEW YORK CITY, AND UPSTATE NEW YORK

Age	Total	Males	Females
		NEW YORK STATE	
All Ages	17,658,400	8,359,797	9,298,603
Under 5 years	1,179,377	603,812	575,565
5-9 years	1,082,771	550,674	532,097
10-14 years	1,147,312	589,062	558,250
15-17 years	809,383	410,123	399,260
18-19 years	588,131	293,910	294,221
20-24 years	1,526,122	741,721	784,401
25-34 years	2,995,132	1,454,990	1,540,142
35-44 years	2,425,475	1,160,004	1,265,471
45-54 years	1,789,965	842,193	947,772
55-64 years	1,815,079	838,850	976,229
65-74 years	1,332,913	560,288	772,625
75 years and over	966,740	314,170	652,570
		NEW YORK CITY	
All Ages	7,159,500	3,295,478	3,864,022
Under 5 years	478,106	244,237	233,869
5-9 years	424,247	214,995	209,252
10-14 years	417,238	212,834	204,404
15-17 years	290,359	145,509	144,850
18-19 years	215,715	105,740	109,975
20-24 years	606,390	282,987	323,403
25-34 years	1,307,725	616,964	690,761
35-44 years	993,118	464,273	528,845
45-54 years	720,317	326,537	393,780
55-64 years	731,280	324,318	406,962
65-74 years	554,151	220,928	333,223
75 years and over	420,854	136,156	284,698
		UPSTATE NEW YORK	
All Ages	10,498,900	5,064,319	5,434,581
Under 5 years	701,271	359,575	341,696
5-9 years	658,524	335,679	322,845
10-14 years	730,074	376,228	353,846
15-17 years	519,024	264,614	254,410
18-19 years	372,416	188,170	184,246
20-24 years	919,732	458,734	460,998
25-34 years	1,687,407	838,026	849,381
35-44 years	1,432,357	695,731	736,626
45-54 years	1,069,648	515,656	553,992
55-64 years	1,083,799	514,532	569,267
65-74 years	778,762	339,360	439,402
75 years and over	545,886	178,014	367,872

TABLE 2. SPONTANEOUS FETAL DEATHS 20+ WEEKS GESTATION AND FETAL MORTALITY RATES: NEW YORK STATE, NEW YORK CITY, AND UPSTATE NEW YORK, 1965-1985

Year	New York State		New York City		Upstate	
	Number	Rate	Number	Rate	Number	Rate
1985	2,401	9.2	1,234	10.7	1,167	8.0
1984	2,276	9.0	1,139	10.3	1,137	8.0
1983	2,574	10.3	1,251	11.4	1,323	9.4
1982	2,640	10.6	1,238	11.4	1,402	10.0
1981	2,611	10.7	1,224	11.6	1,387	10.0
1980	2,719	11.2	1,339	12.8	1,380	10.0
1979	2,596	10.9	1,193	11.6	1,403	10.4
1978	2,414	10.2	1,087	10.5	1,327	10.1
1977	2,877	11.9	1,460	13.6	1,417	10.5
1976	2,967	12.5	1,468	13.7	1,499	11.4
1975	2,767	11.6	1,400	13.2	1,367	10.4
1974	2,496	10.3	1,015	9.5	1,481	11.0
1973	2,862	11.9	1,342	12.5	1,520	11.4
1972	3,181	12.4	1,546	13.6	1,635	11.5
1971	4,139	14.4	2,235	17.3	1,904	12.0
1970	4,998	15.6	2,879	19.8	2,119	12.1
1969	6,033	19.1	3,525	24.5	2,508	14.6
1968	5,943	19.3	3,576	25.6	2,367	14.1
1967	5,887	18.8	3,590	24.9	2,297	13.5
1966	6,119	18.7	3,689	24.4	2,430	13.8
1965	6,489	19.0	3,884	24.7	2,605	14.1

TABLE 3. LIVE BIRTHS, LIVE BIRTH RATES AND GENERAL FERTILITY RATES: NEW YORK STATE, NEW YORK CITY AND UPSTATE NEW YORK, 1965-1985

Year	Live Births			Live Birth Rates			General Fertility Rates		
	New York State	New York City	Upstate	New York State	New York City	Upstate	New York State	New York City	Upstate
1985	258,826	113,784	145,042	14.7	15.9	13.8	60.4	63.3	58.4
1984	250,436	109,509	140,927	14.3	15.4	13.5	59.1	61.8	57.2
1983	248,222	108,622	139,600	14.2	15.3	13.4	58.8	61.8	56.7
1982	246,889	107,684	139,205	14.1	15.4	13.3	59.3	62.6	56.9
1981	241,843	104,510	137,333	13.8	14.9	13.1	58.5	61.3	56.6
1980	239,003	102,865	136,138	13.6	14.5	13.0	58.5	61.1	56.6
1979	234,867	101,591	133,276	13.3	14.3	12.7	57.6	60.5	55.5
1978	233,328	102,668	130,660	13.2	14.3	12.4	57.5	61.2	54.9
1977	239,762	106,154	133,608	13.4	14.5	12.7	59.3	62.8	56.8
1976	235,176	105,491	129,685	13.1	14.2	12.3	58.4	62.0	55.8
1975	235,403	104,866	130,537	13.1	14.0	12.4	59.0	61.7	57.0
1974	238,705	105,774	132,931	13.2	13.9	12.7	60.3	62.0	59.1
1973	238,513	106,204	132,309	13.1	13.8	12.6	60.5	62.2	59.3
1972	252,795	112,386	140,409	13.8	14.3	13.4	64.4	65.2	63.7
1971	283,562	126,660	156,902	15.4	16.0	15.0	72.8	73.5	72.3
1970	315,791	142,544	173,247	17.3	18.1	16.7	82.3	83.4	81.5
1969	309,794	140,394	169,400	17.1	17.8	16.5	81.9	83.0	81.0
1968	301,697	135,912	165,785	16.7	17.1	16.3	80.5	80.0	80.9
1967	308,047	140,347	167,700	17.1	17.6	16.7	83.2	82.8	83.5
1966	320,699	147,415	173,284	17.9	18.4	17.5	87.5	86.9	87.9
1965	335,576	153,128	182,448	18.9	19.1	18.6	92.6	90.6	94.3

TABLE 4. DEATHS, CRUDE DEATH RATES AND AGE-SEX-ADJUSTED DEATH RATES: NEW YORK STATE, NEW YORK CITY AND UPSTATE NEW YORK, 1965-1985

Year	Deaths			Crude Death Rates			Age-Sex-Adjusted Death Rates		
	New York State	New York City	Upstate	New York State	New York City	Upstate	New York State	New York City	Upstate
1985	170,193	73,764	96,429	9.6	10.3	9.2	6.1	6.7	5.7
1984	169,045	73,643	95,402	9.6	10.4	9.2	6.1	6.7	5.8
1983	168,604	72,840	95,764	9.6	10.3	9.2	6.2	6.6	5.9
1982	166,665	72,851	93,814	9.5	10.4	9.0	6.2	6.7	5.8
1981	166,816	72,821	93,995	9.5	10.3	9.0	6.3	6.7	6.0
1980	171,769	76,270	95,499	9.8	10.8	9.1	6.5	7.0	6.1
1979	162,966	71,779	91,187	9.2	10.1	8.7	6.2	6.6	5.9
1978	166,183	72,893	93,290	9.4	10.2	8.9	6.4	6.8	6.2
1977	167,398	74,983	92,415	9.4	10.3	8.8	6.5	6.9	6.3
1976	171,150	77,809	93,341	9.5	10.5	8.8	6.7	7.0	6.4
1975	167,857	76,416	91,441	9.3	10.2	8.7	6.6	7.1	6.3
1974	174,709	80,196	94,513	9.7	10.6	9.0	6.9	7.5	6.6
1973	180,002	84,153	95,849	9.9	11.0	9.1	7.1	7.7	6.7
1972	184,252	87,498	96,754	10.0	11.2	9.2	7.4	7.9	6.9
1971	186,001	88,925	97,076	10.1	11.3	9.3	7.5	8.1	7.1
1970	187,350	90,558	96,792	10.3	11.5	9.4	7.7	8.3	7.2
1969	186,229	89,837	96,392	10.3	11.4	9.4	7.9	8.3	7.6
1968	190,950	93,001	97,949	10.5	11.7	9.6	8.0	8.5	7.5
1967	186,688	91,054	95,634	10.4	11.4	9.5	7.9	8.3	7.5
1966	187,951	92,226	95,725	10.5	11.5	9.7	7.9	8.4	7.6
1965	185,079	91,159	93,920	10.4	11.4	9.6	7.9	8.3	7.5

(Adjusted rates computed by the direct method, using as the standard population the age sex distribution of the New York State population as enumerated by the Bureau of the Census, April 1, 1940.)

TABLE 5. INFANT DEATHS (DEATHS UNDER ONE YEAR OF AGE) AND INFANT MORTALITY RATES: NEW YORK STATE, NEW YORK CITY AND UPSTATE NEW YORK, 1965-1985

Year	New York State		New York City		Upstate	
	Number	Rate	Number	Rate	Number	Rate
1985	2,773	10.7	1,458	12.8	1,315	9.1
1984	2,729	10.9	1,401	12.8	1,328	9.4
1983	2,856	11.5	1,475	13.6	1,381	9.9
1982	3,001	12.2	1,566	14.5	1,435	10.3
1981	2,970	12.3	1,518	14.5	1,452	10.6
1980	2,994	12.5	1,558	15.1	1,436	10.5
1979	3,177	13.5	1,591	15.7	1,586	11.9
1978	3,248	13.9	1,638	16.0	1,610	12.3
1977	3,428	14.3	1,800	17.0	1,628	12.2
1976	3,724	15.8	1,908	18.1	1,816	14.0
1975	3,729	15.8	1,872	17.9	1,857	14.2
1974	3,881	16.3	1,926	18.2	1,955	14.7
1973	4,053	17.0	2,008	18.9	2,045	15.5
1972	4,485	17.7	2,140	19.0	2,345	16.7
1971	5,204	18.4	2,568	20.3	2,636	16.8
1970	6,179	19.6	3,108	21.8	3,071	17.7
1969	6,532	21.1	3,408	24.3	3,124	18.4
1968	6,290	20.8	3,131	23.0	3,159	19.1
1967	6,816	22.1	3,345	23.8	3,471	20.7
1966	7,257	22.6	3,686	25.0	3,571	20.6
1965	7,848	23.4	3,955	25.8	3,893	21.3

TABLE 6. NEONATAL DEATHS (DEATHS UNDER 28 DAYS OF AGE) AND NEONATAL MORTALITY RATES: NEW YORK STATE, NEW YORK CITY AND UPSTATE NEW YORK, 1965-1985

Year	New York State		New York City		Upstate	
	Number	Rate	Number	Rate	Number	Rate
1985	1,899	7.3	979	8.6	920	6.3
1984	1,845	7.4	908	8.3	937	6.6
1983	1,937	7.8	980	9.0	957	6.9
1982	2,092	8.5	1,064	9.9	1,028	7.4
1981	2,039	8.4	1,018	9.7	1,021	7.4
1980	2,091	8.7	1,074	10.4	1,017	7.5
1979	2,266	9.6	1,126	11.1	1,140	8.6
1978	2,338	10.0	1,141	11.1	1,197	9.2
1977	2,481	10.3	1,267	11.9	1,214	9.1
1976	2,750	11.7	1,406	13.3	1,344	10.4
1975	2,766	11.8	1,409	13.4	1,357	10.4
1974	2,902	12.2	1,416	13.4	1,486	11.2
1973	3,029	12.7	1,487	14.0	1,542	11.7
1972	3,391	13.4	1,595	14.2	1,796	12.8
1971	3,844	13.6	1,847	14.6	1,997	12.7
1970	4,722	15.0	2,327	16.3	2,395	13.8
1969	4,921	15.9	2,534	18.0	2,387	14.1
1968	4,741	15.7	2,309	17.0	2,432	14.7
1967	5,227	17.0	2,546	18.1	2,681	16.0
1966	5,455	17.0	2,747	18.6	2,708	15.6
1965	5,857	17.5	2,941	19.2	2,916	16.0

TABLE 7. LIVE BIRTHS BY BIRTHWEIGHT AND RACE, MONTH IN WHICH PRENATAL CARE BEGAN AND RACE, BY AGE OF MOTHER: NEW YORK STATE, 1985

	AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 +	N.S.
RACE AND BIRTHWEIGHT										
TOTAL	258,826	503	25,470	66,745	85,646	57,309	20,071	2,917	118	47
LESS THAN 1000 GRAMS	1,637	3	230	465	469	320	123	23	2	2
1000-1499	1,715	7	255	452	472	315	177	37	-	-
1500-1999	3,391	20	478	860	980	716	279	56	2	-
2000-2499	11,345	27	1,505	3,123	3,342	2,310	873	158	6	1
2500 GRAMS +	240,200	444	22,937	61,724	80,223	53,534	18,563	2,630	107	38
NOT STATED	538	2	65	121	160	114	56	13	1	6
WHITE	190,487	206	14,987	47,252	66,271	44,609	15,013	2,059	72	18
LESS THAN 1000 GRAMS	802	-	98	234	220	167	70	12	-	1
1000-1499	921	5	113	215	276	185	104	23	-	-
1500-1999	1,994	10	240	497	596	435	184	31	1	-
2000-2499	6,878	10	723	1,808	2,148	1,534	557	93	5	-
2500 GRAMS +	179,546	181	13,779	44,422	62,925	42,210	14,055	1,891	66	17
NOT STATED	346	-	34	76	106	78	43	9	-	-
OTHER RACE	65,899	293	10,219	18,909	18,614	12,165	4,830	815	44	10
LESS THAN 1000 GRAMS	807	3	130	222	240	148	51	11	2	-
1000-1499	780	2	142	234	190	127	71	14	-	-
1500-1999	1,360	10	235	354	369	274	94	23	1	-
2000-2499	4,357	17	770	1,287	1,154	759	304	64	1	1
2500 GRAMS +	58,458	260	8,919	16,771	16,624	10,831	4,305	700	39	9
NOT STATED	137	1	23	41	37	26	5	3	1	-
NOT STATED	2,440	4	264	584	761	535	228	43	2	19
RACE AND FIRST MONTH OF PRENATAL CARE										
TOTAL	258,826	503	25,470	66,745	85,646	57,309	20,071	2,917	118	47
1 - 3	168,842	117	9,907	38,574	61,760	42,519	14,056	1,834	62	13
4 - 6	53,147	164	8,807	16,384	14,412	9,011	3,665	665	30	9
7 - 9	14,205	108	3,046	4,642	3,409	2,055	786	154	5	-
NONE	10,231	62	1,979	3,551	2,487	1,416	594	129	12	1
NOT STATED	12,401	52	1,731	3,594	3,578	2,308	970	135	9	24
WHITE	190,487	206	14,987	47,252	66,271	44,609	15,013	2,059	72	18
1 - 3	139,496	51	6,735	30,979	52,565	36,178	11,508	1,429	43	8
4 - 6	32,627	66	5,066	10,328	8,890	5,545	2,287	425	15	5
7 - 9	7,805	46	1,610	2,588	1,904	1,111	458	85	3	-
NONE	4,987	30	984	1,805	1,191	617	286	66	7	1
NOT STATED	5,572	13	592	1,552	1,721	1,158	474	54	4	4
OTHER RACE	65,899	293	10,219	18,909	18,614	12,165	4,830	815	44	10
1 - 3	28,516	65	3,108	7,433	8,903	6,125	2,465	394	18	5
4 - 6	20,162	96	3,694	5,972	5,418	3,381	1,352	230	15	4
7 - 9	6,278	62	1,415	2,012	1,474	925	320	68	2	-
NONE	5,104	31	970	1,704	1,255	778	300	61	5	-
NOT STATED	5,839	39	1,032	1,788	1,564	956	393	62	4	1
NOT STATED	2,440	4	264	584	761	535	228	43	2	19

TABLE 8. LIVE BIRTHS BY BIRTHWEIGHT AND RACE, MONTH IN WHICH PRENATAL CARE BEGAN AND RACE, BY AGE OF MOTHER: UPSTATE NEW YORK, 1985

	AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 +	N.S.
RACE AND BIRTHWEIGHT										
TOTAL.....	145,042	213	12,538	36,688	50,964	33,074	10,202	1,296	41	26
LESS THAN 1000 GRAMS	807	1	111	244	232	151	59	8	-	1
1000-1499	742	3	105	183	218	141	78	14	-	-
1500-1999	1,541	13	192	400	468	337	112	19	-	-
2000-2499	5,309	12	608	1,452	1,677	1,109	380	67	3	1
2500 GRAMS +	136,253	182	11,470	34,334	48,252	31,246	9,529	1,179	38	23
NOT STATED	390	2	52	75	117	90	44	9	-	1
WHITE.....	127,429	86	9,209	31,464	46,298	30,155	9,074	1,098	32	13
LESS THAN 1000 GRAMS	547	-	65	164	162	103	46	6	-	1
1000-1499	543	3	64	125	161	115	65	10	-	-
1500-1999	1,200	5	129	313	366	275	97	15	-	-
2000-2499	4,244	4	401	1,112	1,398	958	314	54	3	-
2500 GRAMS +	120,615	74	8,521	29,689	44,128	28,638	8,518	1,006	29	12
NOT STATED	280	-	29	61	83	66	34	7	-	-
OTHER RACE.....	16,392	124	3,190	4,939	4,281	2,657	1,012	178	8	3
LESS THAN 1000 GRAMS	239	1	44	73	64	44	11	2	-	-
1000-1499	194	-	41	56	56	26	11	4	-	-
1500-1999	321	8	61	82	94	59	14	3	-	-
2000-2499	1,018	8	204	330	260	144	58	13	-	1
2500 GRAMS +	14,556	106	2,822	4,388	3,789	2,370	916	155	8	2
NOT STATED	64	1	18	10	18	14	2	1	-	-
NOT STATED.....	1,221	3	139	285	385	262	116	20	1	10
RACE AND FIRST MONTH OF PRENATAL CARE										
TOTAL.....	145,042	213	12,538	36,688	50,964	33,074	10,202	1,296	41	26
1 - 3	116,966	66	6,775	27,394	43,963	29,127	8,610	990	31	10
4 - 6	19,843	83	4,201	6,780	4,844	2,678	1,049	202	4	2
7 - 9	3,367	40	928	1,130	704	357	169	36	3	-
NONE	1,006	11	217	363	226	108	62	18	1	-
NOT STATED	3,860	13	417	1,021	1,227	804	312	50	2	14
WHITE.....	127,429	86	9,209	31,464	46,298	30,155	9,074	1,098	32	13
1 - 3	105,928	23	5,220	24,263	40,729	26,990	7,809	861	25	8
4 - 6	15,695	34	2,993	5,420	3,985	2,214	880	165	3	1
7 - 9	2,540	22	643	870	554	285	135	29	2	-
NONE	710	4	133	268	160	81	50	13	1	-
NOT STATED	2,556	3	220	643	870	585	200	30	1	4
OTHER RACE.....	16,392	124	3,190	4,939	4,281	2,657	1,012	178	8	3
1 - 3	10,614	42	1,518	3,056	3,078	2,029	759	124	6	2
4 - 6	4,071	48	1,192	1,340	836	451	166	36	1	1
7 - 9	808	18	279	254	146	70	33	7	1	-
NONE	286	6	81	92	65	25	12	5	-	-
NOT STATED	613	10	120	197	156	82	42	6	-	-
NOT STATED.....	1,221	3	139	285	385	262	116	20	1	10

TABLE 8A. LIVE BIRTHS BY BIRTHWEIGHT AND RACE, MONTH IN WHICH PRENATAL CARE BEGAN AND RACE, BY AGE OF MOTHER: NEW YORK CITY, 1985

	AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 +	N.S.
RACE AND BIRTHWEIGHT										
TOTAL	113,784	290	12,932	30,057	34,682	24,235	9,869	1,621	77	21
LESS THAN 1000 GRAMS	830	2	119	221	237	169	64	15	2	1
1000-1499	973	4	150	269	254	174	99	23	-	-
1500-1999	1,850	7	286	460	512	379	167	37	2	-
2000-2499	6,036	15	897	1,671	1,665	1,201	493	91	3	-
2500 GRAMS +	103,947	262	11,467	27,390	31,971	22,288	9,034	1,451	69	15
NOT STATED	148	-	13	46	43	24	12	4	1	5
WHITE	63,058	120	5,778	15,788	19,973	14,454	5,939	961	40	5
LESS THAN 1000 GRAMS	255	-	33	70	58	64	24	6	-	-
1000-1499	378	2	49	90	115	70	39	13	-	-
1500-1999	794	5	111	184	230	160	87	16	1	-
2000-2499	2,634	6	322	696	750	576	243	39	2	-
2500 GRAMS +	58,931	107	5,258	14,733	18,797	13,572	5,537	885	37	5
NOT STATED	66	-	5	15	23	12	9	2	-	-
OTHER RACE	49,507	169	7,029	13,970	14,333	9,508	3,818	637	36	7
LESS THAN 1000 GRAMS	568	2	86	149	176	104	40	9	2	-
1000-1499	586	2	101	178	134	101	60	10	-	-
1500-1999	1,039	2	174	272	275	215	80	20	1	-
2000-2499	3,339	9	566	957	894	615	246	51	1	-
2500 GRAMS +	43,902	154	6,097	12,383	12,835	8,461	3,389	545	31	7
NOT STATED	73	-	5	31	19	12	3	2	1	-
NOT STATED	1,219	1	125	299	376	273	112	23	1	9
RACE AND FIRST MONTH OF PRENATAL CARE										
TOTAL	113,784	290	12,932	30,057	34,682	24,235	9,869	1,621	77	21
1 - 3	51,876	51	3,132	11,180	17,797	13,392	5,446	844	31	3
4 - 6	33,304	81	4,606	9,604	9,568	6,333	2,616	463	26	7
7 - 9	10,838	68	2,118	3,512	2,705	1,698	617	118	2	-
NONE	9,225	51	1,762	3,188	2,261	1,308	532	111	11	1
NOT STATED	8,541	39	1,314	2,573	2,351	1,504	658	85	7	10
WHITE	63,058	120	5,778	15,788	19,973	14,454	5,939	961	40	5
1 - 3	33,568	28	1,515	6,716	11,836	9,188	3,699	568	18	-
4 - 6	16,932	32	2,073	4,908	4,905	3,331	1,407	260	12	4
7 - 9	5,265	24	967	1,718	1,350	826	323	56	1	-
NONE	4,277	26	851	1,537	1,031	536	236	53	6	1
NOT STATED	3,016	10	372	909	851	573	274	24	3	-
OTHER RACE	49,507	169	7,029	13,970	14,333	9,508	3,818	637	36	7
1 - 3	17,902	23	1,590	4,377	5,825	4,096	1,706	270	12	3
4 - 6	16,091	48	2,502	4,632	4,582	2,930	1,186	194	14	3
7 - 9	5,470	44	1,136	1,758	1,328	855	287	61	1	-
NONE	4,818	25	889	1,612	1,190	753	288	56	5	-
NOT STATED	5,226	29	912	1,591	1,408	874	351	56	4	1
NOT STATED	1,219	1	125	299	376	273	112	23	1	9

TABLE 9. LIVE BIRTHS BY SEX AND RACE, LIVE BIRTH ORDER AND RACE, BY AGE OF MOTHER: NEW YORK STATE, 1985

	AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 +	N.S.
RACE AND SEX										
TOTAL	258,826	503	25,470	66,745	85,646	57,309	20,071	2,917	118	47
MALE	133,043	254	13,072	34,257	43,893	29,638	10,310	1,527	62	30
FEMALE	125,783	249	12,398	32,488	41,753	27,671	9,761	1,390	56	17
WHITE	190,487	206	14,987	47,252	66,271	44,609	15,013	2,059	72	18
MALE	98,124	105	7,689	24,259	34,009	23,182	7,744	1,090	36	10
FEMALE	92,363	101	7,298	22,993	32,262	21,427	7,269	969	36	8
OTHER RACE	65,899	293	10,219	18,909	18,614	12,165	4,830	815	44	10
MALE	33,664	147	5,232	9,696	9,511	6,192	2,439	413	26	8
FEMALE	32,235	146	4,987	9,213	9,103	5,973	2,391	402	18	2
NOT STATED	2,440	4	264	584	761	535	228	43	2	19
RACE AND LIVE BIRTH ORDER										
TOTAL	258,826	503	25,470	66,745	85,646	57,309	20,071	2,917	118	47
1	116,529	487	20,501	36,285	35,915	17,481	5,139	674	22	25
2	80,759	15	4,225	20,915	29,539	19,972	5,508	560	16	9
3	37,623	1	645	7,051	13,381	11,641	4,337	541	20	6
4	13,933	-	80	1,873	4,417	4,742	2,407	389	20	5
5	5,135	-	12	479	1,486	1,757	1,142	246	13	-
6	2,327	-	4	100	574	858	601	177	11	2
7 OR MORE	2,519	-	3	42	333	858	937	330	16	-
NOT STATED	1	-	-	-	1	-	-	-	-	-
WHITE	190,487	206	14,987	47,252	66,271	44,609	15,013	2,059	72	18
1	85,216	199	12,225	26,082	28,397	13,831	3,955	505	12	10
2	61,325	7	2,385	15,012	23,267	15,995	4,253	391	11	4
3	27,852	-	330	4,742	10,109	9,057	3,217	383	12	2
4	9,639	-	43	1,116	3,052	3,440	1,708	267	11	2
5	3,264	-	3	240	925	1,158	779	154	5	-
6	1,436	-	-	41	345	527	394	120	9	-
7 OR MORE	1,754	-	1	19	175	601	707	239	12	-
NOT STATED	1	-	-	-	1	-	-	-	-	-
OTHER RACE	65,899	293	10,219	18,909	18,614	12,165	4,830	815	44	10
1	29,551	284	8,035	9,746	6,996	3,291	1,042	145	8	4
2	19,047	8	1,821	5,821	6,123	3,886	1,218	164	5	1
3	9,593	1	311	2,275	3,205	2,540	1,097	155	8	1
4	4,232	-	37	750	1,348	1,285	685	116	9	2
5	1,844	-	9	237	557	586	358	89	8	-
6	877	-	4	58	227	325	203	56	2	2
7 OR MORE	755	-	2	22	158	252	227	90	4	-
NOT STATED	-	-	-	-	-	-	-	-	-	-
NOT STATED	2,440	4	264	584	761	535	228	43	2	19

TABLE 10. LIVE BIRTHS BY SEX AND RACE, LIVE BIRTH ORDER AND RACE, BY AGE OF MOTHER: UPSTATE NEW YORK, 1985

	AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 +	N.S.
RACE AND SEX										
TOTAL	145,042	213	12,538	36,688	50,964	33,074	10,202	1,296	41	26
MALE	74,508	104	6,442	18,845	26,078	17,145	5,209	645	24	16
FEMALE	70,534	109	6,096	17,843	24,886	15,929	4,993	651	17	10
WHITE	127,429	86	9,209	31,464	46,298	30,155	9,074	1,098	32	13
MALE	65,550	45	4,722	16,167	23,735	15,677	4,634	545	18	7
FEMALE	61,879	41	4,487	15,297	22,563	14,478	4,440	553	14	6
OTHER RACE	16,392	124	3,190	4,939	4,281	2,657	1,012	178	8	3
MALE	8,328	58	1,641	2,534	2,153	1,336	508	89	6	3
FEMALE	8,064	66	1,549	2,405	2,128	1,321	504	89	2	-
NOT STATED	1,221	3	139	285	385	262	116	20	1	10
RACE AND LIVE BIRTH ORDER										
TOTAL	145,042	213	12,538	36,688	50,964	33,074	10,202	1,296	41	26
1	63,287	209	10,193	19,877	21,254	9,295	2,209	231	6	13
2	48,257	4	2,021	11,854	18,480	12,602	3,029	257	6	4
3	21,833	-	280	3,818	7,917	7,115	2,435	257	6	5
4	7,289	-	42	894	2,296	2,569	1,294	188	3	3
5	2,343	-	1	197	649	808	565	116	7	-
6	965	-	-	35	234	342	263	85	5	1
7 OR MORE	1,067	-	1	13	133	343	407	162	8	-
NOT STATED	1	-	-	-	1	-	-	-	-	-
WHITE	127,429	86	9,209	31,464	46,298	30,155	9,074	1,098	32	13
1	55,283	85	7,615	17,341	19,585	8,485	1,963	195	5	9
2	43,233	1	1,399	10,261	16,961	11,670	2,724	212	4	1
3	19,255	-	169	3,081	7,085	6,514	2,179	220	5	2
4	6,157	-	26	628	1,922	2,274	1,139	165	2	1
5	1,871	-	-	129	492	661	492	93	4	-
6	752	-	-	16	165	264	228	75	4	-
7 OR MORE	877	-	-	8	87	287	349	138	8	-
NOT STATED	1	-	-	-	1	-	-	-	-	-
OTHER RACE	16,392	124	3,190	4,939	4,281	2,657	1,012	178	8	3
1	7,090	121	2,449	2,295	1,401	628	173	22	-	1
2	4,858	3	613	1,565	1,445	895	290	45	2	-
3	2,492	-	110	725	801	577	242	36	1	-
4	1,102	-	16	264	365	287	147	21	1	1
5	454	-	1	66	154	141	68	21	3	-
6	209	-	-	19	69	75	35	9	1	1
7 OR MORE	187	-	1	5	46	54	57	24	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-
NOT STATED	1,221	3	139	285	385	262	116	20	1	10

TABLE 10A. LIVE BIRTHS BY SEX AND RACE, LIVE BIRTH ORDER AND RACE, BY AGE OF MOTHER: NEW YORK CITY, 1985

	AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 +	N.S.
RACE AND SEX										
TOTAL	113,784	290	12,932	30,057	34,682	24,235	9,869	1,621	77	21
MALE	58,535	150	6,630	15,412	17,815	12,493	5,101	882	38	14
FEMALE	55,249	140	6,302	14,645	16,867	11,742	4,768	739	39	7
WHITE	63,058	120	5,778	15,788	19,973	14,454	5,939	961	40	5
MALE	32,574	60	2,967	8,092	10,274	7,505	3,110	545	18	3
FEMALE	30,484	60	2,811	7,696	9,699	6,949	2,829	416	22	2
OTHER RACE	49,507	169	7,029	13,970	14,333	9,508	3,818	637	36	7
MALE	25,336	89	3,591	7,162	7,358	4,856	1,931	324	20	5
FEMALE	24,171	80	3,438	6,808	6,975	4,652	1,887	313	16	2
NOT STATED	1,219	1	125	299	376	273	112	23	1	9
RACE AND LIVE BIRTH ORDER										
TOTAL	113,784	290	12,932	30,057	34,682	24,235	9,869	1,621	77	21
1	53,242	278	10,308	16,408	14,661	8,186	2,930	443	16	12
2	32,502	11	2,204	9,061	11,059	7,370	2,479	303	10	5
3	15,790	1	365	3,233	5,464	4,526	1,902	284	14	1
4	6,644	-	38	979	2,121	2,173	1,113	201	17	2
5	2,792	-	11	282	837	949	577	130	6	-
6	1,362	-	4	65	340	516	338	92	6	1
7 OR MORE	1,452	-	2	29	200	515	530	168	8	-
NOT STATED	-	-	-	-	-	-	-	-	-	-
WHITE	63,058	120	5,778	15,788	19,973	14,454	5,939	961	40	5
1	29,933	114	4,610	8,741	8,812	5,346	1,992	310	7	1
2	18,092	6	986	4,751	6,306	4,325	1,529	179	7	3
3	8,597	-	161	1,661	3,024	2,543	1,038	163	7	-
4	3,482	-	17	488	1,130	1,166	569	102	9	1
5	1,393	-	3	111	433	497	287	61	1	-
6	684	-	-	25	180	263	166	45	5	-
7 OR MORE	877	-	1	11	88	314	358	101	4	-
NOT STATED	-	-	-	-	-	-	-	-	-	-
OTHER RACE	49,507	169	7,029	13,970	14,333	9,508	3,818	637	36	7
1	22,461	163	5,586	7,451	5,595	2,663	869	123	8	3
2	14,189	5	1,208	4,256	4,678	2,991	928	119	3	1
3	7,101	1	201	1,550	2,404	1,963	855	119	7	1
4	3,130	-	21	486	983	998	538	95	8	1
5	1,390	-	8	171	403	445	290	68	5	-
6	668	-	4	39	158	250	168	47	1	1
7 OR MORE	568	-	1	17	112	198	170	66	4	-
NOT STATED	-	-	-	-	-	-	-	-	-	-
NOT STATED	1,219	1	125	299	376	273	112	23	1	9

TABLE 11. DEATHS AND DEATH RATES BY AGE AND SEX: NEW YORK STATE, NEW YORK CITY, AND UPSTATE NEW YORK, 1985

AGE	NEW YORK STATE				NEW YORK CITY				UPSTATE NEW YORK			
	MALE		FEMALE		MALE		FEMALE		MALE		FEMALE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
TOTAL	86,376	10.3	83,817	9.0	37,721	11.4	36,043	9.3	48,655	9.6	47,774	8.8
< 1 YEAR	1,569	12.5	1,204	10.0	825	15.8	633	12.7	744	10.1	571	8.2
1-4	235	0.5	202	0.4	134	0.7	99	0.5	101	0.4	103	0.4
5-14	338	0.3	211	0.2	132	0.3	96	0.2	206	0.3	115	0.2
15-24	1,793	1.2	603	0.4	844	1.6	274	0.5	949	1.0	329	0.4
25-34	3,324	2.3	1,374	0.9	2,202	3.6	840	1.2	1,122	1.3	534	0.6
35-44	4,304	3.7	2,009	1.6	2,769	6.0	1,098	2.1	1,535	2.2	911	1.2
45-54	6,126	7.3	3,789	4.0	3,084	9.4	1,794	4.6	3,042	5.9	1,995	3.6
55-64	13,948	16.6	9,255	9.5	5,889	18.2	4,145	10.2	8,059	15.7	5,110	9.0
65 +	54,735	62.6	65,166	45.7	21,842	61.2	27,064	43.8	32,893	63.6	38,102	47.2
NOT STATED	4	**	4	**	0	**	0	**	4	**	4	**

TABLE 12. DEATHS AND DEATH RATES FROM SELECTED CAUSES: NEW YORK STATE, 1985

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, FIRST ADOPTED BY NEW YORK STATE FOR THE YEAR 1979)

CAUSE OF DEATH		NUMBER	RATE
TUBERCULOSIS (ALL FORMS)	010-018	189	1.1
SYPHILIS AND ITS SEQUELAE	090-097	3	*
MALIGNANT NEOPLASMS	140-208	37,997	215.2
BUCCAL CAVITY AND PHARYNX	140-149	716	4.1
DIGESTIVE ORGANS AND PERITONEUM	150-159	10,795	61.1
RESPIRATORY SYSTEM	160-165	9,753	55.2
BREAST(FEMALE)	174	3,709	21.0
GENITAL ORGANS	179-187	3,993	22.6
URINARY ORGANS	188,189	1,651	9.3
OTHER AND UNSPECIFIED SITES	170-173,175,190-199	3,920	22.2
LYMPHATIC AND HEMATOPOIETIC TISSUES	200-208	3,460	19.6
DIABETES MELLITUS	250	3,218	18.2
ACQUIRED IMMUNITY DEFICIENCY SYNDROME(AIDS)	279.1	1,717	9.7
MAJOR CARDIOVASCULAR DISEASES	390-459	85,088	481.9
DISEASES OF THE HEART	390-398,402,404-429	70,636	400.0
ACUTE RHEUMATIC FEVER	390-392	7	*
CHRONIC RHEUMATIC FEVER	393-398	574	3.3
HYPERTENSION WITH HEART DISEASE	402,404	1,628	9.2
ACUTE MYOCARDIAL INFARCTION	410	24,745	140.1
OTHER ISCHEMIC HEART DISEASES	411-414	33,145	187.7
DISEASES OF PULMONARY CIRCULATION	415-417	842	4.8
OTHER DISEASES OF THE HEART	420-429	9,695	54.9
HYPERTENSION WITH OR WITHOUT RENAL DISEASE	401,403	515	2.9
CEREBROVASCULAR DISEASE	430-438	10,155	57.5
ARTERIOSCLEROSIS	440	1,645	9.3
OTHER DISEASES OF THE CIRCULATORY SYSTEM	441-459	2,137	12.1
PNEUMONIA	480-486	6,055	34.3
INFLUENZA	487	56	0.3
EMPHYSEMA	492	956	5.4
PEPTIC ULCER	531-533	707	4.0
GASTRITIS, ENTERITIS, COLITIS AND DIVERTICULITIS	535,555-558,562	829	4.7
APPENDICITIS	540-543	55	0.3
HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	406	2.3
CIRRHOSIS OF LIVER	571	2,936	16.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	580-589	1,435	8.1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM	630-676	36	1.4
CONGENITAL ANOMALIES	740-759	862	4.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	760-779	1,531	8.7
ACCIDENTS (TOTAL)	800-949	4,411	25.0
MOTOR VEHICLE	810-825	2,041	11.6
SUICIDE	950-959	1,544	8.7
HOMICIDE AND LEGAL INTERVENTION	960-978	1,773	10.0
ALL OTHER CAUSES		18,389	104.1

TABLE 13. DEATHS AND DEATH RATES FROM SELECTED CAUSES: NEW YORK CITY, 1985

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, FIRST ADOPTED BY NEW YORK STATE FOR THE YEAR 1979)

CAUSE OF DEATH		NUMBER	RATE
TUBERCULOSIS (ALL FORMS)	010-018	151	2.1
SYPHILIS AND ITS SEQUELAE	090-097	2	*
MALIGNANT NEOPLASMS	140-208	15,185	212.1
BUCCAL CAVITY AND PHARYNX	140-149	302	4.2
DIGESTIVE ORGANS AND PERITONEUM	150-159	4,538	63.4
RESPIRATORY SYSTEM	160-165	3,589	50.1
BREAST(FEMALE)	174	1,446	20.2
GENITAL ORGANS	179-187	1,617	22.6
URINARY ORGANS	188,189	602	8.4
OTHER AND UNSPECIFIED SITES	170-173,175,190-199	1,710	23.9
LYMPHATIC AND HEMATOPOIETIC TISSUES	200-208	1,381	19.3
DIABETES MELLITUS	250	1,438	20.1
ACQUIRED IMMUNITY DEFICIENCY SYNDROME(AIDS)	279.1	1,588	22.2
MAJOR CARDIOVASCULAR DISEASES	390-459	36,797	514.0
DISEASES OF THE HEART	390-398,402,404-429	32,087	448.2
ACUTE RHEUMATIC FEVER	390-392	2	*
CHRONIC RHEUMATIC FEVER	393-398	164	2.3
HYPERTENSION WITH HEART DISEASE	402,404	612	8.5
ACUTE MYOCARDIAL INFARCTION	410	11,124	155.4
OTHER ISCHEMIC HEART DISEASES	411-414	16,503	230.5
DISEASES OF PULMONARY CIRCULATION	415-417	285	4.0
OTHER DISEASES OF THE HEART	420-429	3,397	47.4
HYPERTENSION WITH OR WITHOUT RENAL DISEASE	401,403	231	3.2
CEREBROVASCULAR DISEASE	430-438	3,181	44.4
ARTERIOSCLEROSIS	440	574	8.0
OTHER DISEASES OF THE CIRCULATORY SYSTEM	441-459	724	10.1
PNEUMONIA	480-486	3,176	44.4
INFLUENZA	487	13	0.2
EMPHYSEMA	492	306	4.3
PEPTIC ULCER	531-533	318	4.4
GASTRITIS, ENTERITIS, COLITIS AND DIVERTICULITIS	535,555-558,562	268	3.7
APPENDICITIS	540-543	23	0.3
HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	155	2.2
CIRRHOSIS OF LIVER	571	1,680	23.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	580-589	479	6.7
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM	630-676	31	2.7
CONGENITAL ANOMALIES	740-759	376	5.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	760-779	854	11.9
ACCIDENTS (TOTAL)	800-949	1,245	17.4
MOTOR VEHICLE	810-825	483	6.7
SUICIDE	950-959	573	8.0
HOMICIDE AND LEGAL INTERVENTION	960-978	1,427	19.9
ALL OTHER CAUSES		7,679	107.3

TABLE 14. DEATHS AND DEATH RATES FROM SELECTED CAUSES: UPSTATE NEW YORK, 1985

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, FIRST ADOPTED BY NEW YORK STATE FOR THE YEAR 1979)

CAUSE OF DEATH		NUMBER	RATE
TUBERCULOSIS (ALL FORMS)	010-018	38	0.4
SYPHILIS AND ITS SEQUELAE	090-097	1	*
MALIGNANT NEOPLASMS	140-208	22,812	217.3
BUCCAL CAVITY AND PHARYNX	140-149	414	3.9
DIGESTIVE ORGANS AND PERITONEUM	150-159	6,257	59.6
RESPIRATORY SYSTEM	160-165	6,164	58.7
BREAST(FEMALE)	174	2,263	21.6
GENITAL ORGANS	179-187	2,376	22.6
URINARY ORGANS	188,189	1,049	10.0
OTHER AND UNSPECIFIED SITES	170-173,175,190-199	2,210	21.0
LYMPHATIC AND HEMATOPOIETIC TISSUES	200-208	2,079	19.8
DIABETES MELLITUS	250	1,780	17.0
ACQUIRED IMMUNITY DEFICIENCY SYNDROME(AIDS)	279.1	129	1.2
MAJOR CARDIOVASCULAR DISEASES	390-459	48,291	460.0
DISEASES OF THE HEART	390-398,402,404-429	38,549	367.2
ACUTE RHEUMATIC FEVER	390-392	5	*
CHRONIC RHEUMATIC FEVER	393-398	410	3.9
HYPERTENSION WITH HEART DISEASE	402,404	1,016	9.7
ACUTE MYOCARDIAL INFARCTION	410	13,621	129.7
OTHER ISCHEMIC HEART DISEASES	411-414	16,642	158.5
DISEASES OF PULMONARY CIRCULATION	415-417	557	5.3
OTHER DISEASES OF THE HEART	420-429	6,298	60.0
HYPERTENSION WITH OR WITHOUT RENAL DISEASE	401,403	284	2.7
CEREBROVASCULAR DISEASE	430-438	6,974	66.4
ARTERIOSCLEROSIS	440	1,071	10.2
OTHER DISEASES OF THE CIRCULATORY SYSTEM	441-459	1,413	13.5
PNEUMONIA	480-486	2,879	27.4
INFLUENZA	487	43	0.4
EMPHYSEMA	492	650	6.2
PEPTIC ULCER	531-533	389	3.7
GASTRITIS, ENTERITIS, COLITIS AND DIVERTICULITIS	535,555-558,562	561	5.3
APPENDICITIS	540-543	32	0.3
HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	251	2.4
CIRRHOSIS OF LIVER	571	1,256	12.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	580-589	956	9.1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM	630-676	5	0.3
CONGENITAL ANOMALIES	740-759	486	4.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	760-779	677	6.4
ACCIDENTS (TOTAL)	800-949	3,166	30.2
MOTOR VEHICLE	810-825	1,558	14.8
SUICIDE	950-959	971	9.2
HOMICIDE AND LEGAL INTERVENTION	960-978	346	3.3
ALL OTHER CAUSES		10,710	102.0

TABLE 15. DEATHS FROM FIVE LEADING CAUSES BY AGE AND RACE: NEW YORK STATE, 1985

	Total		White	
Age	Cause	Number	Cause	Number
< 1	All Causes	2,773	All Causes	1,620
	Conditions in Perinatal Period	1,530	Conditions in Perinatal Period	822
	Congenital Anomalies	578	Congenital Anomalies	411
	Influenza and Pneumonia	38	Diseases of the Heart	33
	Diseases of the Heart	36	Influenza and Pneumonia	21
	Accidents	31	Accidents	16
1-4	All Causes	437	All Causes	285
	Accidents	101	Accidents	79
	Congenital Anomalies	69	Congenital Anomalies	52
	Malignant Neoplasms	43	Malignant Neoplasms	34
	Homicides and Legal Intervention	23	Homicides and Legal Intervention	11
	Aids	22	Diseases of the Heart	9
5-19	All Causes	1,469	All Causes	1,019
	Accidents	554	Accidents	461
	Homicides and Legal Intervention	222	Malignant Neoplasms	111
	Malignant Neoplasms	146	Homicides and Legal Intervention	87
	Suicides	93	Suicides	80
	Congenital Anomalies	48	Diseases of the Heart	33
			Congenital Anomalies	33
20-24	All Causes	1,476	All Causes	1,018
	Accidents	460	Accidents	394
	Homicides and Legal Intervention	309	Suicides	143
	Suicides	173	Homicides and Legal Intervention	130
	Malignant Neoplasms	106	Malignant Neoplasms	79
	Diseases of the Heart	49	Diseases of the Heart	28
25-44	All Causes	11,011	All Causes	7,039
	Malignant Neoplasms	1,678	Malignant Neoplasms	1,284
	Diseases of the Heart	1,361	Diseases of the Heart	899
	Aids	1,297	Accidents	827
	Accidents	1,019	Aids	796
	Homicides and Legal Intervention	832	Suicides	496
45-64	All Causes	33,118	All Causes	25,985
	Malignant Neoplasms	11,470	Malignant Neoplasms	9,395
	Diseases of the Heart	11,373	Diseases of the Heart	9,227
	Cirrhosis of Liver	1,313	Cirrhosis of Liver	924
	Cerebrovascular Disease	1,245	Cerebrovascular Disease	880
	Accidents	763	Accidents	618
65+	All Causes	119,901	All Causes	108,398
	Diseases of the Heart	57,756	Diseases of the Heart	52,661
	Malignant Neoplasms	24,550	Malignant Neoplasms	22,021
	Cerebrovascular Disease	8,571	Cerebrovascular Disease	7,783
	Influenza and Pneumonia	5,016	Influenza and Pneumonia	4,535
	Diabetes Mellitus	2,328	Diabetes Mellitus	1,945

TABLE 16. DEATHS FROM FIVE LEADING CAUSES BY AGE AND RACE: UPSTATE NEW YORK, 1985

	Total		White	
Age	Cause	Number	Cause	Number
< 1	All Causes	1,315	All Causes	1,027
	Conditions in Perinatal Period	676	Conditions in Perinatal Period	504
	Congenital Anomalies	296	Congenital Anomalies	265
	Diseases of the Heart	29	Diseases of the Heart	27
	Accidents	22	Influenza and Pneumonia	13
	Influenza and Pneumonia	20	Accidents	13
1-4	All Causes	204	All Causes	168
	Accidents	60	Accidents	52
	Congenital Anomalies	36	Congenital Anomalies	34
	Malignant Neoplasms	23	Malignant Neoplasms	21
	Diseases of the Heart	10	Diseases of the Heart	9
	Homicides and Legal Intervention	9	Homicides and Legal Intervention	6
5-19	All Causes	869	All Causes	744
	Accidents	436	Accidents	395
	Malignant Neoplasms	91	Malignant Neoplasms	76
	Suicides	78	Suicides	70
	Homicides and Legal Intervention	54	Homicides and Legal Intervention	35
	Diseases of the Heart	29	Diseases of the Heart	26
20-24	All Causes	730	All Causes	646
	Accidents	371	Accidents	345
	Suicides	119	Suicides	114
	Malignant Neoplasms	56	Malignant Neoplasms	48
	Homicides and Legal Intervention	43	Homicides and Legal Intervention	25
	Diseases of the Heart	24	Diseases of the Heart	15
25-44	All Causes	4,102	All Causes	3,450
	Malignant Neoplasms	912	Malignant Neoplasms	814
	Accidents	743	Accidents	657
	Diseases of the Heart	684	Diseases of the Heart	576
	Suicides	356	Suicides	332
	Cirrhosis of Liver	150	Cirrhosis of Liver	117
45-64	All Causes	18,206	All Causes	16,652
	Malignant Neoplasms	6,831	Malignant Neoplasms	6,341
	Diseases of the Heart	6,195	Diseases of the Heart	5,744
	Cerebrovascular Disease	658	Cerebrovascular Disease	583
	Cirrhosis of Liver	565	Cirrhosis of Liver	498
	Accidents	540	Accidents	488
65+	All Causes	70,995	All Causes	68,555
	Diseases of the Heart	31,576	Diseases of the Heart	30,597
	Malignant Neoplasms	14,898	Malignant Neoplasms	14,343
	Cerebrovascular Disease	6,173	Cerebrovascular Disease	5,920
	Influenza and Pneumonia	2,605	Influenza and Pneumonia	2,533
	Diabetes Mellitus	1,384	Diabetes Mellitus	1,297

TABLE 16A. DEATHS FROM FIVE LEADING CAUSES BY AGE AND RACE: NEW YORK CITY, 1985

	Total		White	
Age	Cause	Number	Cause	Number
< 1	All Causes	1,458	All Causes	593
	Conditions in Perinatal Period	854	Conditions in Perinatal Period	318
	Congenital Anomalies	282	Congenital Anomalies	146
	Influenza and Pneumonia	18	Influenza and Pneumonia	8
	Homicides and Legal Intervention	11	Diseases of the Heart	6
	Aids	11	Homicides and Legal Intervention	5
1-4	All Causes	233	All Causes	117
	Accidents	41	Accidents	27
	Congenital Anomalies	33	Congenital Anomalies	18
	Aids	21	Malignant Neoplasms	13
	Malignant Neoplasms	20	Homicides and Legal Intervention	5
	Homicides and Legal Intervention	14	Aids	5
5-19	All Causes	600	All Causes	275
	Homicides and Legal Intervention	168	Accidents	66
	Accidents	118	Homicides and Legal Intervention	52
	Malignant Neoplasms	55	Malignant Neoplasms	35
	Congenital Anomalies	24	Congenital Anomalies	12
	Diseases of the Heart	18	Suicides	10
20-24	All Causes	746	All Causes	372
	Homicides and Legal Intervention	266	Homicides and Legal Intervention	105
	Accidents	89	Accidents	49
	Suicides	54	Malignant Neoplasms	31
	Malignant Neoplasms	50	Suicides	29
	Aids	35	Aids	17
25-44	All Causes	6,909	All Causes	3,589
	Aids	1,201	Aids	733
	Malignant Neoplasms	766	Malignant Neoplasms	470
	Homicides and Legal Intervention	693	Homicides and Legal Intervention	337
	Diseases of the Heart	677	Diseases of the Heart	323
	Cirrhosis of Liver	599	Cirrhosis of Liver	284
45-64	All Causes	14,912	All Causes	9,333
	Diseases of the Heart	5,178	Diseases of the Heart	3,483
	Malignant Neoplasms	4,639	Malignant Neoplasms	3,054
	Cirrhosis of Liver	748	Cirrhosis of Liver	426
	Cerebrovascular Disease	587	Cerebrovascular Disease	297
	Diabetes Mellitus	421	Diabetes Mellitus	225
65+	All Causes	48,906	All Causes	39,843
	Diseases of the Heart	26,180	Diseases of the Heart	22,064
	Malignant Neoplasms	9,652	Malignant Neoplasms	7,678
	Influenza and Pneumonia	2,411	Influenza and Pneumonia	2,002
	Cerebrovascular Disease	2,398	Cerebrovascular Disease	1,863
	Diabetes Mellitus	944	Diabetes Mellitus	648

TABLE 17. INFANT DEATHS FROM SELECTED CAUSES BY AGE AND SEX: NEW YORK STATE, 1985

CAUSE OF DEATH (INTERNATIONAL LIST NUMBERS, NINTH REVISION, ICD)	SEX	TOTAL DEATHS UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	TOTAL UNDER 28 DAYS	28-59 DAYS	2-11 MONTHS
ALL CAUSES	T	2,773	1,077	578	116	73	55	1,899	213	661
	M	1,569	601	334	73	42	28	1,078	112	379
	F	1,204	476	244	43	31	27	821	101	282
CERTAIN GASTROINTESTINAL DISEASES 004, 006-009, 535, 555-558.....	M	4	-	-	-	-	-	-	1	3
	F	3	-	-	-	-	-	-	2	1
OTHER INFECTIVE AND PARASITIC DISEASES REST OF 001-139.....	M	12	-	-	-	-	-	-	1	11
	F	19	-	-	1	2	-	3	5	11
MENINGITIS 320-322...	M	7	-	-	-	1	-	1	2	4
	F	5	-	-	-	1	1	2	3	-
PNEUMONIA 480-486....	M	23	1	1	1	-	-	3	5	15
	F	14	-	1	-	-	-	1	3	10
INFLUENZA 487.....	M	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-
OTHER RESPIRATORY DISEASES 460-478, 490-519.....	M	18	1	-	-	-	1	2	4	12
	F	11	-	1	1	2	-	4	-	7
CONGENITAL ANOMALIES 740-759.....	M	331	99	89	22	9	8	227	25	79
	F	247	71	56	13	6	8	154	20	73
BIRTH ASPHYXIA 768...	M	36	17	8	3	3	1	32	1	3
	F	31	16	8	1	3	1	29	2	-
RESPIRATORY DISTRESS SYNDROME 769.....	M	188	73	82	11	6	5	177	5	6
	F	106	34	51	3	2	1	91	10	5
INFECTIONS SPECIFIC TO PERINATAL PERIOD 771.....	M	24	3	12	2	3	3	23	1	-
	F	13	6	2	-	1	1	10	2	1
SHORT GESTATION-LOW BIRTHWEIGHT 765.	M	176	141	25	4	-	-	170	-	6
	F	165	139	22	1	2	-	164	-	1
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD REST OF 760-779.....	M	437	255	99	23	12	5	394	12	31
	F	354	203	88	21	8	4	324	9	21
SUDDEN INFANT DEATH SYNDROME 798.0.....	M	169	1	3	1	2	4	11	42	116
	F	115	-	1	1	-	7	9	33	73
ACCIDENTS 800-949....	M	11	1	-	-	1	-	2	-	9
	F	20	1	-	-	1	-	2	1	17
ALL OTHER CAUSES.....	M	133	9	15	6	5	1	36	13	84
	F	100	6	14	1	3	4	28	10	62

TABLE 18. INFANT DEATHS FROM SELECTED CAUSES BY AGE AND SEX: UPSTATE NEW YORK, 1985

CAUSE OF DEATH (INTERNATIONAL LIST NUMBERS, NINTH REVISION, ICD)	SEX	TOTAL DEATHS UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	TOTAL UNDER 28 DAYS	28-59 DAYS	2-11 MONTHS
ALL CAUSES	T	1,315	572	231	51	37	29	920	91	304
	M	744	313	142	32	22	13	522	54	168
	F	571	259	89	19	15	16	398	37	136
CERTAIN GASTROINTESTINAL DISEASES 004, 006-009, 535, 555-558.....	M	3	-	-	-	-	-	-	1	2
	F	3	-	-	-	-	-	-	2	1
OTHER INFECTIVE AND PARASITIC DISEASES REST OF 001-139.....	M	5	-	-	-	-	-	-	-	5
	F	13	-	-	1	2	-	3	3	7
MENINGITIS 320-322...	M	3	-	-	-	1	-	1	1	1
	F	2	-	-	-	-	1	1	1	-
PNEUMONIA 480-486....	M	9	1	-	1	-	-	2	2	5
	F	10	-	1	-	-	-	1	2	7
INFLUENZA 487.....	M	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-
OTHER RESPIRATORY DISEASES 460-478, 490-519.....	M	8	-	-	-	-	-	-	2	6
	F	7	-	-	1	2	-	3	-	4
CONGENITAL ANOMALIES 740-759.....	M	181	63	46	12	4	4	129	15	37
	F	115	40	24	9	-	3	76	4	35
BIRTH ASPHYXIA 768...	M	14	5	4	1	1	1	12	1	1
	F	20	12	5	-	2	-	19	1	-
RESPIRATORY DISTRESS SYNDROME 769.....	M	71	27	31	4	4	1	67	-	4
	F	37	18	13	1	1	-	33	2	2
INFECTIONS SPECIFIC TO PERINATAL PERIOD 771.....	M	16	2	8	1	2	3	16	-	-
	F	9	5	1	-	1	1	8	1	-
SHORT GESTATION-LOW BIRTHWEIGHT 765.	M	60	55	4	-	-	-	59	-	1
	F	61	56	5	-	-	-	61	-	-
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD REST OF 760-779.....	M	218	151	38	7	4	3	203	3	12
	F	170	124	29	6	4	3	166	1	3
SUDDEN INFANT DEATH SYNDROME 798.0.....	M	82	-	1	1	2	1	5	19	58
	F	57	-	-	1	-	5	6	13	38
ACCIDENTS 800-949....	M	8	1	-	-	1	-	2	-	6
	F	14	-	-	-	1	-	1	1	12
ALL OTHER CAUSES.....	M	66	8	10	5	3	-	26	10	30
	F	52	4	11	-	2	3	20	5	27

TABLE 18A. INFANT DEATHS FROM SELECTED CAUSES BY AGE AND SEX: NEW YORK CITY, 1985

CAUSE OF DEATH (INTERNATIONAL LIST NUMBERS, NINTH REVISION, ICD)	SEX	TOTAL DEATHS UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	TOTAL UNDER 28 DAYS	28-59 DAYS	2-11 MONTHS
ALL CAUSES	T	1,458	505	347	65	36	26	979	122	357
	M	825	288	192	41	20	15	556	58	211
	F	633	217	155	24	16	11	423	64	146
CERTAIN GASTROINTESTINAL DISEASES 004, 006-009, 535, 555-558.....	M	1	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES REST OF 001-139.....	M	7	-	-	-	-	-	-	1	6
	F	6	-	-	-	-	-	-	2	4
MENINGITIS 320-322...	M	4	-	-	-	-	-	-	1	3
	F	3	-	-	-	1	-	1	2	-
PNEUMONIA 480-486....	M	14	-	1	-	-	-	1	3	10
	F	4	-	-	-	-	-	-	1	3
INFLUENZA 487.....	M	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY DISEASES 460-478, 490-519.....	M	10	1	-	-	-	1	2	2	6
	F	4	-	1	-	-	-	1	-	3
CONGENITAL ANOMALIES 740-759.....	M	150	36	43	10	5	4	98	10	42
	F	132	31	32	4	6	5	78	16	38
BIRTH ASPHYXIA 768...	M	22	12	4	2	2	-	20	-	2
	F	11	4	3	1	1	1	10	1	-
RESPIRATORY DISTRESS SYNDROME 769.....	M	117	46	51	7	2	4	110	5	2
	F	69	16	38	2	1	1	58	8	3
INFECTIONS SPECIFIC TO PERINATAL — PERIOD 771.....	M	8	1	4	1	1	-	7	1	-
	F	4	1	1	-	-	-	2	1	1
SHORT GESTATION-LOW BIRTHWEIGHT 765.	M	116	86	21	4	-	-	111	-	5
	F	104	83	17	1	2	-	103	-	1
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD REST OF 760-779.....	M	219	104	61	16	8	2	191	9	19
	F	184	79	59	15	4	1	158	8	18
SUDDEN INFANT DEATH SYNDROME 798.0.....	M	87	1	2	-	-	3	6	23	58
	F	58	-	1	-	-	2	3	20	35
ACCIDENTS 800-949....	M	3	-	-	-	-	-	-	-	3
	F	6	1	-	-	-	-	1	-	5
ALL OTHER CAUSES.....	M	67	1	5	1	2	1	10	3	54
	F	48	2	3	1	1	1	8	5	35

TABLE 19. INFANT DEATHS AMONG RACE OTHER THAN WHITE FROM SELECTED CAUSES BY AGE AND SEX: NEW YORK STATE, 1985

CAUSE OF DEATH (INTERNATIONAL LIST NUMBERS, NINTH REVISION, ICD)	SEX	TOTAL DEATHS UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	TOTAL UNDER 28 DAYS	28-59 DAYS	2-11 MONTHS
ALL CAUSES	T	915	332	179	40	26	17	594	75	246
	M	512	183	102	24	15	10	334	41	137
	F	403	149	77	16	11	7	260	34	109
CERTAIN GASTROINTESTINAL DISEASES 004, 006-009, 535, 555-558.....	M	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-
OTHER INFECTIVE AND PARASITIC DISEASES REST OF 001-139.....	M	3	-	-	-	-	-	-	1	2
	F	4	-	-	-	-	-	-	1	3
MENINGITIS 320-322...	M	4	-	-	-	-	-	-	1	3
	F	3	-	-	-	1	1	2	1	-
PNEUMONIA 480-486....	M	10	-	1	1	-	-	2	1	7
	F	6	-	-	-	-	-	-	1	5
INFLUENZA 487.....	M	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY DISEASES 460-478, 490-519.....	M	7	-	-	-	-	1	1	2	4
	F	1	-	-	-	-	-	-	-	1
CONGENITAL ANOMALIES 740-759.....	M	68	17	13	4	2	2	38	7	23
	F	60	16	11	4	2	3	36	7	17
BIRTH ASPHYXIA 768...	M	11	5	2	-	1	1	9	1	1
	F	7	2	3	-	1	1	7	-	-
RESPIRATORY DISTRESS SYNDROME 769.....	M	70	26	28	8	1	3	66	2	2
	F	46	15	22	1	-	-	38	5	3
INFECTIONS SPECIFIC TO PERINATAL PERIOD 771.....	M	10	-	6	-	2	1	9	1	-
	F	2	1	1	-	-	-	2	-	-
SHORT GESTATION-LOW BIRTHWEIGHT 765.	M	69	48	17	2	-	-	67	-	2
	F	56	45	9	1	1	-	56	-	-
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD REST OF 760-779.....	M	151	86	32	7	6	1	132	5	14
	F	122	68	27	9	4	-	108	4	10
SUDDEN INFANT DEATH SYNDROME 798.0.....	M	63	1	1	-	1	-	3	18	42
	F	49	-	-	1	-	2	3	12	34
ACCIDENTS 800-949....	M	4	-	-	-	-	-	-	-	4
	F	10	1	-	-	-	-	1	-	9
ALL OTHER CAUSES.....	M	42	-	2	2	2	1	7	2	33
	F	36	1	4	-	2	-	7	2	27

TABLE 20. INFANT DEATHS AMONG RACE OTHER THAN WHITE FROM SELECTED CAUSES BY AGE AND SEX: UPSTATE NEW YORK,1985

CAUSE OF DEATH (INTERNATIONAL LIST NUMBERS, NINTH REVISION, ICD)	SEX	TOTAL DEATHS UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	TOTAL UNDER 28 DAYS	28-59 DAYS	2-11 MONTHS
ALL CAUSES	T	278	129	39	11	7	7	193	17	68
	M	156	68	26	9	4	3	110	11	35
	F	122	61	13	2	3	4	83	6	33
CERTAIN GASTROINTESTINAL DISEASES 004, 006-009, 535, 555-558.....	M	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-
OTHER INFECTIVE AND PARASITIC DISEASES REST OF 001-139.....	M	1	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	1
MENINGITIS 320-322...	M	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	1	-	-
PNEUMONIA 480-486....	M	4	-	-	1	-	-	1	1	2
	F	3	-	-	-	-	-	-	-	3
INFLUENZA 487.....	M	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY DISEASES 460-478, 490-519.....	M	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES 740-759.....	M	19	7	4	2	-	-	13	2	4
	F	11	5	1	1	-	1	8	-	3
BIRTH ASPHYXIA 768...	M	4	1	1	-	-	1	3	1	-
	F	3	1	2	-	-	-	3	-	-
RESPIRATORY DISTRESS SYNDROME 769.....	M	14	5	5	4	-	-	14	-	-
	F	7	4	2	-	-	-	6	1	-
INFECTIONS SPECIFIC TO PERINATAL PERIOD 771.....	M	6	-	3	-	2	1	6	-	-
	F	1	1	-	-	-	-	1	-	-
SHORT GESTATION-LOW BIRTHWEIGHT 765.	M	17	15	2	-	-	-	17	-	-
	F	20	17	3	-	-	-	20	-	-
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD REST OF 760-779.....	M	57	40	10	1	-	1	52	1	4
	F	36	33	1	-	2	-	36	-	-
SUDDEN INFANT DEATH SYNDROME 798.0.....	M	18	-	-	-	1	-	1	5	12
	F	17	-	-	1	-	2	3	4	10
ACCIDENTS 800-949....	M	3	-	-	-	-	-	-	-	3
	F	6	-	-	-	-	-	-	-	6
ALL OTHER CAUSES.....	M	13	-	1	1	1	-	3	1	9
	F	15	-	4	-	1	-	5	-	10

TABLE 20A. INFANT DEATHS AMONG RACE OTHER THAN WHITE FROM SELECTED CAUSES BY AGE AND SEX: NEW YORK CITY, 1985

CAUSE OF DEATH (INTERNATIONAL LIST NUMBERS, NINTH REVISION, ICD)	SEX	TOTAL DEATHS UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	TOTAL UNDER 28 DAYS	28-59 DAYS	2-11 MONTHS
ALL CAUSES	T	637	203	140	29	19	10	401	58	178
	M	356	115	76	15	11	7	224	30	102
	F	281	88	64	14	8	3	177	28	76
CERTAIN GASTROINTESTINAL DISEASES 004, 006-009, 535, 555-558.....	M	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES REST OF 001-139.....	M	2	-	-	-	-	-	-	1	1
	F	3	-	-	-	-	-	-	1	2
MENINGITIS 320-322...	M	4	-	-	-	-	-	-	1	3
	F	2	-	-	-	1	-	1	1	-
PNEUMONIA 480-486....	M	6	-	1	-	-	-	1	-	5
	F	3	-	-	-	-	-	-	1	2
INFLUENZA 487.....	M	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY DISEASES 460-478, 490-519.....	M	7	-	-	-	-	1	1	2	4
	F	1	-	-	-	-	-	-	-	1
CONGENITAL ANOMALIES 740-759.....	M	49	10	9	2	2	2	25	5	19
	F	49	11	10	3	2	2	28	7	14
BIRTH ASPHYXIA 768...	M	7	4	1	-	1	-	6	-	1
	F	4	1	1	-	1	1	4	-	-
RESPIRATORY DISTRESS SYNDROME 769.....	M	56	21	23	4	1	3	52	2	2
	F	39	11	20	1	-	-	32	4	3
INFECTIONS SPECIFIC TO PERINATAL PERIOD 771.....	M	4	-	3	-	-	-	3	1	-
	F	1	-	1	-	-	-	1	-	-
SHORT GESTATION-LOW BIRTHWEIGHT 765.	M	52	33	15	2	-	-	50	-	2
	F	36	28	6	1	1	-	36	-	-
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD REST OF 760-779.....	M	94	46	22	6	6	-	80	4	10
	F	86	35	26	9	2	-	72	4	10
SUDDEN INFANT DEATH SYNDROME 798.0.....	M	45	1	1	-	-	-	2	13	30
	F	32	-	-	-	-	-	-	8	24
ACCIDENTS 800-949....	M	1	-	-	-	-	-	-	-	1
	F	4	1	-	-	-	-	1	-	3
ALL OTHER CAUSES.....	M	29	-	1	1	1	1	4	1	24
	F	21	1	-	-	1	-	2	2	17

TABLE 21. LIVE BIRTHS BY RESIDENT COUNTY AND MOTHER'S AGE, NEW YORK STATE, 1985

COUNTY	MOTHER'S AGE										
	TOTAL	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	NOT STATED
NEW YORK STATE	258,826	503	9,008	16,462	66,745	85,646	57,309	20,071	2,917	118	47
UPSTATE	145,042	213	4,208	8,330	36,688	50,964	33,074	10,202	1,296	41	26
ALBANY	3,824	9	135	250	885	1,282	918	307	37	-	1
ALLEGANY	671	-	24	51	236	229	99	29	3	-	-
BROOME	2,945	2	84	183	839	1,111	576	131	19	-	-
CATTARAUGUS	1,400	1	63	147	473	418	214	73	11	-	-
CAYUGA	1,155	3	43	107	396	368	185	43	9	-	1
CHAUTAUQUA	2,084	4	63	141	664	717	378	105	12	-	-
CHEMUNG	1,308	4	69	94	457	410	212	50	11	1	-
CHENANGO	706	-	30	57	232	236	115	31	5	-	-
CLINTON	1,411	-	41	119	576	433	180	60	2	-	-
COLUMBIA	796	-	36	60	236	250	154	56	4	-	-
CORTLAND	658	-	23	56	220	216	106	31	6	-	-
DELAWARE	603	-	29	48	199	190	103	28	6	-	-
DUTCHESS	3,275	4	54	142	755	1,266	787	240	25	-	2
ERIE	13,567	36	527	856	3,462	4,928	2,858	802	94	1	3
ESSEX	516	-	29	44	158	162	87	29	6	1	-
FRANKLIN	645	1	31	82	236	185	87	21	1	1	-
FULTON	700	-	38	75	215	217	120	28	7	-	-
GENESEE	934	1	29	70	311	330	145	40	7	1	-
GREENE	542	1	23	34	181	166	93	35	9	-	-
HAMILTON	55	-	3	1	17	12	14	7	1	-	-
HERKIMER	896	1	20	65	310	298	148	40	4	-	-
JEFFERSON	1,393	3	69	124	539	414	195	45	4	-	-
LEWIS	402	-	13	40	160	114	60	13	2	-	-
LIVINGSTON	802	1	19	47	260	291	139	39	4	2	-
MADISON	934	1	34	61	293	317	171	49	7	-	1
MONROE	11,092	31	377	643	2,717	4,124	2,441	677	78	3	1
MONTGOMERY	661	-	23	40	235	214	105	41	3	-	-
NASSAU	15,247	11	238	462	2,420	5,595	4,872	1,465	178	4	2
NIAGARA	3,172	6	116	225	873	1,184	606	146	16	-	-
ONEIDA	3,661	6	131	295	1,132	1,226	647	199	24	1	-
ONONDAGA	7,382	13	281	475	1,877	2,555	1,668	465	45	3	-
ONTARIO	1,304	2	29	71	388	453	264	90	7	-	-
ORANGE	4,406	7	152	273	1,090	1,515	986	335	46	2	-
ORLEANS	617	2	27	56	210	203	88	26	5	-	-
OSWEGO	1,801	2	63	134	650	607	259	80	6	-	-
OTSEGO	731	-	12	43	243	239	148	40	6	-	-
PUTNAM	1,150	-	4	19	202	427	374	110	14	-	-
RENSSELAER	2,186	3	67	154	649	768	414	118	12	-	1
ROCKLAND	3,734	1	52	120	715	1,223	1,094	452	73	4	-
ST. LAWRENCE	1,531	4	51	131	540	467	244	76	13	-	5
SARATOGA	2,358	3	53	135	656	861	504	133	12	1	-
SCHENECTADY	2,068	3	53	111	514	741	472	149	24	1	-
SCHOHARIE	369	-	8	27	105	135	60	27	6	1	-
SCHUYLER	208	-	11	16	54	63	47	16	1	-	-
SENECA	507	-	12	43	171	173	82	25	1	-	-
STEUBEN	1,443	4	67	151	477	425	230	69	20	-	-
SUFFOLK	17,620	19	328	753	3,855	6,760	4,384	1,361	152	3	5
SULLIVAN	972	1	39	63	281	319	194	63	11	1	-
TIOGA	796	-	30	60	266	258	141	35	6	-	-
TOMPKINS	1,113	-	36	43	258	357	308	99	11	1	-
ULSTER	2,121	2	54	122	578	741	446	149	29	-	-
WARREN	775	1	30	54	221	244	176	42	5	1	1
WASHINGTON	779	1	32	97	253	241	113	31	11	-	-
WAYNE	1,446	3	46	103	477	501	229	74	13	-	-
WESTCHESTER	10,694	16	220	398	1,943	3,502	3,196	1,246	162	8	3
WYOMING	586	-	20	43	218	197	83	21	4	-	-
YATES	290	-	7	16	110	86	55	10	6	-	-
NEW YORK CITY	113,784	290	4,800	8,132	30,057	34,682	24,235	9,869	1,621	77	21
BRONX	21,774	94	1,285	2,115	7,038	6,050	3,553	1,362	251	19	7
KINGS	41,635	110	1,979	3,204	11,624	12,409	8,318	3,384	568	32	7
NEW YORK	19,187	52	726	1,272	4,227	5,295	4,788	2,386	425	14	2
QUEENS	26,186	31	708	1,354	6,111	9,086	6,211	2,343	327	10	5
RICHMOND	5,002	3	102	187	1,057	1,842	1,365	394	50	2	-

TABLE 22. INDUCED ABORTIONS BY RESIDENT COUNTY AND MOTHER'S AGE, NEW YORK STATE 1985

COUNTY	MOTHER'S AGE										
	TOTAL	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	NOT STATED
NEW YORK STATE	148,610	1,215	13,121	19,019	50,464	33,106	18,480	9,528	2,448	193	1,036
UPSTATE	54,340	415	5,817	8,997	19,645	9,959	5,308	2,942	816	62	379
ALBANY	1,168	6	141	187	450	214	92	52	10	2	14
ALLEGANY	126	1	23	41	30	12	13	5	1	-	-
BROOME	1,050	10	121	191	408	151	87	58	13	3	8
CATTARAUGUS	258	4	38	50	93	34	22	11	4	-	2
CAYUGA	225	4	27	32	86	38	22	11	2	-	3
CHAUTAUQUA	622	7	91	127	212	93	59	23	8	1	1
CHEMUNG	279	4	36	52	101	57	18	8	2	1	-
CHENANGO	143	3	26	23	45	28	10	5	2	-	1
CLINTON	61	1	5	11	25	7	3	6	-	1	2
COLUMBIA	151	2	24	27	51	18	16	9	2	-	2
CORTLAND	256	1	28	44	111	35	22	4	2	-	9
DELAWARE	108	-	15	21	45	12	9	4	2	-	-
DUTCHESS	852	7	100	136	293	153	90	51	13	-	9
ERIE	6,487	78	727	1,155	2,417	1,204	548	253	64	6	35
ESSEX	42	-	6	6	16	4	6	2	1	-	1
FRANKLIN	55	3	10	10	15	10	5	2	-	-	-
FULTON	236	-	50	46	75	37	15	8	4	-	1
GENESEE	175	-	24	37	51	30	19	7	5	1	1
GREENE	149	3	17	25	49	23	21	5	4	-	2
HAMILTON	9	1	4	1	1	-	2	-	-	-	-
HERKIMER	244	2	41	47	77	36	29	7	4	1	-
JEFFERSON	47	-	7	9	14	10	4	1	2	-	-
LEWIS	26	-	10	4	4	6	2	-	-	-	-
LIVINGSTON	184	-	23	31	67	37	15	6	2	-	3
MADISON	236	2	35	58	63	36	24	10	6	1	1
MONROE	3,332	34	372	507	1,283	626	266	145	41	4	54
MONTGOMERY	211	1	32	34	82	34	15	8	2	1	2
NASSAU	8,526	37	732	1,328	2,978	1,607	955	609	192	17	71
NIAGARA	944	10	119	190	337	159	82	36	6	-	5
ONEIDA	962	10	90	192	355	175	87	44	7	-	2
ONONDAGA	2,172	22	212	364	822	420	210	94	21	2	5
ONTARIO	279	4	41	53	95	41	22	10	5	-	8
ORANGE	1,006	10	107	134	372	194	97	63	22	-	7
ORLEANS	133	1	20	23	47	20	13	5	1	1	2
OSWEGO	349	6	66	60	130	44	25	13	3	1	1
OTSEGO	119	-	17	23	38	20	12	8	1	-	-
PUTNAM	238	-	20	51	83	46	21	15	1	-	1
RENSSELAER	456	4	66	84	172	72	31	17	4	-	6
ROCKLAND	1,822	8	185	226	656	365	217	118	41	2	4
ST. LAWRENCE	224	3	22	59	81	37	13	5	2	-	2
SARATOGA	435	6	71	80	143	61	43	24	3	1	3
SCHENECTADY	701	6	96	132	252	110	69	27	7	-	2
SCHOHARIE	112	1	13	38	28	18	5	6	1	-	2
SCHUYLER	51	1	8	5	21	9	3	3	1	-	-
SENECA	55	-	10	11	19	6	7	2	-	-	-
STEUBEN	192	3	27	38	57	37	13	13	3	-	1
SUFFOLK	11,087	53	1,057	1,885	4,046	2,034	1,112	663	172	8	57
SULLIVAN	264	6	35	39	84	40	30	21	9	-	-
TIOGA	141	1	24	30	45	27	8	2	2	-	2
TOMPKINS	599	2	49	104	226	112	59	35	9	1	2
ULSTER	706	7	73	106	261	117	85	45	9	1	2
WARREN	123	-	12	21	42	18	18	9	3	-	-
WASHINGTON	76	-	13	9	27	14	9	2	1	-	1
WAYNE	242	4	37	44	85	42	17	10	3	-	-
WESTCHESTER	5,428	32	536	719	1,932	1,144	597	332	89	6	41
WYOMING	119	1	21	27	35	17	10	7	1	-	-
YATES	47	3	5	10	12	8	4	3	1	-	1
NEW YORK CITY	94,270	800	7,304	10,022	30,819	23,147	13,172	6,586	1,632	131	657
BRONX	20,441	207	1,826	2,372	7,060	4,766	2,596	1,154	266	23	171
KINGS	35,661	343	2,807	3,792	11,639	8,778	4,931	2,482	579	53	257
NEW YORK	17,705	127	1,180	1,606	5,491	4,671	2,718	1,406	348	24	134
QUEENS	17,890	104	1,258	1,942	5,795	4,344	2,594	1,371	380	26	76
RICHMOND	2,573	19	233	310	834	588	333	173	59	5	19

TABLE 23. SPONTANEOUS FETAL DEATHS (GESTATION 20 WEEKS AND OVER)
BY RESIDENT COUNTY AND MOTHER'S AGE, NEW YORK STATE, 1985

COUNTY	MOTHER'S AGE										
	TOTAL	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	NOT STATED
NEW YORK STATE	2,401	7	87	152	588	706	549	245	57	2	8
UPSTATE	1,234	5	43	80	313	376	271	116	27	1	2
ALBANY	38	-	1	3	8	15	7	3	1	-	-
ALLEGANY	8	-	1	-	2	3	1	-	1	-	-
BROOME	12	-	-	1	6	3	2	-	-	-	-
CATTARAUGUS	11	-	-	-	4	3	2	2	-	-	-
CAYUGA	7	-	-	-	2	3	1	1	-	-	-
CHAUTAUQUA	20	-	-	3	3	10	3	-	1	-	-
CHEMUNG	10	-	-	1	3	3	1	2	-	-	-
CHENANGO	5	-	-	2	1	-	1	1	-	-	-
CLINTON	12	-	1	1	3	5	2	-	-	-	-
COLUMBIA	8	-	-	-	6	1	-	1	-	-	-
CORTLAND	5	-	-	1	-	2	-	2	-	-	-
DELAWARE	5	-	-	-	3	-	-	2	-	-	-
DUTCHESS	9	-	-	-	4	2	1	-	2	-	-
ERIE	110	1	3	9	20	35	31	11	-	-	-
ESSEX	4	-	-	-	1	3	-	-	-	-	-
FRANKLIN	4	-	1	1	2	-	-	-	-	-	-
FULTON	8	-	1	-	2	1	2	-	2	-	-
GENESEE	6	-	-	1	1	1	2	-	1	-	-
GREENE	2	-	1	-	-	-	1	-	-	-	-
HAMILTON	2	-	1	-	-	1	-	-	-	-	-
HERKIMER	13	-	2	-	2	3	3	2	1	-	-
JEFFERSON	13	-	-	-	8	3	2	-	-	-	-
LEWIS	4	-	-	-	3	1	-	-	-	-	-
LIVINGSTON	7	1	1	2	1	1	1	-	-	-	-
MADISON	4	-	-	-	3	-	-	1	-	-	-
MONROE	92	2	3	6	15	41	18	5	2	-	-
MONTGOMERY	5	-	-	-	-	3	2	-	-	-	-
NASSAU	134	-	2	5	22	37	49	14	4	-	1
NIAGARA	31	-	1	3	11	10	4	1	1	-	-
ONEIDA	38	-	-	2	10	16	5	4	1	-	-
ONONDAGA	62	-	3	3	13	15	17	9	2	-	-
ONTARIO	8	-	-	-	5	-	1	1	1	-	-
ORANGE	34	-	1	7	10	8	4	2	2	-	-
ORLEANS	9	-	1	1	3	3	1	-	-	-	-
OSWEGO	14	-	-	1	3	10	-	-	-	-	-
OTSEGO	11	-	1	1	2	3	3	1	-	-	-
PUTNAM	7	-	-	-	2	2	3	-	-	-	-
RENSSELAER	21	-	-	-	4	8	8	1	-	-	-
ROCKLAND	40	1	1	2	10	9	11	5	-	-	1
ST. LAWRENCE	17	-	1	2	8	3	2	1	-	-	-
SARATOGA	23	-	1	2	7	5	5	3	-	-	-
SCHENECTADY	25	-	-	2	11	5	4	2	-	1	-
SCHOHARIE	5	-	-	1	2	-	1	1	-	-	-
SCHUYLER	2	-	-	-	2	-	-	-	-	-	-
SENECA	3	-	1	-	-	-	2	-	-	-	-
STEUBEN	14	-	-	-	7	6	-	1	-	-	-
SUFFOLK	148	-	5	6	33	46	34	22	2	-	-
SULLIVAN	8	-	2	-	2	2	1	1	-	-	-
TIOGA	2	-	-	-	1	1	-	-	-	-	-
TOMPKINS	8	-	2	1	1	3	1	-	-	-	-
ULSTER	17	-	-	1	3	8	4	-	1	-	-
WARREN	4	-	-	-	2	-	1	1	-	-	-
WASHINGTON	2	-	-	-	1	-	1	-	-	-	-
WAYNE	19	-	1	3	4	9	1	1	-	-	-
WESTCHESTER	94	-	4	5	26	22	23	12	2	-	-
WYOMING	7	-	-	-	3	2	2	-	-	-	-
YATES	3	-	-	1	2	-	-	-	-	-	-
NEW YORK CITY	1,167	2	44	72	275	330	278	129	30	1	6
BRONX	189	1	16	15	44	47	42	17	6	-	1
KINGS	479	1	15	27	120	139	109	55	10	-	3
NEW YORK	211	-	6	16	58	47	57	20	7	-	-
QUEENS	253	-	6	12	48	91	61	26	7	1	1
RICHMOND	35	-	1	2	5	6	9	11	-	-	1

TABLE 24. TOTAL PREGNANCIES (INCLUDING SPONTANEOUS FETAL DEATHS GESTATION 20 WEEKS AND OVER) BY RESIDENT COUNTY AND MOTHER'S AGE, NEW YORK STATE, 1985

COUNTY	MOTHER'S AGE										
	TOTAL	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	NOT STATED
NEW YORK STATE	409,837	1,725	22,216	35,633	117,797	119,458	76,338	29,844	5,422	313	1,091
UPSTATE	200,616	633	10,068	17,407	56,646	61,299	38,653	13,260	2,139	104	407
ALBANY	5,030	15	277	440	1,343	1,511	1,017	362	48	2	15
ALLEGANY	805	1	48	92	268	244	113	34	5	-	-
BROOME	4,007	12	205	375	1,253	1,265	665	189	32	3	8
CATTARAUGUS	1,669	5	101	197	570	455	238	86	15	-	2
CAYUGA	1,387	7	70	139	484	409	208	55	11	-	4
CHAUTAUQUA	2,726	11	154	271	879	820	440	128	21	1	1
CHEMUNG	1,597	8	105	147	561	470	231	60	13	2	-
CHENANGO	854	3	56	82	278	264	126	37	7	-	1
CLINTON	1,484	1	47	131	604	445	185	66	2	1	2
COLUMBIA	955	2	60	87	293	269	170	66	6	-	2
CORTLAND	919	1	51	101	331	253	128	37	8	-	9
DELAWARE	716	-	44	69	247	202	112	34	8	-	-
DUTCHESS	4,136	11	154	278	1,052	1,421	878	291	40	-	11
ERIE	20,164	115	1,257	2,020	5,899	6,167	3,437	1,066	158	7	38
ESSEX	562	-	35	50	175	169	93	31	7	1	1
FRANKLIN	704	4	42	93	253	195	92	23	1	1	-
FULTON	944	-	89	121	292	255	137	36	13	-	1
GENESEE	1,115	1	53	108	363	361	166	47	13	2	1
GREENE	693	4	41	59	230	189	115	40	13	-	2
HAMILTON	66	1	8	2	18	13	16	7	1	-	-
HERKIMER	1,153	3	73	112	389	337	180	49	9	1	-
JEFFERSON	1,453	3	76	133	561	427	201	46	6	-	-
LEWIS	432	-	23	44	167	121	62	13	2	-	-
LIVINGSTON	993	2	43	80	328	329	155	45	6	2	3
MADISON	1,174	3	69	119	359	353	195	60	13	1	2
MONROE	14,516	67	752	1,156	4,015	4,791	2,725	827	121	7	55
MONTGOMERY	877	1	55	74	317	251	122	49	5	1	2
NASSAU	23,907	48	972	1,795	5,420	7,239	5,876	2,088	374	21	74
NIAGARA	4,147	16	236	418	1,221	1,353	692	183	23	-	5
ONEIDA	4,661	16	221	489	1,497	1,417	739	247	32	1	2
ONONDAGA	9,616	35	496	842	2,712	2,990	1,895	568	68	5	5
ONTARIO	1,591	6	70	124	488	494	287	101	13	-	8
ORANGE	5,446	17	260	414	1,472	1,717	1,087	400	70	2	7
ORLEANS	759	3	48	80	260	226	102	31	6	1	2
OSWEGO	1,164	8	129	195	783	661	284	93	9	1	1
OTSEGO	861	-	30	67	283	262	163	49	7	-	-
PUTNAM	1,395	-	24	70	287	475	398	125	15	-	1
RENSSELAER	2,663	7	133	238	825	848	453	136	16	-	7
ROCKLAND	5,596	10	238	348	1,381	1,597	1,322	575	114	6	5
ST. LAWRENCE	1,772	7	74	192	629	507	259	82	15	-	7
SARATOGA	2,816	9	125	217	806	927	552	160	15	2	3
SCHENECTADY	2,794	9	149	245	777	856	545	178	31	2	2
SCHOHARIE	486	1	21	66	135	153	66	34	7	1	2
SCHUYLER	261	1	19	21	77	72	50	19	2	-	-
SENECA	565	-	23	54	190	179	91	27	1	-	-
STEUBEN	1,649	7	94	189	541	468	243	83	23	-	1
SUFFOLK	28,855	72	1,390	2,644	7,934	8,840	5,530	2,046	326	11	62
SULLIVAN	1,244	7	76	102	367	361	225	85	20	1	-
TIOGA	939	1	54	90	312	286	149	37	8	-	2
TOMPKINS	1,720	2	87	148	485	472	368	134	20	2	2
ULSTER	2,844	9	127	229	842	866	535	194	39	1	2
WARREN	902	1	42	75	265	262	195	52	8	1	1
WASHINGTON	857	1	45	106	281	255	123	33	12	-	1
WAYNE	1,707	7	84	150	566	552	247	85	16	-	-
WESTCHESTER	16,216	48	760	1,122	3,901	4,668	3,816	1,590	253	14	44
WYOMING	712	1	41	70	256	216	95	28	5	-	-
YATES	340	3	12	27	124	94	59	13	7	-	1
NEW YORK CITY	209,221	1,092	12,148	18,226	61,151	58,159	37,685	16,584	3,283	209	684
BRONX	42,404	302	3,127	4,502	14,142	10,863	6,191	2,533	523	42	179
KINGS	77,775	454	4,801	7,023	23,383	21,326	13,358	5,921	1,157	85	267
NEW YORK	37,103	179	1,912	2,894	9,776	10,013	7,563	3,812	780	38	136
QUEENS	44,329	135	1,972	3,308	11,954	13,521	8,866	3,740	714	37	82
RICHMOND	7,610	22	336	499	1,896	2,436	1,707	578	109	7	20

TABLE 25. OUT OF WEDLOCK LIVE BIRTHS BY RESIDENT COUNTY AND MOTHER'S AGE, NEW YORK STATE, 1985

COUNTY	MOTHER'S AGE										
	TOTAL	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	NOT STATED
NEW YORK STATE	72,639	490	7,814	11,092	25,228	15,577	8,424	3,353	609	35	37
UPSTATE	26,932	211	3,507	4,879	9,924	5,124	2,276	851	133	8	19
ALBANY	938	9	128	195	341	167	68	27	2	-	1
ALLEGANY	130	-	17	17	58	23	8	7	-	-	-
BROOME	500	2	70	109	186	94	30	9	-	-	-
CATTARAUGUS	306	1	50	81	107	42	17	6	2	-	-
CAYUGA	256	3	32	57	100	47	10	4	2	-	1
CHAUTAUQUA	394	4	45	74	160	73	30	7	1	-	-
CHEMUNG	290	4	52	52	121	45	10	6	-	-	-
CHENANGO	125	-	26	23	47	20	7	2	-	-	-
CLINTON	189	-	21	37	84	37	4	5	1	-	-
COLUMBIA	155	-	28	35	53	26	8	4	1	-	-
CORTLAND	144	-	15	27	56	30	11	4	1	-	-
DELAWARE	119	-	22	17	53	22	1	2	2	-	-
DUTCHESS	466	4	46	85	164	111	35	18	1	-	2
ERIE	3,374	36	479	604	1,230	661	265	84	12	-	3
ESSEX	98	-	23	21	34	9	9	2	-	-	-
FRANKLIN	161	1	25	42	58	26	5	3	1	-	-
FULTON	162	-	29	34	49	33	10	5	2	-	-
GENESEE	161	1	24	37	62	27	5	4	1	-	-
GREENE	106	1	16	17	51	14	5	1	1	-	-
HAMILTON	11	-	3	-	4	4	-	-	-	-	-
HERKIMER	130	1	16	20	60	21	7	5	-	-	-
JEFFERSON	292	3	55	51	114	43	22	4	-	-	-
LEWIS	67	-	10	21	28	4	2	1	1	-	-
LIVINGSTON	129	1	14	18	61	24	6	4	-	1	-
MADISON	177	1	27	36	60	38	8	5	1	-	1
MONROE	2,720	31	342	489	1,008	534	213	88	15	-	-
MONTGOMERY	136	-	19	21	56	21	12	6	1	-	-
NASSAU	1,840	10	214	310	640	351	219	82	13	1	-
NIAGARA	670	6	97	125	239	119	62	21	1	-	-
ONEIDA	718	6	106	145	286	106	55	12	2	-	-
ONONDAGA	1,835	13	254	331	667	359	158	47	5	1	-
ONTARIO	210	2	23	39	90	34	12	10	-	-	-
ORANGE	900	7	127	156	336	172	75	22	4	1	-
ORLEANS	137	2	18	25	49	32	8	3	-	-	-
OSWEGO	319	2	46	57	130	55	20	8	1	-	-
OTSEGO	125	-	7	21	57	21	11	7	1	-	-
PUTNAM	49	-	2	7	26	8	5	1	-	-	-
RENSSELAER	480	3	54	95	191	88	37	10	1	-	1
ROCKLAND	469	1	43	71	150	97	73	23	10	1	-
ST. LAWRENCE	305	4	40	54	123	49	19	8	3	-	5
SARATOGA	324	3	38	58	111	74	31	9	-	-	-
SCHENECTADY	388	3	49	70	139	80	31	14	2	-	-
SCHOHARIE	59	-	4	10	20	17	5	2	1	-	-
SCHUYLER	37	-	9	6	12	6	3	1	-	-	-
SENECA	85	-	8	18	37	14	7	1	-	-	-
STEUBEN	312	3	51	61	107	60	19	10	1	-	-
SUFFOLK	2,397	19	267	432	815	482	244	114	14	-	3
SULLIVAN	215	1	28	27	84	41	22	10	1	1	-
TIOGA	85	-	11	18	29	16	9	2	-	-	-
TOMPKINS	189	-	32	21	70	33	22	9	1	1	-
ULSTER	399	2	45	68	149	84	30	13	8	-	-
WARREN	134	1	20	32	48	17	12	3	-	1	-
WASHINGTON	160	1	27	43	55	21	9	4	-	-	-
WAYNE	285	3	40	57	113	50	11	8	3	-	-
WESTCHESTER	1,944	16	190	280	689	422	251	82	12	-	2
WYOMING	83	-	17	10	36	11	6	2	1	-	-
YATES	43	-	6	5	21	9	2	-	-	-	-
NEW YORK CITY	45,727	279	4,307	6,213	15,304	10,453	6,148	2,502	476	27	18
BRONX	12,170	89	1,164	1,665	4,365	2,773	1,443	550	107	8	6
KINGS	17,851	104	1,768	2,453	5,859	4,083	2,418	954	192	14	6
NEW YORK	8,119	52	664	1,017	2,517	1,918	1,287	564	94	4	2
QUEENS	6,797	31	626	966	2,273	1,519	903	399	76	-	4
RICHMOND	790	3	85	112	290	160	97	35	7	1	-

TABLE 26. LIVE BIRTHS WITH LIVE BIRTH ORDER FOUR OR HIGHER
BY RESIDENT COUNTY AND MOTHER'S AGE, NEW YORK STATE, 1985

COUNTY	MOTHER'S AGE										
	TOTAL	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	NOT STATED
NEW YORK STATE	23,914	-	13	86	2,494	6,810	8,215	5,087	1,142	60	7
UPSTATE	11,664	-	3	41	1,139	3,312	4,062	2,529	551	23	4
ALBANY	246	-	-	2	20	72	76	60	16	-	-
ALLEGANY	69	-	-	-	5	29	19	15	1	-	-
BROOME	196	-	-	-	29	64	66	29	8	-	-
CATTARAUGUS	141	-	-	-	10	46	49	31	5	-	-
CAYUGA	108	-	-	-	15	37	37	13	6	-	-
CHAUTAUQUA	222	-	-	2	27	73	82	32	6	-	-
CHEMUNG	113	-	-	-	18	41	35	17	2	-	-
CHENANGO	72	-	-	-	13	20	21	14	4	-	-
CLINTON	72	-	-	1	5	25	25	15	1	-	-
COLUMBIA	61	-	-	-	7	12	21	19	2	-	-
CORTLAND	54	-	-	-	7	23	16	5	3	-	-
DELAWARE	53	-	-	-	6	19	19	6	3	-	-
DUTCHESS	216	-	-	-	16	57	82	50	11	-	-
ERIE	1,066	-	1	3	104	341	362	211	43	-	1
ESSEX	43	-	-	-	4	10	18	8	2	1	-
FRANKLIN	45	-	-	1	8	13	16	6	-	1	-
FULTON	62	-	-	2	5	23	21	7	4	-	-
GENESEE	77	-	-	-	8	27	26	13	2	1	-
GREENE	41	-	-	-	3	13	12	8	5	-	-
HAMILTON	5	-	-	-	-	2	3	-	-	-	-
HERKIMER	83	-	-	-	16	27	25	13	2	-	-
JEFFERSON	115	-	-	-	26	38	34	15	2	-	-
LEWIS	47	-	-	-	8	13	17	8	1	-	-
LIVINGSTON	49	-	-	-	3	22	12	8	2	2	-
MADISON	74	-	-	-	10	22	22	15	5	-	-
MONROE	785	-	-	6	85	234	273	151	34	2	-
MONTGOMERY	63	-	-	1	7	22	15	16	2	-	-
NASSAU	961	-	-	1	47	180	385	289	56	2	1
NIAGARA	265	-	-	1	22	84	101	46	11	-	-
ONEIDA	328	-	1	1	39	104	105	63	15	-	-
ONONDAGA	655	-	-	5	93	203	206	122	26	-	-
ONTARIO	94	-	-	-	6	34	29	24	1	-	-
ORANGE	580	-	-	2	57	165	198	140	17	1	-
ORLEANS	48	-	-	-	5	21	8	11	3	-	-
OSWEGO	181	-	-	2	38	65	43	29	4	-	-
OTSEGO	71	-	-	-	5	19	25	19	3	-	-
PUTNAM	62	-	-	-	5	9	27	18	3	-	-
RENSSELAER	163	-	-	-	18	58	53	27	7	-	-
ROCKLAND	584	-	-	-	32	136	204	174	36	2	-
ST. LAWRENCE	177	-	-	-	21	51	67	30	7	-	1
SARATOGA	149	-	-	-	13	39	51	31	5	1	-
SCHENECTADY	152	-	-	1	11	38	61	30	10	1	-
SCHOHARIE	36	-	-	-	4	10	9	9	3	1	-
SCHUYLER	16	-	-	-	-	3	8	5	-	-	-
SENECA	38	-	-	-	3	11	14	10	-	-	-
STEUBEN	137	-	-	1	15	34	47	29	11	-	-
SUFFOLK	1,299	-	1	4	81	339	489	320	63	1	1
SULLIVAN	152	-	-	-	14	47	54	27	9	1	-
TIOGA	68	-	-	-	10	16	31	7	4	-	-
TOMPKINS	68	-	-	-	7	18	24	14	4	1	-
ULSTER	187	-	-	-	24	48	63	39	13	-	-
WARREN	56	-	-	-	7	14	23	10	1	1	-
WASHINGTON	60	-	-	1	7	20	14	12	6	-	-
WAYNE	118	-	-	1	17	43	30	20	7	-	-
WESTCHESTER	698	-	-	3	66	149	251	175	50	4	-
WYOMING	53	-	-	-	5	16	22	8	2	-	-
YATES	39	-	-	-	2	13	16	6	2	-	-
NEW YORK CITY	12,250	-	10	45	1,355	3,498	4,153	2,558	591	37	3
BRONX	2,491	-	5	14	375	790	735	444	119	8	1
KINGS	5,861	-	2	20	613	1,653	2,056	1,212	282	21	2
NEW YORK	1,670	-	2	4	189	487	564	339	82	3	-
QUEENS	1,830	-	1	6	143	473	652	465	86	4	-
RICHMOND	398	-	-	1	35	95	146	98	22	1	-

TABLE 27. MARRIAGES OCCURRING IN UPSTATE NEW YORK
BY AGES OF BRIDE AND GROOM, 1985

AGE OF BRIDE	TOTAL MARRIAGES	AGE OF GROOM											
		14	15	16	17	18	19	20	21	22	23	24	25
14	6	-	-	-	-	2	-	1	-	-	-	1	-
15	31	-	-	-	2	3	5	7	4	6	2	-	-
16	384	-	-	7	27	58	85	65	45	25	19	14	14
17	854	-	-	10	30	127	178	141	109	85	38	37	29
18	2,958	-	-	5	36	232	494	521	503	345	230	161	134
19	4,044	-	-	6	18	174	477	643	644	533	420	315	219
20	5,296	-	-	1	5	70	293	580	850	837	671	538	380
21	6,426	-	-	2	3	43	137	334	741	1,091	957	806	627
22	7,274	-	-	-	3	23	71	195	469	1,006	1,185	1,138	795
23	7,433	-	-	-	2	18	38	91	259	648	1,191	1,228	1,017
24	7,205	-	-	1	1	7	29	73	160	325	656	1,153	1,105
25	6,301	-	-	-	1	8	20	47	98	170	341	586	958
26	5,430	-	-	-	1	3	9	42	52	123	192	317	584
27	4,562	-	-	1	1	7	13	31	50	81	129	209	296
28	3,859	-	-	-	-	6	10	20	40	55	84	147	209
29	3,241	-	-	-	-	2	6	17	26	34	63	107	161
30-34	10,418	-	-	1	-	3	18	34	52	92	134	198	266
35-39	5,864	-	-	-	-	1	6	15	18	16	35	56	79
40-44	3,342	-	-	-	-	-	2	3	2	5	7	16	17
45-49	1,919	-	-	-	-	-	-	-	2	1	-	3	1
50-54	1,117	-	-	-	-	-	-	1	-	-	3	-	-
55-59	739	-	-	-	-	-	-	-	-	-	-	-	-
60-64	609	-	-	-	-	-	-	-	-	-	1	-	-
65-69	406	-	-	-	-	-	-	-	-	-	-	-	-
70-74	220	-	-	-	-	-	-	-	-	-	-	-	-
75+	128	-	-	-	1	1	-	-	-	-	1	-	-
TOTAL	90,066	-	-	34	131	788	1,891	2,861	4,124	5,478	6,359	7,030	6,891

AGE OF BRIDE	AGE OF GROOM												
	26	27	28	29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+
14	1	1	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	1	-	-	1	-	-	-	-	-	-	-	-
16	9	4	3	3	2	2	1	1	-	-	-	-	-	-
17	20	14	5	10	15	3	2	1	-	-	-	-	-	-
18	71	70	41	25	62	14	8	1	1	2	1	-	1	-
19	153	122	87	56	123	37	12	3	1	-	-	-	-	1
20	249	186	150	116	266	71	21	9	1	2	-	-	-	-
21	453	333	252	158	327	112	35	12	2	-	-	-	-	1
22	640	455	313	241	515	159	45	14	5	1	1	-	-	-
23	736	539	404	319	664	189	61	21	3	4	1	-	-	-
24	918	676	536	369	848	247	64	22	10	3	-	2	-	-
25	893	726	559	422	1,043	289	97	26	7	7	2	-	1	-
26	730	705	585	418	1,130	370	114	38	8	4	4	-	1	-
27	445	554	496	393	1,227	422	133	44	19	9	2	-	-	-
28	250	378	389	404	1,171	450	162	60	17	6	1	-	-	-
29	190	239	273	300	1,098	479	164	58	17	2	5	-	-	-
30-34	365	423	569	617	3,589	2,348	989	425	177	72	28	13	4	1
35-39	87	115	133	166	1,098	1,676	1,200	621	334	140	52	15	1	-
40-44	15	12	35	47	273	555	780	709	449	242	117	32	10	14
45-49	4	6	6	8	77	133	243	432	435	317	172	66	9	4
50-54	1	-	-	1	10	28	61	131	252	307	206	85	23	8
55-59	1	1	2	-	7	7	16	34	85	187	218	114	43	24
60-64	-	-	-	-	2	1	4	11	23	71	198	160	93	45
65-69	-	-	-	-	-	-	-	3	3	28	64	118	122	68
70-74	-	-	-	-	-	-	1	-	-	3	15	42	76	83
75+	-	-	-	-	1	1	1	-	1	1	5	10	20	85
TOTAL	6,231	5,559	4,839	4,073	13,548	7,594	4,214	2,676	1,850	1,408	1,092	657	404	334

TABLE 28. DISSOLUTIONS OF MARRIAGE BY DURATION OF MARRIAGE AND TYPE OF DISSOLUTION: CERTIFICATES OF DISSOLUTION OF MARRIAGE FILED IN NEW YORK STATE, 1985

DURATION OF MARRIAGE IN YEARS	NEW YORK STATE				NEW YORK CITY				UPSTATE NEW YORK			
	TOTAL	DIVORCE	ANNULMENT	(A) OTHER	TOTAL	DIVORCE	ANNULMENT	(A) OTHER	TOTAL	DIVORCE	ANNULMENT	(A) OTHER
TOTAL	67,616	66,816	799	1	35,150	34,639	511	-	32,466	32,177	288	1
UNDER 1	1,650	1,365	285	-	1,079	882	197	-	571	483	88	-
1	4,416	4,160	256	-	2,932	2,770	162	-	1,484	1,390	94	-
2	5,943	5,856	87	-	3,874	3,819	55	-	2,069	2,037	32	-
3	6,235	6,193	42	-	3,832	3,806	26	-	2,403	2,387	16	-
4	5,279	5,239	40	-	2,973	2,947	26	-	2,306	2,292	14	-
5	4,645	4,620	25	-	2,523	2,509	14	-	2,122	2,111	11	-
6	3,687	3,669	18	-	1,910	1,899	11	-	1,777	1,770	7	-
7	3,230	3,225	5	-	1,563	1,562	1	-	1,667	1,663	4	-
8	2,730	2,727	3	-	1,332	1,331	1	-	1,398	1,396	2	-
9	2,591	2,583	7	1	1,264	1,260	4	-	1,327	1,323	3	1
10	2,446	2,443	3	-	1,167	1,164	3	-	1,279	1,279	-	-
11	2,252	2,246	6	-	1,046	1,042	4	-	1,206	1,204	2	-
12	2,147	2,147	-	-	992	992	-	-	1,155	1,155	-	-
13	2,011	2,008	3	-	910	910	-	-	1,101	1,098	3	-
14	1,880	1,879	1	-	837	836	1	-	1,043	1,043	-	-
15	1,668	1,668	-	-	766	766	-	-	902	902	-	-
16	1,541	1,539	2	-	656	654	2	-	885	885	-	-
17	1,303	1,302	1	-	552	551	1	-	751	751	-	-
18	1,199	1,197	2	-	488	487	1	-	711	710	1	-
19	1,144	1,143	1	-	450	450	-	-	694	693	1	-
20-24	4,370	4,368	2	-	1,799	1,798	1	-	2,571	2,570	1	-
25-29	2,573	2,573	-	-	1,074	1,074	-	-	1,499	1,499	-	-
30-34	1,392	1,391	1	-	562	562	-	-	830	829	1	-
35-39	676	674	2	-	290	290	-	-	386	384	2	-
40+	399	397	2	-	186	186	-	-	213	211	2	-
UNK	209	204	5	-	93	92	1	-	116	112	4	-

(A) DISSOLUTIONS BASED UPON ARTICLE 12 OF THE DOMESTIC RELATIONS LAW AND DISSOLUTIONS FOR WHICH THE TYPE WAS NOT STATED.

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ALBANY COUNTY TOTAL COUNTY			ALBANY (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	283,500	282,100	282,800	98,750	98,100	98,750
RECORDED LIVE BIRTHS	5,241	4,880	4,765	5,229	4,871	4,749
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	3,824	3,596	3,580	1,548	1,457	1,549
RATE	13.5	12.7	12.7	15.7	14.9	15.7
PREMATURE, NUMBER	227	200	219	108	95	129
PERCENT	5.9	5.6	6.1	7.0	6.5	8.4
LIVE BIRTH ORDER #1, NUMBER	1,880	1,635	1,701	813	700	769
PERCENT	49.2	45.5	47.5	52.5	48.0	49.6
MOTHER'S AGE UNDER 18, NUMBER	144	128	169	99	93	121
PERCENT	3.8	3.6	4.7	6.4	6.4	7.8
EARLY PRENATAL CARE, NUMBER	3,062	3,037	3,022	1,165	1,161	1,223
PERCENT	87.3	86.8	86.3	83.6	82.8	81.7
RACE OTHER THAN WHITE, NUMBER	461	439	498	410	390	439
PERCENT	12.1	12.2	13.9	26.5	26.8	28.3
RECORDED FETAL DEATHS	1,230	1,308	1,369	1,230	1,308	1,369
INDUCED ABORTIONS, NUMBER	885	989	1,081	885	989	1,081
PERCENT	72.0	75.6	79.0	72.0	75.6	79.0
FETAL DEATHS BY PLACE OF RESIDENCE	1,460	1,436	1,399	840	810	827
INDUCED ABORTIONS	1,168	1,137	1,149	721	686	705
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	59	46	70	36	25	41
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	21	25	35	14	15	21
RECORDED DEATHS	3,793	3,798	3,708	2,811	2,790	2,705
DEATHS BY PLACE OF RESIDENCE						
NUMBER	2,979	2,967	2,902	1,320	1,269	1,255
RATE	10.5	10.5	10.3	13.4	12.9	12.7
NEONATAL DEATHS, NUMBER	29	20	25	13	10	12
MORTALITY RATE	7.6	5.6	7.0	8.4	6.9	7.7
INFANT DEATHS, NUMBER	41	37	33	17	19	17
MORTALITY RATE	10.7	10.3	9.2	11.0	13.0	11.0
DEATHS BY AGE						
0-24	94	79	81	39	32	33
25-44	88	93	98	40	39	32
45-64	512	524	511	198	187	193
65 AND OVER	2,283	2,271	2,212	1,041	1,011	997
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	1,221	1,276	1,302	547	564	561
RATE	430.7	452.3	460.4	553.9	574.9	568.1
MALIGNANT NEOPLASMS, NUMBER	696	688	674	293	276	268
RATE	245.5	243.9	238.3	296.7	281.3	271.4
CEREBROVASCULAR DISEASE, NUMBER	205	198	174	98	86	79
RATE	72.3	70.2	61.5	99.2	87.7	80.0
TOTAL ACCIDENTS, NUMBER	94	81	73	32	19	18
RATE	33.2	28.7	25.8	32.4	19.4	18.2
MOTOR VEHICLE ACCIDENTS, NUMBER	39	30	26	7	2	4
RATE	13.8	10.6	9.2	7.1	2.0	4.1
RACE OTHER THAN WHITE, NUMBER	149	113	123	134	101	113
PERCENT	5.0	3.8	4.2	10.2	8.0	9.0
MARRIAGES BY COUNTY OF OCCURRENCE	2,149	2,106	2,225	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	789	937	1,008	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	**	**	**
ARTICLE 10, DRL (DIVORCE)	783	928	999	**	**	**
ARTICLE 9, DRL (ANNULMENT)	6	9	9	**	**	**
NOT STATED	-	-	-	**	**	**

COHOES (C)			WATERVLIET (C)			ALLEGANY COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
18,100	18,050	18,100	11,250	11,200	11,200	51,700	51,200	51,400
-	1	2	-	2	-	408	352	362
269	242	267	182	187	206	671	668	688
14.9	13.4	14.8	16.2	16.7	18.4	13.0	13.0	13.4
9	18	21	16	8	9	29	36	33
3.3	7.4	7.9	8.8	4.3	4.4	4.3	5.4	4.8
105	93	109	91	87	110	234	240	233
39.0	38.4	40.8	50.0	46.5	53.4	34.9	35.9	33.9
10	10	5	7	4	3	24	32	20
3.7	4.1	1.9	3.8	2.1	1.5	3.6	4.8	2.9
201	180	208	153	163	174	529	530	510
77.0	75.9	78.8	89.0	88.1	85.3	80.0	80.5	76.6
3	2	5	6	5	5	6	10	11
1.1	.8	1.9	3.3	2.7	2.4	.9	1.5	1.6
-	-	-	-	-	-	47	46	50
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
81	93	117	70	62	38	185	210	222
63	71	90	56	48	30	126	150	157
2	4	7	2	-	2	8	10	15
-	1	2	1	-	1	-	1	4
187	229	209	18	18	13	350	325	373
231	248	231	141	160	166	446	419	467
12.8	13.7	12.8	12.5	14.3	14.8	8.6	8.2	9.1
-	1	2	-	1	-	2	2	1
-	4.1	7.5	-	5.3	-	3.0	3.0	1.5
3	4	2	1	2	-	4	5	5
11.2	16.5	7.5	5.5	10.7	-	6.0	7.5	7.3
7	7	5	2	3	2	16	22	20
6	2	8	4	3	4	12	22	17
41	52	44	30	38	30	65	52	83
177	187	174	105	116	130	353	323	347
96	135	111	66	70	66	176	140	174
530.4	747.9	613.3	586.7	625.0	589.3	340.4	273.4	338.5
43	37	55	32	43	52	83	92	99
237.6	205.0	303.9	284.4	383.9	464.3	160.5	179.7	192.6
20	18	16	12	7	8	34	42	33
110.5	99.7	88.4	106.7	62.5	71.4	65.8	82.0	64.2
6	4	4	4	7	7	21	28	15
33.1	22.2	22.1	35.6	62.5	62.5	40.6	54.7	29.2
3	1	2	1	2	2	7	13	11
16.6	5.5	11.0	8.9	17.9	17.9	13.5	25.4	21.4
-	-	-	1	1	-	1	2	3
-	-	-	.7	.6	-	.2	.5	.6
**	**	**	**	**	**	373	392	417
**	**	**	**	**	**	135	117	174
**	**	**	**	**	**	-	-	-
**	**	**	**	**	**	134	115	172
**	**	**	**	**	**	1	2	2
**	**	**	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	BROOME COUNTY TOTAL COUNTY			BINGHAMTON (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	212,900	211,500	211,700	53,200	52,800	53,200
RECORDED LIVE BIRTHS	3,622	3,596	3,537	1,679	1,765	1,767
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	2,945	2,908	2,835	850	866	916
RATE	13.8	13.7	13.4	16.0	16.4	17.2
PREMATURE, NUMBER	166	148	187	62	44	64
PERCENT	5.6	5.1	6.6	7.3	5.1	7.0
LIVE BIRTH ORDER #1, NUMBER	1,311	1,308	1,228	403	429	397
PERCENT	44.5	45.0	43.3	47.4	49.5	43.3
MOTHER'S AGE UNDER 18, NUMBER	86	78	88	38	39	33
PERCENT	2.9	2.7	3.1	4.5	4.5	3.6
EARLY PRENATAL CARE, NUMBER	2,015	2,001	2,008	511	557	605
PERCENT	69.5	70.2	72.3	61.3	65.8	67.2
RACE OTHER THAN WHITE, NUMBER	129	143	134	65	72	73
PERCENT	4.4	4.9	4.7	7.6	8.3	8.0
RECORDED FETAL DEATHS	1,980	1,963	1,929	1,846	1,834	1,789
INDUCED ABORTIONS, NUMBER	1,800	1,781	1,719	1,682	1,669	1,601
PERCENT	90.9	90.7	89.1	91.1	91.0	89.5
FETAL DEATHS BY PLACE OF RESIDENCE	1,209	1,184	1,199	532	539	608
INDUCED ABORTIONS	1,050	1,030	1,022	466	473	520
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	20	25	32	10	9	18
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	8	14	10	3	5	6
RECORDED DEATHS	2,190	2,201	2,231	1,173	1,186	1,231
DEATHS BY PLACE OF RESIDENCE						
NUMBER	2,041	2,022	2,037	758	740	789
RATE	9.6	9.6	9.6	14.2	14.0	14.8
NEONATAL DEATHS, NUMBER	19	25	30	8	5	9
MORTALITY RATE	6.5	8.6	10.6	9.4	5.8	9.8
INFANT DEATHS, NUMBER	27	33	47	10	9	16
MORTALITY RATE	9.2	11.3	16.6	11.8	10.4	17.5
DEATHS BY AGE						
0-24	68	76	89	21	22	23
25-44	75	67	78	24	20	30
45-64	344	359	379	105	122	131
65 AND OVER	1,554	1,520	1,491	608	576	605
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	830	836	839	304	304	329
RATE	389.9	395.3	396.3	571.4	575.8	618.4
MALIGNANT NEOPLASMS, NUMBER	497	487	448	181	184	153
RATE	233.4	230.3	211.6	340.2	348.5	287.6
CEREBROVASCULAR DISEASE, NUMBER	151	167	159	70	58	75
RATE	70.9	79.0	75.1	131.6	109.8	141.0
TOTAL ACCIDENTS, NUMBER	62	56	60	21	17	23
RATE	29.1	26.5	28.3	39.5	32.2	43.2
MOTOR VEHICLE ACCIDENTS, NUMBER	30	36	21	8	9	4
RATE	14.1	17.0	9.9	15.0	17.0	7.5
RACE OTHER THAN WHITE, NUMBER	18	11	18	10	7	14
PERCENT	.9	.5	.9	1.3	.9	1.8
MARRIAGES BY COUNTY OF OCCURRENCE	1,866	1,586	1,736	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION	836	817	729	**	**	**
TYPE OF DECREE						
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	**	**	**
ARTICLE 10, DRL (DIVORCE)	828	807	725	**	**	**
ARTICLE 9, DRL (ANNULMENT)	8	10	4	**	**	**
NOT STATED	-	-	-	**	**	**

ENDICOTT (V)			JOHNSON CITY (V)			CATTARAUGUS COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
14,600	14,400	14,350	17,000	17,000	17,050	86,000	85,300	85,300
-	4	1	1,934	1,822	1,765	1,320	1,352	1,349
269	298	353	231	237	239	1,400	1,352	1,280
18.4	20.7	24.6	13.6	13.9	14.0	16.3	15.8	15.0
13	27	24	17	14	12	68	85	71
4.8	9.1	6.8	7.4	5.9	5.0	4.9	6.3	5.6
137	143	157	116	119	123	514	512	498
50.9	48.0	44.5	50.2	50.2	51.5	36.7	37.9	38.9
6	6	12	4	3	6	64	57	65
2.2	2.0	3.4	1.7	1.3	2.5	4.6	4.2	5.1
211	224	286	166	168	171	1,058	1,022	984
79.9	77.2	81.7	73.8	73.0	73.4	76.7	77.7	78.7
15	19	19	14	17	6	73	70	76
5.6	6.4	5.4	6.1	7.2	2.5	5.2	5.2	5.9
-	19	16	134	110	124	130	160	146
-	18	13	118	94	105	9	18	22
-	94.7	81.3	88.1	85.5	84.7	6.9	11.3	15.1
162	126	130	105	113	115	377	394	425
152	117	118	95	102	108	258	272	305
1	6	3	-	2	3	15	14	22
-	3	-	-	1	1	4	1	5
34	76	151	661	652	591	779	863	840
159	156	168	235	243	228	822	899	906
10.9	10.8	11.7	13.8	14.3	13.4	9.6	10.5	10.6
1	2	2	3	6	4	6	4	10
3.7	6.7	5.7	13.0	25.3	16.7	4.3	3.0	7.8
2	2	2	5	6	6	12	9	15
7.4	6.7	5.7	21.6	25.3	25.1	8.6	6.7	11.7
5	3	5	6	13	9	31	36	40
8	4	4	4	4	9	35	30	28
30	26	24	35	30	42	144	151	174
116	123	135	190	196	168	612	681	664
65	67	65	99	88	95	308	352	341
445.2	465.3	453.0	582.4	517.6	557.2	358.1	412.7	399.8
41	30	45	56	53	47	171	191	180
280.8	208.3	313.6	329.4	311.8	275.7	198.8	223.9	211.0
9	14	13	20	22	18	61	65	81
61.6	97.2	90.6	117.6	129.4	105.6	70.9	76.2	95.0
5	3	1	2	6	8	42	40	42
34.2	20.8	7.0	11.8	35.3	46.9	48.8	46.9	49.2
2	2	1	1	3	4	23	18	18
13.7	13.9	7.0	5.9	17.6	23.5	26.7	21.1	21.1
-	1	1	2	1	1	27	24	16
-	.6	.6	.9	.4	.4	3.3	2.7	1.8
**	**	**	**	**	**	731	823	793
**	**	**	**	**	**	269	258	284
**	**	**	**	**	**	-	-	-
**	**	**	**	**	**	268	255	281
**	**	**	**	**	**	1	3	3
**	**	**	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	CATTARAUGUS COUNTY (CONT.)			CAYUGA COUNTY		
	OLEAN (C)			TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	18,150	18,000	18,100	78,500	77,800	77,900
RECORDED LIVE BIRTHS	1,027	1,057	1,065	919	1,034	1,005
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	301	290	309	1,155	1,186	1,180
RATE	16.6	16.1	17.1	14.7	15.2	15.1
PREMATURE, NUMBER	18	21	19	61	64	85
PERCENT	6.0	7.3	6.1	5.3	5.4	7.2
LIVE BIRTH ORDER #1, NUMBER	119	123	128	459	469	434
PERCENT	39.5	42.4	41.4	39.7	39.5	36.8
MOTHER'S AGE UNDER 18, NUMBER	13	9	21	46	51	37
PERCENT	4.3	3.1	6.8	4.0	4.3	3.1
EARLY PRENATAL CARE, NUMBER	234	242	252	916	969	963
PERCENT	80.1	84.6	82.6	79.8	81.8	81.8
RACE OTHER THAN WHITE, NUMBER	16	17	19	51	41	45
PERCENT	5.3	5.9	6.1	4.4	3.5	3.8
RECORDED FETAL DEATHS	102	124	121	15	19	25
INDUCED ABORTIONS, NUMBER	9	18	19	-	-	-
PERCENT	8.8	14.5	15.7	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	92	95	130	254	261	316
INDUCED ABORTIONS	66	71	93	225	227	277
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	2	4	5	7	10	9
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	1	2	-	2	3
RECORDED DEATHS	419	437	441	731	735	702
DEATHS BY PLACE OF RESIDENCE						
NUMBER	206	229	240	801	781	746
RATE	11.3	12.7	13.3	10.2	10.0	9.6
NEONATAL DEATHS, NUMBER	1	-	3	9	9	5
MORTALITY RATE	3.3	-	9.7	7.8	7.6	4.2
INFANT DEATHS, NUMBER	3	-	4	9	15	7
MORTALITY RATE	10.0	-	12.9	7.8	12.6	5.9
DEATHS BY AGE						
0-24	11	2	9	27	32	20
25-44	5	5	5	24	33	24
45-64	39	39	45	147	127	123
65 AND OVER	151	182	181	603	589	579
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	76	110	102	282	299	297
RATE	418.7	611.1	563.5	359.2	384.3	381.3
MALIGNANT NEOPLASMS, NUMBER	40	50	41	200	166	158
RATE	220.4	277.8	226.5	254.8	213.4	202.8
CEREBROVASCULAR DISEASE, NUMBER	11	12	19	69	69	71
RATE	60.6	66.7	105.0	87.9	88.7	91.1
TOTAL ACCIDENTS, NUMBER	10	5	7	32	36	31
RATE	55.1	27.8	38.7	40.8	46.3	39.8
MOTOR VEHICLE ACCIDENTS, NUMBER	6	2	2	24	19	12
RATE	33.1	11.1	11.0	30.6	24.4	15.4
RACE OTHER THAN WHITE, NUMBER	4	4	5	7	9	5
PERCENT	1.9	1.7	2.1	.9	1.2	.7
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	691	680	699
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	210	206	198
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	-	-	-
ARTICLE 10, DRL (DIVORCE)	**	**	**	209	206	198
ARTICLE 9, DRL (ANNULMENT)	**	**	**	1	-	-
NOT STATED	**	**	**	-	-	-

AUBURN (C)			CHAUTAUQUA COUNTY TOTAL COUNTY			DUNKIRK (C)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
30,800	30,650	30,700	146,000	145,000	145,600	14,850	14,750	14,900
912	1,029	997	1,996	1,929	1,966	486	508	507
495	475	478	2,084	2,017	2,008	224	235	229
16.1	15.5	15.6	14.3	13.9	13.8	15.1	15.9	15.4
25	29	30	94	135	103	9	15	8
5.1	6.1	6.3	4.5	6.7	5.1	4.0	6.4	3.5
206	195	192	762	775	831	93	105	95
41.6	41.1	40.2	36.6	38.4	41.4	41.5	44.7	41.5
20	19	15	67	77	85	13	7	17
4.0	4.0	3.1	3.2	3.8	4.2	5.8	3.0	7.4
397	394	401	1,747	1,633	1,504	172	184	181
80.2	82.9	84.1	84.4	82.7	81.1	77.1	79.3	81.5
46	30	36	62	51	50	17	12	11
9.3	6.3	7.5	3.0	2.5	2.5	7.6	5.1	4.8
15	19	25	243	286	359	90	97	111
-	-	-	71	109	138	42	34	29
-	-	-	29.2	38.1	38.4	46.7	35.1	26.1
143	141	162	786	802	851	112	112	126
129	129	148	622	636	633	94	90	87
4	4	5	23	28	29	3	2	3
-	1	2	3	6	3	1	-	-
658	676	657	1,488	1,561	1,559	277	277	315
414	389	378	1,532	1,579	1,607	204	172	222
13.4	12.7	12.3	10.5	10.9	11.0	13.7	11.7	14.9
5	3	2	13	8	13	-	3	2
10.1	6.3	4.2	6.2	4.0	6.5	-	12.8	8.7
5	6	3	16	15	23	1	5	2
10.1	12.6	6.3	7.7	7.4	11.5	4.5	21.3	8.7
9	8	7	37	47	40	2	8	3
7	15	10	55	51	48	8	8	6
68	57	51	242	240	260	36	24	46
330	309	310	1,198	1,241	1,259	158	132	167
149	159	154	633	681	709	86	83	103
483.8	518.8	501.6	433.6	469.7	487.0	579.1	562.7	691.3
108	81	77	322	326	328	46	29	52
350.6	264.3	250.8	220.5	224.8	225.3	309.8	196.6	349.0
34	32	39	138	139	136	19	14	18
110.4	104.4	127.0	94.5	95.9	93.4	127.9	94.9	120.8
10	8	12	39	66	51	3	3	7
32.5	26.1	39.1	26.7	45.5	35.0	20.2	20.3	47.0
4	2	2	16	29	18	1	1	4
13.0	6.5	6.5	11.0	20.0	12.4	6.7	6.8	26.8
7	8	5	27	26	18	6	7	2
1.7	2.1	1.3	1.8	1.6	1.1	2.9	4.1	.9
**	**	**	1,325	1,364	1,429	**	**	**
**	**	**	511	566	548	**	**	**
**	**	**	-	-	-	**	**	**
**	**	**	506	561	542	**	**	**
**	**	**	5	5	6	**	**	**
**	**	**	-	-	-	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	CHAUTAUQUA COUNTY (CONT.)					
	JAMESTOWN (C)			FREDONIA (V)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	35,900	35,650	35,700	11,150	11,100	11,100
RECORDED LIVE BIRTHS	1,310	1,239	1,302	-	-	-
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	681	620	638	92	106	106
RATE	19.0	17.4	17.9	8.3	9.5	9.5
PREMATURE, NUMBER	40	51	39	6	9	12
PERCENT	5.9	8.2	6.1	6.5	8.5	11.3
LIVE BIRTH ORDER #1, NUMBER	250	241	275	50	40	50
PERCENT	36.7	38.9	43.1	54.3	37.7	47.2
MOTHER'S AGE UNDER 18, NUMBER	22	33	26	7	1	4
PERCENT	3.2	5.3	4.1	7.6	.9	3.8
EARLY PRENATAL CARE, NUMBER	587	499	504	77	85	86
PERCENT	86.6	82.1	81.0	84.6	84.2	81.1
RACE OTHER THAN WHITE, NUMBER	27	27	31	2	3	2
PERCENT	4.0	4.4	4.9	2.2	2.8	1.9
RECORDED FETAL DEATHS	139	162	222	-	-	-
INDUCED ABORTIONS, NUMBER	21	58	86	-	-	-
PERCENT	15.1	35.8	38.7	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	282	260	262	86	90	110
INDUCED ABORTIONS	217	205	199	71	74	87
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	7	14	6	3	3	3
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	1	2	-	-	1	-
RECORDED DEATHS	787	848	827	10	12	6
DEATHS BY PLACE OF RESIDENCE						
NUMBER	481	512	514	72	81	67
RATE	13.4	14.4	14.4	6.5	7.3	6.0
NEONATAL DEATHS, NUMBER	3	3	8	-	-	1
MORTALITY RATE	4.4	4.8	12.5	-	-	9.4
INFANT DEATHS, NUMBER	5	7	12	-	-	2
MORTALITY RATE	7.3	11.3	18.8	-	-	18.9
DEATHS BY AGE						
0-24	9	16	14	-	1	3
25-44	16	14	14	3	1	-
45-64	58	57	68	14	16	11
65 AND OVER	398	425	418	55	63	53
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	201	202	224	31	40	24
RATE	559.9	566.6	627.5	278.0	360.4	216.2
MALIGNANT NEOPLASMS, NUMBER	91	121	87	21	15	22
RATE	253.5	339.4	243.7	188.3	135.1	198.2
CEREBROVASCULAR DISEASE, NUMBER	45	53	51	5	6	2
RATE	125.3	148.7	142.9	44.8	54.1	18.0
TOTAL ACCIDENTS, NUMBER	12	18	15	1	2	2
RATE	33.4	50.5	42.0	9.0	18.0	18.0
MOTOR VEHICLE ACCIDENTS, NUMBER	4	5	6	1	1	-
RATE	11.1	14.0	16.8	9.0	9.0	-
RACE OTHER THAN WHITE, NUMBER	13	10	11	-	-	-
PERCENT	2.7	2.0	2.1	-	-	-
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

CHEMUNG COUNTY						CHENANGO COUNTY		
TOTAL COUNTY			ELMIRA (C)			TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
92,200	91,000	92,300	31,700	31,150	31,800	49,900	49,600	49,500
1,570	1,563	1,714	1,569	1,562	1,711	369	410	401
1,308	1,279	1,320	579	543	551	706	700	727
14.2	14.1	14.3	18.3	17.4	17.3	14.1	14.1	14.7
77	88	107	39	42	51	28	36	39
5.9	6.9	8.1	6.7	7.7	9.3	4.0	5.1	5.4
550	548	503	237	240	220	269	273	285
42.0	42.8	38.1	40.9	44.2	39.9	38.1	39.0	39.2
73	68	63	41	44	34	30	31	30
5.6	5.3	4.8	7.1	8.1	6.2	4.2	4.4	4.1
970	973	951	416	392	380	544	554	566
74.7	76.7	75.4	72.2	72.6	70.9	77.5	79.7	78.1
81	71	74	66	63	59	7	19	9
6.2	5.6	5.6	11.4	11.6	10.7	1.0	2.7	1.2
397	162	155	397	162	154	31	28	24
266	52	43	266	52	43	1	2	1
67.0	32.1	27.7	67.0	32.1	27.9	3.2	7.1	4.2
377	261	260	208	125	142	189	181	181
279	174	178	160	89	99	143	136	135
16	17	19	9	5	14	6	10	9
6	6	5	3	3	4	1	2	-
1,066	1,037	1,018	888	885	864	361	361	351
971	951	942	414	420	395	506	464	454
10.5	10.5	10.2	13.1	13.5	12.4	10.1	9.4	9.2
8	12	8	3	4	5	3	4	5
6.1	9.4	6.1	5.2	7.4	9.1	4.2	5.7	6.9
14	16	14	5	7	8	3	6	8
10.7	12.5	10.6	8.6	12.9	14.5	4.2	8.6	11.0
27	34	32	12	15	13	13	21	20
31	32	27	13	15	9	11	9	22
142	161	163	54	64	65	100	81	72
771	724	720	335	326	308	382	353	340
386	403	384	175	187	170	233	188	194
418.7	442.9	416.0	552.1	600.3	534.6	466.9	379.0	391.9
225	220	218	92	82	86	117	100	103
244.0	241.8	236.2	290.2	263.2	270.4	234.5	201.6	208.1
66	63	60	23	37	27	32	29	33
71.6	69.2	65.0	72.6	118.8	84.9	64.1	58.5	66.7
24	32	30	9	12	11	20	21	25
26.0	35.2	32.5	28.4	38.5	34.6	40.1	42.3	50.5
11	14	16	2	4	5	15	10	19
11.9	15.4	17.3	6.3	12.8	15.7	30.1	20.2	38.4
20	28	31	16	22	25	3	-	5
2.1	2.9	3.3	3.9	5.2	6.3	.6	-	1.1
846	871	861	**	**	**	499	463	470
	**							
345	367	421	**	**	**	214	209	211
-	-	-	**	**	**	-	-	1
343	365	418	**	**	**	212	208	209
2	2	3	**	**	**	2	1	1
-	-	-	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	CLINTON COUNTY					
	TOTAL COUNTY			PLATTSBURGH (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	78,000	76,700	77,100	20,550	19,950	20,200
RECORDED LIVE BIRTHS	1,662	1,470	1,437	1,661	1,467	1,436
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	1,411	1,355	1,279	524	512	477
RATE	18.1	17.7	16.6	25.5	25.7	23.6
PREMATURE, NUMBER	82	69	90	27	28	27
PERCENT	5.8	5.1	7.1	5.2	5.5	5.7
LIVE BIRTH ORDER #1, NUMBER	644	617	602	256	248	252
PERCENT	45.6	45.5	47.1	48.9	48.4	52.8
MOTHER'S AGE UNDER 18, NUMBER	41	24	43	12	3	14
PERCENT	2.9	1.8	3.4	2.3	.6	2.9
EARLY PRENATAL CARE, NUMBER	1,209	1,192	1,066	454	457	410
PERCENT	86.7	88.2	85.5	88.2	89.6	87.8
RACE OTHER THAN WHITE, NUMBER	71	62	41	56	48	36
PERCENT	5.0	4.6	3.2	10.7	9.4	7.5
RECORDED FETAL DEATHS	31	56	68	30	56	68
INDUCED ABORTIONS, NUMBER	2	44	51	2	44	51
PERCENT	6.5	78.6	75.0	6.7	78.6	75.0
FETAL DEATHS BY PLACE OF RESIDENCE	84	108	96	41	53	55
INDUCED ABORTIONS	61	96	81	32	48	46
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	16	8	11	8	4	7
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	4	4	2	2	1	2
RECORDED DEATHS	627	659	677	575	620	642
DEATHS BY PLACE OF RESIDENCE						
NUMBER	583	585	589	217	189	211
RATE	7.5	7.6	7.6	10.6	9.5	10.4
NEONATAL DEATHS, NUMBER	8	8	7	4	3	4
MORTALITY RATE	5.7	5.9	5.5	7.6	5.9	8.4
INFANT DEATHS, NUMBER	12	10	11	8	3	6
MORTALITY RATE	8.5	7.4	8.6	15.3	5.9	12.6
DEATHS BY AGE						
0-24	30	33	33	13	9	11
25-44	29	15	20	13	4	6
45-64	110	118	117	34	32	29
65 AND OVER	414	419	419	157	144	165
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	230	244	248	82	77	83
RATE	294.9	318.1	321.7	399.0	386.0	410.9
MALIGNANT NEOPLASMS, NUMBER	132	128	116	49	45	39
RATE	169.2	166.9	150.5	238.4	225.6	193.1
CEREBROVASCULAR DISEASE, NUMBER	40	37	40	16	11	17
RATE	51.3	48.2	51.9	77.9	55.1	84.2
TOTAL ACCIDENTS, NUMBER	19	24	31	3	3	11
RATE	24.4	31.3	40.2	14.6	15.0	54.5
MOTOR VEHICLE ACCIDENTS, NUMBER	11	13	16	-	-	3
RATE	14.1	16.9	20.8	-	-	14.9
RACE OTHER THAN WHITE, NUMBER	7	3	3	5	2	2
PERCENT	1.2	.5	.5	2.3	1.1	.9
MARRIAGES BY COUNTY OF OCCURRENCE	857	786	824	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	289	274	253	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	**	**	**
ARTICLE 10, DRL (DIVORCE)	285	271	251	**	**	**
ARTICLE 9, DRL (ANNULMENT)	4	3	2	**	**	**
NOT STATED	-	-	-	**	**	**

COLUMBIA COUNTY			CORTLAND COUNTY					
TOTAL COUNTY			TOTAL COUNTY			CORTLAND (C)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
59,700	59,600	59,500	48,600	48,100	48,300	19,500	19,300	19,500
596	495	448	675	667	702	674	663	698
796	718	797	658	650	662	270	251	253
13.3	12.0	13.4	13.5	13.5	13.7	13.8	13.[illegible]	13.0
31	39	45	35	27	33	17	9	11
3.9	5.4	5.7	5.3	4.2	5.0	6.3	3.6	4.4
342	333	342	238	261	277	112	98	104
43.0	46.4	42.9	36.2	40.2	41.8	41.5	39.0	41.1
36	30	32	23	29	23	11	11	10
4.5	4.2	4.0	3.5	4.5	3.5	4.1	4.4	4.0
624	554	515	507	508	516	203	195	198
81.0	79.3	80.0	77.3	78.5	77.9	75.7	77.7	78.3
47	48	52	4	7	7	4	5	6
5.9	6.7	6.5	.6	1.1	1.1	1.5	2.0	2.4
152	143	100	253	277	265	253	277	265
97	86	53	213	231	215	213	231	215
63.8	60.1	53.0	84.2	83.4	81.1	84.2	83.4	81.1
208	230	224	298	317	292	194	216	190
151	174	174	256	274	248	173	194	166
8	6	8	7	7	13	1	4	9
-	4	1	2	2	5	-	2	4
652	600	569	477	477	436	412	429	387
679	619	627	431	429	406	198	213	205
11.4	10.4	10.6	8.9	8.9	8.4	10.2	11.0	10.5
5	3	2	3	2	3	1	1	1
6.3	4.2	2.5	4.6	3.1	4.5	3.7	4.0	4.0
8	7	5	5	3	6	2	1	2
10.1	9.7	6.3	7.6	4.6	9.1	7.4	4.0	7.9
12	17	16	11	9	16	3	5	4
35	23	24	16	17	13	6	6	2
100	92	106	65	66	77	21	28	42
532	487	481	339	337	300	168	174	157
264	243	265	181	165	157	77	84	80
442.2	407.7	445.4	372.4	343.0	325.1	394.9	435.2	410.3
169	157	139	81	98	83	36	47	41
283.1	263.4	233.6	166.7	203.7	171.8	184.6	243.5	210.3
52	47	44	38	55	48	16	26	28
87.1	78.9	73.9	78.2	114.3	99.4	82.1	134.7	143.6
26	25	20	25	13	15	8	5	5
43.6	41.9	33.6	51.4	27.0	31.1	41.0	25.9	25.6
12	9	10	5	9	11	1	3	4
20.1	15.1	16.8	10.3	18.7	22.8	5.1	15.5	20.5
20	15	26	1	-	4	-	-	1
2.9	2.4	4.1	.2	-	1.0	-	-	.5
511	506	548	443	430	442	**	**	**
184	201	166	176	216	178	**	**	**
-	-	-	-	-	-	**	**	**
184	198	164	175	213	178	**	**	**
-	3	2	1	3	-	**	**	**
-	-	-	-	-	-	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	DELAWARE COUNTY TOTAL COUNTY			DUTCHESS COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	46,300	46,100	46,300	240,800	239,200	238,800
RECORDED LIVE BIRTHS	566	601	561	3,252	3,195	3,123
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	603	649	610	3,275	3,112	3,036
RATE	13.0	14.1	13.2	13.6	13.0	12.7
PREMATURE, NUMBER	47	33	41	182	170	171
PERCENT	7.8	5.1	6.7	5.6	5.5	5.7
LIVE BIRTH ORDER #1, NUMBER	237	265	252	1,461	1,478	1,383
PERCENT	39.3	40.8	41.3	44.6	47.5	45.6
MOTHER'S AGE UNDER 18, NUMBER	29	23	17	58	88	81
PERCENT	4.8	3.5	2.8	1.8	2.8	2.7
EARLY PRENATAL CARE, NUMBER	490	538	486	2,610	2,382	2,323
PERCENT	82.1	83.9	82.4	85.4	84.5	83.8
RACE OTHER THAN WHITE, NUMBER	5	5	8	406	434	373
PERCENT	.8	.8	1.3	12.4	13.9	12.3
RECORDED FETAL DEATHS	54	82	62	553	693	608
INDUCED ABORTIONS, NUMBER	3	12	18	206	293	230
PERCENT	5.6	14.6	29.0	37.3	42.3	37.8
FETAL DEATHS BY PLACE OF RESIDENCE	164	171	143	1,147	1,292	1,279
INDUCED ABORTIONS	108	117	103	852	966	949
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	7	9	4	16	23	34
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	2	4	2	7	15	16
RECORDED DEATHS	478	522	444	2,119	2,163	2,109
DEATHS BY PLACE OF RESIDENCE						
NUMBER	542	558	513	1,960	2,037	1,952
RATE	11.7	12.1	11.1	8.1	8.5	8.2
NEONATAL DEATHS, NUMBER	5	5	5	16	17	18
MORTALITY RATE	8.3	7.7	8.2	4.9	5.5	5.9
INFANT DEATHS, NUMBER	7	7	7	22	24	21
MORTALITY RATE	11.6	10.8	11.5	6.7	7.7	6.9
DEATHS BY AGE						
0-24	16	19	23	60	81	64
25-44	12	24	21	86	109	83
45-64	90	85	91	371	403	417
65 AND OVER	424	430	378	1,443	1,444	1,388
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	226	251	202	766	843	836
RATE	488.1	544.5	436.3	318.1	352.4	350.1
MALIGNANT NEOPLASMS, NUMBER	117	113	119	476	458	437
RATE	252.7	245.1	257.0	197.7	191.5	183.0
CEREBROVASCULAR DISEASE, NUMBER	39	31	34	138	144	132
RATE	84.2	67.2	73.4	57.3	60.2	55.3
TOTAL ACCIDENTS, NUMBER	34	26	24	77	85	89
RATE	73.4	56.4	51.8	32.0	35.5	37.3
MOTOR VEHICLE ACCIDENTS, NUMBER	17	5	14	45	45	48
RATE	36.7	10.8	30.2	18.7	18.8	20.1
RACE OTHER THAN WHITE, NUMBER	1	6	9	106	108	126
PERCENT	.2	1.1	1.8	5.4	5.3	6.5
MARRIAGES BY COUNTY OF OCCURRENCE	428	404	404	2,075	2,031	2,068
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION	26	151	136	886	859	892
TYPE OF DECREE	-	-	-	-	-	-
ARTICLE 12, DOMESTIC RELATIONS LAW	26	150	135	883	856	889
ARTICLE 10, DRL (DIVORCE)	-	1	1	3	3	3
ARTICLE 9, DRL (ANNULMENT)	-	-	-	-	-	-
NOT STATED						

BEACON (C)			POUGHKEEPSIE (C)			ERIE COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
11,800	11,700	11,700	29,750	29,550	29,600	984,800	976,200	984,500
113	191	275	2,485	2,324	2,199	14,617	14,312	13,919
230	227	228	577	564	481	13,567	13,345	13,000
19.5	19.4	19.5	19.4	19.1	16.3	13.8	13.7	13.2
24	16	15	52	61	53	928	897	937
10.5	7.0	6.6	9.0	10.8	11.0	6.8	6.7	7.2
88	102	93	249	270	202	5,700	5,685	5,653
38.3	44.9	40.8	43.2	47.9	42.0	42.0	42.6	43.5
11	20	11	24	29	30	563	496	528
4.8	8.8	4.8	4.2	5.1	6.2	4.2	3.7	4.1
181	166	170	401	394	300	11,141	9,701	9,320
80.4	75.1	76.6	76.1	76.4	68.5	84.8	85.8	85.1
39	46	37	223	226	186	2,381	2,322	2,264
17.0	20.3	16.2	38.6	40.1	38.7	17.5	17.4	17.4
15	29	64	509	621	509	10,734	11,559	10,526
-	6	10	202	283	214	9,906	10,865	9,856
-	20.7	15.6	39.7	45.6	42.0	92.3	94.0	93.6
98	100	111	346	427	425	7,242	7,354	6,876
76	73	71	283	358	353	6,487	6,692	6,277
3	3	6	3	6	10	170	164	168
1	2	2	2	4	5	60	36	34
146	158	182	615	663	654	10,967	10,630	10,830
137	167	150	424	423	422	10,565	10,244	10,479
11.6	14.3	12.8	14.3	14.3	14.3	10.7	10.5	10.6
2	3	1	5	4	6	96	96	103
8.7	13.2	4.4	8.7	7.1	12.5	7.1	7.2	7.9
2	5	1	8	6	6	137	141	147
8.7	22.0	4.4	13.9	10.6	12.5	10.1	10.6	11.3
3	10	3	18	20	10	297	299	333
10	8	7	13	25	20	432	374	413
23	39	35	72	82	80	2,096	2,145	2,227
101	110	105	321	296	312	7,737	7,422	7,503
66	62	68	159	182	189	4,331	4,140	4,350
559.3	529.9	581.2	534.5	615.9	638.5	439.8	424.1	441.8
25	44	37	111	87	90	2,419	2,345	2,362
211.9	376.1	316.2	373.1	294.4	304.1	245.6	240.2	239.9
9	13	11	37	27	24	979	914	853
76.3	111.1	94.0	124.4	91.4	81.1	99.4	93.6	86.6
6	8	6	13	15	15	294	266	297
50.8	68.4	51.3	43.7	50.8	50.7	29.9	27.2	30.2
3	3	3	7	5	6	127	92	112
25.4	25.6	25.6	23.5	16.9	20.3	12.9	9.4	11.4
13	14	11	59	49	54	943	931	982
9.5	8.4	7.3	13.9	11.6	12.8	8.9	9.1	9.4
**	**	**	**	**	**	7,884	8,006	7,994
**	**	**	**	**	**	3,270	3,390	3,389
**	**	**	**	**	**	-	-	1
**	**	**	**	**	**	3,234	3,360	3,344
**	**	**	**	**	**	36	30	44
**	**	**	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ERIE COUNTY (CONT.) BUFFALO (C)			LACKAWANNA (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	342,250	338,500	342,450	21,550	21,300	21,650
RECORDED LIVE BIRTHS	11,345	11,134	10,726	1	2	3
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	5,806	5,756	5,643	328	317	314
RATE	17.0	17.0	16.5	15.2	14.9	14.5
PREMATURE, NUMBER	546	522	519	21	23	25
PERCENT	9.4	9.1	9.2	6.4	7.3	8.0
LIVE BIRTH ORDER #1, NUMBER	2,532	2,523	2,507	145	139	154
PERCENT	43.6	43.8	44.4	44.2	43.8	49.0
MOTHER'S AGE UNDER 18, NUMBER	441	373	387	20	25	30
PERCENT	7.6	6.5	6.9	6.1	7.9	9.6
EARLY PRENATAL CARE, NUMBER	4,312	3,532	3,439	276	236	224
PERCENT	78.2	80.0	79.4	84.4	80.5	77.5
RACE OTHER THAN WHITE, NUMBER	2,117	2,047	2,014	50	47	42
PERCENT	36.5	35.6	35.7	15.2	14.8	13.4
RECORDED FETAL DEATHS	8,314	9,484	8,820	-	1	-
INDUCED ABORTIONS, NUMBER	7,745	9,002	8,350	-	1	-
PERCENT	93.2	94.9	94.7	-	100.0	-
FETAL DEATHS BY PLACE OF RESIDENCE	4,146	4,123	3,805	101	124	140
INDUCED ABORTIONS	3,809	3,835	3,538	93	118	129
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	90	96	87	5	3	4
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	37	25	20	1	-	1
RECORDED DEATHS	6,269	6,273	6,538	565	586	567
DEATHS BY PLACE OF RESIDENCE						
NUMBER	4,505	4,573	4,659	243	286	272
RATE	13.2	13.5	13.6	11.3	13.4	12.6
NEONATAL DEATHS, NUMBER	54	56	47	4	4	2
MORTALITY RATE	9.3	9.7	8.3	12.2	12.6	6.4
INFANT DEATHS, NUMBER	71	81	80	6	7	2
MORTALITY RATE	12.2	14.1	14.2	18.3	22.1	6.4
DEATHS BY AGE						
0-24	139	146	160	9	10	11
25-44	205	200	202	11	11	14
45-64	892	973	997	50	72	63
65 AND OVER	3,267	3,250	3,298	173	193	184
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	1,798	1,820	1,901	117	121	115
RATE	525.3	537.7	555.1	542.9	568.1	531.2
MALIGNANT NEOPLASMS, NUMBER	978	983	974	51	67	71
RATE	285.8	290.4	284.4	236.7	314.6	327.9
CEREBROVASCULAR DISEASE, NUMBER	398	394	354	21	19	17
RATE	116.3	116.4	103.4	97.4	89.2	78.5
TOTAL ACCIDENTS, NUMBER	121	124	123	4	8	14
RATE	35.4	36.6	35.9	18.6	37.6	64.7
MOTOR VEHICLE ACCIDENTS, NUMBER	32	24	38	1	1	6
RATE	9.3	7.1	11.1	4.6	4.7	27.7
RACE OTHER THAN WHITE, NUMBER	876	852	912	15	21	13
PERCENT	19.4	18.6	19.6	6.2	7.3	4.8
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

TONAWANDA (C)			KENMORE (V)			DEPEW (V)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
18,400	18,300	18,400	17,700	17,450	17,700	19,150	18,950	19,150
-	1	-	2	-	1	-	1	-
210	229	247	328	301	290	253	222	279
11.4	12.5	13.4	18.5	17.2	16.4	13.2	11.7	14.6
9	15	17	22	11	19	14	13	25
4.3	6.6	6.9	6.7	3.7	6.6	5.5	5.9	9.0
89	96	87	146	131	130	116	90	118
42.4	41.9	35.2	44.5	43.5	44.8	45.8	40.5	42.3
4	4	3	5	4	2	4	3	5
1.9	1.7	1.2	1.5	1.3	.7	1.6	1.4	1.8
187	180	207	292	245	224	222	174	223
90.8	87.0	90.0	91.3	94.2	91.1	88.8	86.1	89.6
5	4	5	4	3	1	4	4	2
2.4	1.7	2.0	1.2	1.0	.3	1.6	1.8	.7
1	-	-	1,022	754	346	-	-	-
-	-	-	1,022	754	345	-	-	-
-	-	-	100.0	100.0	99.7	-	-	-
114	112	107	91	125	181	83	112	114
100	100	96	67	108	163	69	98	106
3	1	3	5	2	4	2	2	3
1	-	-	1	-	1	1	-	-
20	18	19	31	41	35	27	27	24
195	183	195	212	217	232	162	163	185
10.6	10.0	10.6	12.0	12.4	13.1	8.5	8.6	9.7
4	2	2	-	1	-	1	1	3
19.0	8.7	8.1	-	3.3	-	4.0	4.5	10.8
4	2	2	1	2	-	1	2	3
19.0	8.7	8.1	3.0	6.6	-	4.0	9.0	10.8
7	6	7	6	5	2	4	6	3
7	5	4	7	9	10	5	4	11
44	35	39	31	29	44	52	55	50
136	137	145	168	174	176	101	98	121
78	72	88	88	83	99	72	68	87
423.9	393.4	478.3	497.2	475.6	559.3	376.0	358.8	454.3
48	40	42	53	52	64	38	40	46
260.9	218.6	228.3	299.4	298.0	361.6	198.4	211.1	240.2
14	25	15	17	17	15	7	12	13
76.1	136.6	81.5	96.0	97.4	84.7	36.6	63.3	67.9
5	4	3	6	3	1	7	2	4
27.2	21.9	16.3	33.9	17.2	5.6	36.6	10.6	20.9
1	2	-	2	-	-	4	2	1
5.4	10.9	-	11.3	-	-	20.9	10.6	5.2
-	-	4	2	1	2	2	4	-
-	-	2.1	.9	.5	.9	1.2	2.5	-
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ERIE COUNTY (CONT.)					
	LANCASTER (V)			HAMBURG (V)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	13,150	13,150	13,100	10,400	10,250	10,350
RECORDED LIVE BIRTHS	1	4	-	-	-	-
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	131	158	139	140	143	133
RATE	10.0	12.0	10.6	13.5	14.0	12.9
PREMATURE, NUMBER	9	6	9	4	10	10
PERCENT	6.9	3.8	6.5	2.9	7.0	7.5
LIVE BIRTH ORDER #1, NUMBER	53	55	65	53	56	52
PERCENT	40.5	34.8	46.8	37.9	39.2	39.1
MOTHER'S AGE UNDER 18, NUMBER	-	2	-	2	3	3
PERCENT	-	1.3	-	1.4	2.1	2.3
EARLY PRENATAL CARE, NUMBER	112	141	119	131	124	112
PERCENT	86.8	93.4	92.2	93.6	96.1	94.1
RACE OTHER THAN WHITE, NUMBER	1	2	-	-	-	2
PERCENT	.8	1.3	-	-	-	1.5
RECORDED FETAL DEATHS	-	-	-	-	-	-
INDUCED ABORTIONS, NUMBER	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	59	65	68	111	89	146
INDUCED ABORTIONS	53	60	63	105	87	145
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	-	4	2	4	1	3
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	1	-	1	1	2
RECORDED DEATHS	34	12	26	14	16	19
DEATHS BY PLACE OF RESIDENCE						
NUMBER	138	123	125	71	78	90
RATE	10.5	9.4	9.5	6.8	7.6	8.7
NEONATAL DEATHS, NUMBER	1	1	-	-	1	3
MORTALITY RATE	7.6	6.3	-	-	7.0	22.6
INFANT DEATHS, NUMBER	1	2	-	-	1	5
MORTALITY RATE	7.6	12.7	-	-	7.0	37.6
DEATHS BY AGE						
0-24	3	4	1	1	1	8
25-44	2	3	1	4	3	6
45-64	36	25	22	15	17	22
65 AND OVER	97	91	101	51	57	54
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	65	58	62	32	24	31
RATE	494.3	441.1	473.3	307.7	234.1	299.5
MALIGNANT NEOPLASMS, NUMBER	37	24	30	19	18	22
RATE	281.4	182.5	229.0	182.7	175.6	212.6
CEREBROVASCULAR DISEASE, NUMBER	3	10	14	10	8	3
RATE	22.8	76.0	106.9	96.2	78.0	29.0
TOTAL ACCIDENTS, NUMBER	5	4	2	1	2	5
RATE	38.0	30.4	15.3	9.6	19.5	48.3
MOTOR VEHICLE ACCIDENTS, NUMBER	2	2	-	-	1	2
RATE	15.2	15.2	-	-	9.8	19.3
RACE OTHER THAN WHITE, NUMBER	-	-	-	1	-	-
PERCENT	-	-	-	1.4	-	-
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

ESSEX COUNTY			FRANKLIN COUNTY			FULTON COUNTY		
TOTAL COUNTY			TOTAL COUNTY			TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
36,600	36,500	36,400	43,200	42,700	43,200	54,900	54,700	54,800
127	123	121	657	736	661	419	493	531
516	450	479	645	665	631	700	730	745
14.1	12.3	13.2	14.9	15.6	14.6	12.8	13.3	13.6
34	18	29	49	46	44	42	52	41
6.6	4.0	6.1	7.6	6.9	7.0	6.0	7.1	5.5
226	205	210	272	284	264	289	296	311
43.8	45.6	43.8	42.2	42.7	41.8	41.3	40.5	41.7
29	20	16	32	30	33	38	42	38
5.6	4.4	3.3	5.0	4.5	5.2	5.4	5.8	5.1
381	341	301	434	483	409	550	567	544
77.4	78.0	75.4	68.9	73.9	67.0	78.7	77.7	73.5
7	4	1	43	30	39	12	9	14
1.4	.9	.2	6.7	4.5	6.2	1.7	1.2	1.9
2	2	2	299	246	221	66	78	93
-	-	-	293	242	212	30	48	68
-	-	-	98.0	98.4	95.9	45.5	61.5	73.1
48	41	48	63	61	53	283	280	230
42	34	41	55	54	44	236	236	195
5	3	5	5	6	3	11	12	18
1	2	3	1	1	-	3	1	5
295	240	281	451	443	469	478	479	488
429	372	429	466	471	498	618	577	598
11.7	10.2	11.8	10.8	11.0	11.5	11.3	10.5	10.9
1	2	3	4	6	7	8	4	5
1.9	4.4	6.3	6.2	9.0	11.1	11.4	5.5	6.7
5	3	5	6	6	7	10	7	7
9.7	6.7	10.4	9.3	9.0	11.1	14.3	9.6	9.4
12	13	17	14	17	23	21	25	18
9	14	21	15	21	19	20	19	21
81	79	82	84	84	102	99	99	99
327	266	309	353	349	354	478	434	460
139	130	163	186	200	190	242	252	266
379.8	356.2	447.8	430.6	468.4	439.8	440.8	460.7	485.4
109	98	112	98	102	122	150	128	126
297.8	268.5	307.7	226.9	238.9	282.4	273.2	234.0	229.9
38	27	27	48	42	35	42	34	50
103.8	74.0	74.2	111.1	98.4	81.0	76.5	62.2	91.2
15	12	22	12	25	31	29	24	26
41.0	32.9	60.4	27.8	58.5	71.8	52.8	43.9	47.4
8	7	13	7	15	17	12	13	13
21.9	19.2	35.7	16.2	35.1	39.4	21.9	23.8	23.7
-	-	3	6	9	18	5	3	2
-	-	.7	1.3	1.9	3.6	.8	.5	.3
390	402	381	433	398	470	459	412	435
97	115	102	114	111	109	218	213	193
-	-	-	-	-	-	-	-	-
96	115	100	114	110	109	217	211	191
1	-	2	-	1	-	1	2	2
-	-	-	-	-	-	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	FULTON COUNTY (CONT.)			GENESEE COUNTY		
	GLOVERSVILLE (C)			TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	17,250	17,100	17,250	59,700	59,100	59,100
RECORDED LIVE BIRTHS	419	492	530	666	663	707
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	282	301	295	934	903	929
RATE	16.3	17.6	17.1	15.6	15.3	15.7
PREMATURE, NUMBER	16	19	19	55	44	58
PERCENT	5.7	6.3	6.4	5.9	4.9	6.3
LIVE BIRTH ORDER #1, NUMBER	115	130	137	405	354	393
PERCENT	40.8	43.2	46.4	43.4	39.2	42.3
MOTHER'S AGE UNDER 18, NUMBER	18	25	22	30	29	25
PERCENT	6.4	8.3	7.5	3.2	3.2	2.7
EARLY PRENATAL CARE, NUMBER	218	231	209	701	702	728
PERCENT	77.3	76.7	71.1	76.4	79.9	81.3
RACE OTHER THAN WHITE, NUMBER	7	7	9	41	42	30
PERCENT	2.5	2.3	3.1	4.4	4.7	3.2
RECORDED FETAL DEATHS	66	78	93	7	20	24
INDUCED ABORTIONS, NUMBER	30	48	68	2	4	2
PERCENT	45.5	61.5	73.1	28.6	20.0	8.3
FETAL DEATHS BY PLACE OF RESIDENCE	141	149	122	195	274	274
INDUCED ABORTIONS	119	130	107	175	249	236
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	5	5	10	7	13	17
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	3	1	3	1	1	2
RECORDED DEATHS	280	267	284	561	623	602
DEATHS BY PLACE OF RESIDENCE						
NUMBER	261	251	235	549	542	545
RATE	15.1	14.7	13.6	9.2	9.2	9.2
NEONATAL DEATHS, NUMBER	3	3	3	6	2	5
MORTALITY RATE	10.6	10.0	10.2	6.4	2.2	5.4
INFANT DEATHS, NUMBER	3	4	4	7	6	7
MORTALITY RATE	10.6	13.3	13.6	7.5	6.6	7.5
DEATHS BY AGE						
0-24	6	8	8	13	21	22
25-44	10	7	9	22	19	23
45-64	32	32	24	102	99	100
65 AND OVER	213	204	194	412	402	400
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	105	106	101	224	237	222
RATE	608.7	619.9	585.5	375.2	401.0	375.6
MALIGNANT NEOPLASMS, NUMBER	54	48	49	125	116	118
RATE	313.0	280.7	284.1	209.4	196.3	199.7
CEREBROVASCULAR DISEASE, NUMBER	20	21	22	50	46	48
RATE	115.9	122.8	127.5	83.8	77.8	81.2
TOTAL ACCIDENTS, NUMBER	12	4	8	23	30	25
RATE	69.6	23.4	46.4	38.5	50.8	42.3
MOTOR VEHICLE ACCIDENTS, NUMBER	5	2	4	12	20	11
RATE	29.0	11.7	23.2	20.1	33.8	18.6
RACE OTHER THAN WHITE, NUMBER	4	2	1	13	15	15
PERCENT	1.5	.8	.4	2.4	2.8	2.8
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	512	534	527
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	196	217	190
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	-	-	-
ARTICLE 10, DRL (DIVORCE)	**	**	**	193	217	190
ARTICLE 9, DRL (ANNULMENT)	**	**	**	3	-	-
NOT STATED	**	**	**	-	-	-

CITIES AND VILLAGES WITH 10,000 OR MORE POPULATION: 1983 - 1985 CONT.

BATAVIA (C)			GREENE COUNTY TOTAL COUNTY			HAMILTON COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
15,950	15,750	15,950	39,900	39,800	39,900	4,900	4,900	4,900
655	651	697	345	319	417	1	2	1
270	288	256	542	499	488	55	65	58
16.9	18.3	16.1	13.6	12.5	12.2	11.2	13.3	11.8
28	18	24	26	28	26	4	1	4
10.4	6.3	9.4	4.8	5.7	5.4	7.3	1.5	6.9
112	112	117	243	246	213	24	28	23
41.5	38.9	45.7	44.8	49.3	43.6	43.6	43.1	39.7
10	15	9	24	16	26	3	2	1
3.7	5.2	3.5	4.4	3.2	5.3	5.5	3.1	1.7
204	220	194	404	371	374	39	48	46
76.7	77.7	80.2	77.1	77.6	79.2	72.2	73.8	79.3
24	22	9	20	17	17	-	1	-
8.9	7.6	3.5	3.7	3.4	3.5	-	1.5	-
7	20	24	25	40	46	1	-	-
2	4	2	17	26	36	-	-	-
28.6	20.0	8.3	68.0	65.0	78.3	-	-	-
84	123	106	176	172	164	14	10	14
73	113	97	149	140	142	9	7	10
5	7	5	7	9	8	2	1	-
-	1	-	5	5	3	-	-	-
398	430	402	365	374	360	21	18	19
211	205	185	523	505	457	67	44	60
13.2	13.0	11.6	13.1	12.7	11.5	13.7	9.0	12.2
1	1	-	5	1	4	-	-	-
3.7	3.5	-	9.2	2.0	8.2	-	-	-
2	3	1	5	3	4	-	-	-
7.4	10.4	3.9	9.2	6.0	8.2	-	-	-
2	7	2	15	12	16	-	-	-
6	6	5	15	20	12	5	2	5
30	24	31	97	78	94	14	8	6
173	167	147	396	395	335	48	34	49
89	93	81	218	220	223	21	12	28
558.0	590.5	507.8	546.4	552.8	558.9	428.6	244.9	571.4
53	45	44	132	108	97	17	15	10
332.3	285.7	275.9	330.8	271.4	243.1	346.9	306.1	204.1
23	18	23	36	39	22	5	4	4
144.2	114.3	144.2	90.2	98.0	55.1	102.0	81.6	81.6
4	7	3	23	27	19	5	1	2
25.1	44.4	18.8	57.6	67.8	47.6	102.0	20.4	40.8
-	4	1	16	9	10	3	-	-
-	25.4	6.3	40.1	22.6	25.1	61.2	-	-
2	3	1	8	11	13	-	1	-
.9	1.5	.5	1.5	2.2	2.8	-	2.3	-
**	**	**	376	390	397	79	74	72
**	**	**	120	106	126	16	11	5
**	**	**	-	-	-	-	-	-
**	**	**	118	105	126	16	11	5
**	**	**	2	1	-	-	-	-
**	**	**	-	-	-	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	HERKIMER COUNTY TOTAL COUNTY			JEFFERSON COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	66,600	66,300	66,500	88,000	85,800	86,400
RECORDED LIVE BIRTHS	781	805	844	1,579	1,662	1,706
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	896	851	914	1,393	1,447	1,447
RATE	13.5	12.8	13.7	15.8	16.9	16.7
PREMATURE, NUMBER	50	50	47	95	91	67
PERCENT	5.6	5.9	5.1	6.8	6.3	4.6
LIVE BIRTH ORDER #1, NUMBER	339	328	386	573	588	600
PERCENT	37.8	38.5	42.2	41.1	40.6	41.5
MOTHER'S AGE UNDER 18, NUMBER	31	28	39	72	72	57
PERCENT	3.5	3.3	4.3	5.2	5.0	3.9
EARLY PRENATAL CARE, NUMBER	701	662	696	1,168	1,204	1,206
PERCENT	78.8	78.3	77.0	84.0	83.3	83.7
RACE OTHER THAN WHITE, NUMBER	6	6	4	39	43	27
PERCENT	.7	.7	.4	2.8	3.0	1.9
RECORDED FETAL DEATHS	22	27	26	141	133	150
INDUCED ABORTIONS, NUMBER	-	-	-	13	1	4
PERCENT	-	-	-	9.2	.8	2.7
FETAL DEATHS BY PLACE OF RESIDENCE	284	238	143	157	147	168
INDUCED ABORTIONS	244	197	97	47	36	43
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	15	12	9	15	17	24
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	2	3	2	2	1	3
RECORDED DEATHS	586	641	570	993	977	974
DEATHS BY PLACE OF RESIDENCE						
NUMBER	688	754	695	927	946	979
RATE	10.3	11.4	10.5	10.5	11.0	11.3
NEONATAL DEATHS, NUMBER	8	7	6	12	9	7
MORTALITY RATE	8.9	8.2	6.6	8.6	6.2	4.8
INFANT DEATHS, NUMBER	9	9	9	13	17	11
MORTALITY RATE	10.0	10.6	9.8	9.3	11.7	7.6
DEATHS BY AGE						
0-24	21	23	20	27	40	33
25-44	23	24	19	32	21	32
45-64	104	138	122	152	166	177
65 AND OVER	540	569	534	716	719	737
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	285	312	279	362	361	405
RATE	427.9	470.6	419.5	411.4	420.7	468.8
MALIGNANT NEOPLASMS, NUMBER	159	175	155	209	202	186
RATE	238.7	264.0	233.1	237.5	235.4	215.3
CEREBROVASCULAR DISEASE, NUMBER	59	56	62	100	107	91
RATE	88.6	84.5	93.2	113.6	124.7	105.3
TOTAL ACCIDENTS, NUMBER	18	31	33	27	40	49
RATE	27.0	46.8	49.6	30.7	46.6	56.7
MOTOR VEHICLE ACCIDENTS, NUMBER	9	14	17	16	13	23
RATE	13.5	21.1	25.6	18.2	15.2	26.6
RACE OTHER THAN WHITE, NUMBER	4	-	-	5	2	1
PERCENT	.6	-	-	.5	.2	.1
MARRIAGES BY COUNTY OF OCCURRENCE	542	541	539	853	938	900
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	137	178	162	270	275	275
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	-	-	-
ARTICLE 10, DRL (DIVORCE)	137	178	160	269	275	274
ARTICLE 9, DRL (ANNULMENT)	-	-	2	1	-	1
NOT STATED	-	-	-	-	-	-

WATERTOWN (C)			LEWIS COUNTY TOTAL COUNTY			LIVINGSTON COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
27,700	26,900	27,100	25,000	24,500	24,700	57,800	57,400	57,100
1,481	1,509	1,485	289	278	221	421	395	451
466	474	504	402	418	401	802	843	841
16.8	17.6	18.6	16.1	17.1	16.2	13.9	14.7	14.7
38	25	22	23	12	17	46	32	37
8.2	5.3	4.4	5.7	2.9	4.2	5.8	3.8	4.4
204	190	223	167	151	134	367	347	364
43.8	40.1	44.2	41.5	36.1	33.4	45.8	41.2	43.3
30	22	26	13	6	11	20	19	29
6.4	4.6	5.2	3.2	1.4	2.7	2.5	2.3	3.4
405	393	419	344	353	316	640	690	692
87.1	83.1	83.5	86.4	84.7	79.0	83.0	84.8	83.2
12	12	12	-	1	1	7	8	18
2.6	2.5	2.4	-	.2	.2	.9	.9	2.1
130	118	133	36	30	24	26	32	47
13	1	4	-	-	-	2	-	-
10.0	.8	3.0	-	-	-	7.7	-	-
55	66	66	68	63	46	223	252	311
19	17	17	26	16	8	184	215	277
2	9	9	4	8	5	8	15	5
-	-	-	-	1	2	1	5	2
766	755	767	159	167	201	353	340	320
380	374	411	233	207	257	439	472	435
13.7	13.9	15.2	9.3	8.4	10.4	7.6	8.2	7.6
6	4	2	3	-	4	1	3	3
12.9	8.4	4.0	7.5	-	10.0	1.2	3.6	3.6
7	7	3	3	2	4	2	6	5
15.0	14.8	6.0	7.5	4.8	10.0	2.5	7.1	5.9
11	13	10	11	5	10	15	18	14
13	11	10	7	9	6	20	26	11
54	57	54	50	29	40	67	75	83
302	293	337	165	164	201	337	353	327
154	147	175	88	103	104	186	173	170
556.0	546.5	645.8	352.0	420.4	421.1	321.8	301.4	297.7
85	79	72	59	40	61	105	101	108
306.9	293.7	265.7	236.0	163.3	247.0	181.7	176.0	189.1
47	49	43	10	14	18	27	43	26
169.7	182.2	158.7	40.0	57.1	72.9	46.7	74.9	45.5
6	9	14	16	6	12	19	27	22
21.7	33.5	51.7	64.0	24.5	48.6	32.9	47.0	38.5
3	-	7	8	4	3	14	16	9
10.8	-	25.8	32.0	16.3	12.1	24.2	27.9	15.8
2	2	-	1	1	-	8	8	6
.5	.5	-	.4	.5	-	1.8	1.7	1.4
**	**	**	223	210	231	480	497	474
**	**	**	36	46	31	194	172	178
**	**	**	-	-	-	-	-	-
**	**	**	36	45	31	193	171	178
**	**	**	-	1	-	1	1	-
**	**	**	-	-	-	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	MADISON COUNTY TOTAL COUNTY			ONEIDA (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	65,800	65,100	65,100	10,400	10,250	10,400
RECORDED LIVE BIRTHS	762	781	851	408	416	442
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	934	966	973	161	183	178
RATE	14.2	14.8	14.9	15.5	17.9	17.1
PREMATURE, NUMBER	60	47	70	9	9	16
PERCENT	6.4	4.9	7.2	5.6	4.9	9.0
LIVE BIRTH ORDER #1, NUMBER	377	410	366	69	84	67
PERCENT	40.4	42.4	37.6	42.9	45.9	37.6
MOTHER'S AGE UNDER 18, NUMBER	35	39	36	16	11	7
PERCENT	3.8	4.0	3.7	9.9	6.0	3.9
EARLY PRENATAL CARE, NUMBER	751	770	762	120	143	134
PERCENT	80.8	80.2	78.7	75.0	78.1	76.1
RACE OTHER THAN WHITE, NUMBER	10	6	5	2	2	2
PERCENT	1.1	.6	.5	1.2	1.1	1.1
RECORDED FETAL DEATHS	35	38	40	-	4	3
INDUCED ABORTIONS, NUMBER	1	4	1	-	1	-
PERCENT	2.9	10.5	2.5	-	25.0	-
FETAL DEATHS BY PLACE OF RESIDENCE	295	279	250	35	56	36
INDUCED ABORTIONS	236	232	208	30	51	31
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	5	13	10	1	2	1
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	1	5	2	-	-	-
RECORDED DEATHS	439	445	457	211	238	234
DEATHS BY PLACE OF RESIDENCE						
NUMBER	487	541	524	114	133	130
RATE	7.4	8.3	8.0	11.0	13.0	12.5
NEONATAL DEATHS, NUMBER	4	4	5	-	1	-
MORTALITY RATE	4.3	4.1	5.1	-	5.5	-
INFANT DEATHS, NUMBER	7	9	5	-	3	-
MORTALITY RATE	7.5	9.3	5.1	-	16.4	-
DEATHS BY AGE						
0-24	16	17	16	1	3	-
25-44	19	26	20	4	6	6
45-64	94	98	105	16	10	23
65 AND OVER	358	400	383	93	114	101
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	169	211	195	49	57	56
RATE	256.8	324.1	299.5	471.2	556.1	538.5
MALIGNANT NEOPLASMS, NUMBER	121	129	109	24	29	20
RATE	183.9	198.2	167.4	230.8	282.9	192.3
CEREBROVASCULAR DISEASE, NUMBER	47	38	43	17	8	10
RATE	71.4	58.4	66.1	163.5	78.0	96.2
TOTAL ACCIDENTS, NUMBER	25	29	23	3	5	1
RATE	38.0	44.5	35.3	28.8	48.8	9.6
MOTOR VEHICLE ACCIDENTS, NUMBER	14	17	15	1	3	-
RATE	21.3	26.1	23.0	9.6	29.3	-
RACE OTHER THAN WHITE, NUMBER	1	5	2	-	3	2
PERCENT	.6	.9	.4	-	2.3	1.5
MARRIAGES BY COUNTY OF OCCURRENCE	571	578	571	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	224	228	237	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	**	**	**
ARTICLE 10, DRL (DIVORCE)	223	227	234	**	**	**
ARTICLE 9, DRL (ANNULMENT)	1	1	3	**	**	**
NOT STATED	-	-	-	**	**	**

MONROE COUNTY TAL COUNTY			ROCHESTER (C)			MONTGOMERY COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	- 1983
717,100	711,000	708,400	248,600	245,600	244,000	52,600	52,400	52,700
13,173	12,634	12,347	12,697	12,194	11,905	769	790	745
11,092	10,732	10,567	5,399	5,166	5,072	661	705	690
15.5	15.1	14.9	21.7	21.0	20.8	12.6	13.5	13.1
649	700	694	400	442	455	38	39	39
5.9	6.5	6.6	7.5	8.6	9.0	5.8	5.5	5.7
5,370	4,763	4,623	2,698	2,328	2,262	254	293	289
48.4	44.4	43.7	50.0	45.1	44.6	38.4	41.6	41.9
408	463	418	350	372	346	23	27	31
3.7	4.3	4.0	6.5	7.2	6.8	3.5	3.8	4.5
8,897	8,684	8,713	3,965	3,807	3,801	519	551	559
84.2	84.3	84.4	77.5	77.4	77.4	79.6	78.5	81.8
2,214	2,148	2,026	1,977	1,924	1,806	11	3	21
20.0	20.0	19.2	36.6	37.2	35.6	1.7	.4	3.0
5,246	5,972	6,156	5,192	5,511	5,424	35	32	37
4,525	5,295	5,450	4,486	4,892	4,794	3	1	5
86.3	88.7	88.5	86.4	88.8	88.4	8.6	3.1	13.5
3,923	4,356	4,393	2,937	2,741	3,058	252	191	168
3,332	3,762	3,791	2,595	2,448	2,740	211	155	126
121	136	139	75	86	76	6	5	12
29	49	49	20	37	32	1	1	2
6,303	6,315	6,387	4,452	4,424	4,532	558	600	642
5,842	5,918	5,974	2,643	2,711	2,760	631	697	724
8.1	8.3	8.4	10.6	11.0	11.3	12.0	13.3	13.7
63	78	79	33	47	48	6	2	5
5.7	7.3	7.5	6.1	9.1	9.5	9.1	2.8	7.2
94	104	130	49	68	84	8	2	6
8.5	9.7	12.3	9.1	13.2	16.6	12.1	2.8	8.7
193	224	243	101	115	136	14	15	21
248	244	242	130	136	116	20	18	32
1,078	1,062	1,108	443	447	480	86	106	105
4,323	4,388	4,381	1,969	2,013	2,028	511	558	566
2,145	2,161	2,230	950	967	997	272	318	315
299.1	303.9	314.8	382.1	393.7	408.6	517.1	606.9	597.7
1,367	1,349	1,359	549	555	571	132	154	138
190.6	189.7	191.8	220.8	226.0	234.0	251.0	293.9	261.9
428	439	439	207	212	205	50	50	57
59.7	61.7	62.0	83.3	86.3	84.0	95.1	95.4	108.2
158	191	203	74	77	104	21	23	23
22.0	26.9	28.7	29.8	31.4	42.6	39.9	43.9	43.6
52	88	82	26	24	32	15	6	11
7.3	12.4	11.6	10.5	9.8	13.1	28.5	11.5	20.9
422	427	406	391	401	385	1	3	3
7.2	7.2	6.8	14.8	14.8	13.9	.2	.4	.4
5,845	5,857	6,119	**	**	**	453	456	472
2,354	2,553	2,233	**	**	**	159	145	131
-	-	-	**	**	**	-	-	-
2,352	2,553	2,232	**	**	**	156	144	131
2	-	1	**	**	**	3	1	-
-	-	-	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	MONTGOMERY COUNTY (CONT.)			NASSAU COUNTY		
	AMSTERDAM (C)			TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	20,900	20,850	21,150	1,318,200	1,312,600	1,314,300
RECORDED LIVE BIRTHS	500	532	508	17,976	17,343	17,004
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	277	287	273	15,247	14,833	14,551
RATE	13.3	13.8	12.9	11.6	11.3	11.1
PREMATURE, NUMBER	15	20	12	878	889	867
PERCENT	5.4	7.0	4.4	5.8	6.0	6.0
LIVE BIRTH ORDER #1, NUMBER	114	127	121	6,945	6,564	6,490
PERCENT	41.2	44.3	44.3	45.5	44.3	44.6
MOTHER'S AGE UNDER 18, NUMBER	8	12	12	249	217	296
PERCENT	2.9	4.2	4.4	1.6	1.5	2.0
EARLY PRENATAL CARE, NUMBER	226	229	224	13,143	12,837	12,493
PERCENT	83.1	80.1	83.0	87.3	87.6	86.9
RACE OTHER THAN WHITE, NUMBER	5	3	13	2,239	2,081	2,019
PERCENT	1.8	1.0	4.8	14.7	14.0	13.9
RECORDED FETAL DEATHS	14	10	10	11,123	10,995	11,254
INDUCED ABORTIONS, NUMBER	-	-	-	9,240	9,287	9,517
PERCENT	-	-	-	83.1	84.5	84.6
FETAL DEATHS BY PLACE OF RESIDENCE	131	97	96	9,948	9,858	10,044
INDUCED ABORTIONS	114	79	77	8,526	8,573	8,687
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	4	2	3	310	299	379
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	1	1	1	176	164	224
RECORDED DEATHS	285	313	323	11,812	11,816	11,620
DEATHS BY PLACE OF RESIDENCE						
NUMBER	296	370	391	11,811	11,788	11,919
RATE	14.2	17.7	18.5	9.0	9.0	9.1
NEONATAL DEATHS, NUMBER	1	-	2	97	98	117
MORTALITY RATE	3.6	-	7.3	6.4	6.6	8.0
INFANT DEATHS, NUMBER	1	-	3	139	129	144
MORTALITY RATE	3.6	-	11.0	9.1	8.7	9.9
DEATHS BY AGE						
0-24	1	8	11	321	356	360
25-44	9	6	14	553	483	525
45-64	41	53	52	2,512	2,522	2,683
65 AND OVER	245	303	314	8,424	8,426	8,347
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	123	164	178	5,108	5,211	5,221
RATE	588.5	786.6	841.6	387.5	397.0	397.2
MALIGNANT NEOPLASMS, NUMBER	67	91	68	2,982	2,937	3,021
RATE	320.6	436.5	321.5	226.2	223.8	229.9
CEREBROVASCULAR DISEASE, NUMBER	28	25	28	622	659	694
RATE	134.0	119.9	132.4	47.2	50.2	52.8
TOTAL ACCIDENTS, NUMBER	9	13	13	311	340	326
RATE	43.1	62.4	61.5	23.6	25.9	24.8
MOTOR VEHICLE ACCIDENTS, NUMBER	5	2	8	146	163	158
RATE	23.9	9.6	37.8	11.1	12.4	12.0
RACE OTHER THAN WHITE, NUMBER	1	3	1	772	722	704
PERCENT	.3	.8	.3	6.5	6.1	5.9
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	11,476	11,275	11,031
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	3,596	3,574	3,694
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	-	-	-
ARTICLE 10, DRL (DIVORCE)	**	**	**	3,520	3,509	3,614
ARTICLE 9, DRL (ANNULMENT)	**	**	**	76	65	80
NOT STATED	**	**	**	-	-	-

GLEN COVE (C)			LONG BEACH (C)			FLORAL PARK (V)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
24,200	24,050	24,150	33,300	33,500	33,650	16,900	16,900	16,850
719	650	729	6	7	6	-	-	-
323	314	312	424	443	426	209	209	206
13.3	13.1	12.9	12.7	13.2	12.7	12.4	12.4	12.2
18	17	12	30	34	32	7	4	9
5.6	5.4	3.9	7.1	7.7	7.5	3.3	1.9	4.4
153	155	154	226	226	213	96	101	90
47.4	49.4	49.4	53.3	51.0	50.0	45.9	48.3	43.7
10	6	8	25	15	10	1	2	2
3.1	1.9	2.6	5.9	3.4	2.3	.5	1.0	1.0
264	261	257	331	356	341	191	189	188
85.4	84.2	83.2	78.8	80.5	80.6	91.8	90.9	92.6
42	45	39	83	68	73	3	9	3
13.0	14.3	12.5	19.6	15.3	17.1	1.4	4.3	1.5
223	231	214	13	18	28	-	-	-
89	97	85	13	14	25	-	-	-
39.9	42.0	39.7	100.0	77.8	89.3	-	-	-
256	278	248	393	362	341	128	118	96
205	233	199	349	331	311	111	110	82
6	10	11	16	10	13	4	4	4
4	6	5	8	7	11	2	2	2
561	594	572	599	592	549	36	25	28
239	253	230	562	624	598	183	164	183
9.9	10.5	9.5	16.9	18.6	17.8	10.8	9.7	10.9
1	3	-	2	4	4	-	1	-
3.1	9.6	-	4.7	9.0	9.4	-	4.8	-
1	3	1	5	6	4	-	1	-
3.1	9.6	3.2	11.8	13.5	9.4	-	4.8	-
3	7	4	7	10	10	3	3	2
10	9	9	18	24	13	5	4	8
39	42	46	63	93	76	32	25	36
187	195	171	474	497	497	143	132	137
113	113	105	291	346	339	77	71	90
466.9	469.9	434.8	873.9	1032.8	1007.4	455.6	420.1	534.1
43	48	45	108	122	106	43	43	48
177.7	199.6	186.3	324.3	364.2	315.0	254.4	254.4	284.9
13	17	13	41	40	29	12	9	10
53.7	70.7	53.8	123.1	119.4	86.2	71.0	53.3	59.3
9	8	7	12	22	15	4	2	6
37.2	33.3	29.0	36.0	65.7	44.6	23.7	11.8	35.6
5	4	2	3	8	5	3	2	2
20.7	16.6	8.3	9.0	23.9	14.9	17.8	11.8	11.9
15	22	14	26	20	27	1	1	2
6.3	8.7	6.1	4.6	3.2	4.5	.5	.6	1.1
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	NASSAU COUNTY (CONT.)					
	FREEPORT (V)			GARDEN CITY (V)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	39,950	39,650	39,350	22,250	22,200	22,400
RECORDED LIVE BIRTHS	5	6	10	-	1	-
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	686	607	603	185	179	172
RATE	17.2	15.3	15.3	8.3	8.1	7.7
PREMATURE, NUMBER	57	56	52	6	3	8
PERCENT	8.3	9.3	8.6	3.2	1.7	4.7
LIVE BIRTH ORDER #1, NUMBER	312	282	268	71	79	54
PERCENT	45.5	46.5	44.4	38.4	44.1	31.4
MOTHER'S AGE UNDER 18, NUMBER	34	27	36	-	1	1
PERCENT	5.0	4.4	6.0	-	.6	.6
EARLY PRENATAL CARE, NUMBER	534	451	450	173	160	155
PERCENT	78.8	75.3	75.8	94.0	90.4	91.2
RACE OTHER THAN WHITE, NUMBER	241	215	226	2	5	6
PERCENT	35.1	35.4	37.5	1.1	2.8	3.5
RECORDED FETAL DEATHS	43	100	73	2,758	2,487	2,545
INDUCED ABORTIONS, NUMBER	34	79	63	2,752	2,487	2,514
PERCENT	79.1	79.0	86.3	99.8	100.0	98.8
FETAL DEATHS BY PLACE OF RESIDENCE	545	561	520	104	121	108
INDUCED ABORTIONS	488	514	467	90	109	95
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	22	22	19	3	-	3
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	17	12	14	2	-	2
RECORDED DEATHS	266	418	488	48	53	37
DEATHS BY PLACE OF RESIDENCE						
NUMBER	351	334	346	205	216	218
RATE	8.8	8.4	8.8	9.2	9.7	9.7
NEONATAL DEATHS, NUMBER	6	4	7	-	1	-
MORTALITY RATE	8.7	6.6	11.6	-	5.6	-
INFANT DEATHS, NUMBER	12	6	11	-	1	-
MORTALITY RATE	17.5	9.9	18.2	-	5.6	-
DEATHS BY AGE						
0-24	20	11	23	3	4	5
25-44	27	20	22	2	5	3
45-64	83	67	73	33	40	36
65 AND OVER	220	236	228	167	167	174
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	145	154	146	92	107	93
RATE	363.0	388.4	371.0	413.5	482.0	415.2
MALIGNANT NEOPLASMS, NUMBER	81	70	69	56	53	63
RATE	202.8	176.5	175.3	251.7	238.7	281.3
CEREBROVASCULAR DISEASE, NUMBER	20	18	19	14	11	13
RATE	50.1	45.4	48.3	62.9	49.5	58.0
TOTAL ACCIDENTS, NUMBER	11	10	17	4	2	5
RATE	27.5	25.2	43.2	18.0	9.0	22.3
MOTOR VEHICLE ACCIDENTS, NUMBER	6	4	9	2	-	4
RATE	15.0	10.1	22.9	9.0	-	17.9
RACE OTHER THAN WHITE, NUMBER	86	61	73	-	-	-
PERCENT	24.5	18.3	21.1	-	-	-
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

HEMPSTEAD (V)			LYNBROOK (V)			MINEOLA (V)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
41,150	40,600	40,500	19,950	19,850	20,000	20,400	20,250	20,350
9	6	10	1	-	1	2,882	2,960	2,845
833	827	767	251	251	246	268	282	259
20.2	20.4	18.9	12.6	12.6	12.3	13.1	13.9	12.7
107	96	73	20	13	10	11	16	15
12.8	11.6	9.5	8.0	5.2	4.1	4.1	5.7	5.8
386	351	348	126	133	125	131	134	144
46.3	42.4	45.4	50.2	53.0	50.8	48.9	47.5	55.6
52	49	68	2	3	3	-	1	2
6.2	5.9	8.9	.8	1.2	1.2	-	.4	.8
533	553	457	223	216	223	240	251	226
65.2	67.4	60.7	92.1	87.1	91.4	89.9	89.6	88.6
543	554	531	5	10	7	10	16	7
65.2	67.0	69.2	2.0	4.0	2.8	3.7	5.7	2.7
2,481	2,395	3,162	-	-	-	326	888	1,457
2,477	2,394	3,155	-	-	-	249	771	1,348
99.8	100.0	99.8	-	-	-	76.4	86.8	92.5
1,105	1,029	1,005	119	95	128	107	136	113
1,028	966	942	89	79	95	98	123	99
35	40	32	5	4	1	1	2	4
26	31	24	1	2	1	1	1	1
471	476	468	46	51	47	993	970	969
416	434	373	216	237	257	185	186	198
10.1	10.7	9.2	10.8	11.9	12.9	9.1	9.2	9.7
13	11	11	1	1	5	2	3	3
15.6	13.3	14.3	4.0	4.0	20.3	7.5	10.6	11.6
16	13	16	2	2	5	3	4	5
19.2	15.7	20.9	8.0	8.0	20.3	11.2	14.2	19.3
31	24	25	6	7	7	4	5	9
31	40	24	4	10	5	8	10	7
85	95	74	41	39	58	32	39	47
269	275	250	165	181	187	141	132	135
168	163	151	102	105	118	70	83	78
408.5	401.5	372.8	511.3	529.0	590.0	343.1	409.9	383.3
92	105	71	44	63	66	49	41	58
223.6	258.6	175.3	220.6	317.4	330.0	240.2	202.5	285.0
19	21	33	12	16	20	6	9	6
46.2	51.7	81.5	60.2	80.6	100.0	29.4	44.4	29.5
13	15	11	7	6	4	5	10	9
31.6	36.9	27.2	35.1	30.2	20.0	24.5	49.4	44.2
6	7	6	1	2	1	1	5	5
14.6	17.2	14.8	5.0	10.1	5.0	4.9	24.7	24.6
186	191	158	2	-	5	3	1	2
44.7	44.0	42.4	.9	-	1.9	1.6	.5	1.0
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	NASSAU COUNTY (CONT.)					
	ROCKVILLE CENTRE (V)			VALLEY STREAM (V)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	25,350	25,250	25,300	34,850	34,550	34,800
RECORDED LIVE BIRTHS	2,158	2,067	1,912	1	-	2
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	321	345	285	500	495	505
RATE	12.7	13.7	11.3	14.3	14.3	14.5
PREMATURE, NUMBER	21	22	18	20	24	22
PERCENT	6.6	6.4	6.3	4.0	4.8	4.4
LIVE BIRTH ORDER #1, NUMBER	146	144	124	238	226	222
PERCENT	45.5	41.7	43.5	47.6	45.7	44.0
MOTHER'S AGE UNDER 18, NUMBER	3	8	6	5	4	1
PERCENT	.9	2.3	2.1	1.0	.8	.2
EARLY PRENATAL CARE, NUMBER	289	311	246	447	460	468
PERCENT	91.7	90.9	86.9	89.8	93.3	93.0
RACE OTHER THAN WHITE, NUMBER	39	35	38	19	14	12
PERCENT	12.1	10.1	13.3	3.8	2.8	2.4
RECORDED FETAL DEATHS	225	199	182	-	-	1
INDUCED ABORTIONS, NUMBER	-	3	-	-	-	-
PERCENT	-	1.5	-	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	180	193	171	255	238	217
INDUCED ABORTIONS	144	156	141	213	193	177
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	8	9	4	7	4	9
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	4	3	2	5	2	4
RECORDED DEATHS	752	743	782	70	69	74
DEATHS BY PLACE OF RESIDENCE						
NUMBER	258	265	271	374	397	421
RATE	10.2	10.5	10.7	10.7	11.5	12.1
NEONATAL DEATHS, NUMBER	5	3	5	1	-	5
MORTALITY RATE	15.6	8.7	17.5	2.0	-	9.9
INFANT DEATHS, NUMBER	6	3	5	1	-	6
MORTALITY RATE	18.7	8.7	17.5	2.0	-	11.9
DEATHS BY AGE						
0-24	9	5	9	2	3	11
25-44	12	9	6	11	13	16
45-64	38	38	54	68	80	88
65 AND OVER	199	213	202	293	301	306
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	113	124	112	162	199	206
RATE	445.8	491.1	442.7	464.8	576.0	592.0
MALIGNANT NEOPLASMS, NUMBER	60	62	81	98	103	108
RATE	236.7	245.5	320.2	281.2	298.1	310.3
CEREBROVASCULAR DISEASE, NUMBER	12	21	15	26	22	21
RATE	47.3	83.2	59.3	74.6	63.7	60.3
TOTAL ACCIDENTS, NUMBER	6	4	5	7	8	8
RATE	23.7	15.8	19.8	20.1	23.2	23.0
MOTOR VEHICLE ACCIDENTS, NUMBER	3	3	1	3	4	3
RATE	11.8	11.9	4.0	8.6	11.6	8.6
RACE OTHER THAN WHITE, NUMBER	11	13	19	2	2	2
PERCENT	4.3	4.9	7.0	.5	.5	.5
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

EAST ROCKAWAY (V)			WESTBURY (V)			MASSAPEQUA PARK (V)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
10,750	10,600	10,700	13,950	13,400	13,500	19,450	19,300	19,400
1	-	-	2	-	-	1	-	-
138	149	147	564	450	422	219	209	243
12.8	14.1	13.7	40.4	33.6	31.3	11.3	10.8	12.5
11	10	10	38	33	38	12	5	13
8.0	6.7	6.8	6.8	7.3	9.0	5.5	2.4	5.3
45	72	53	262	198	210	102	81	89
32.6	48.3	36.1	46.5	44.0	49.8	46.6	38.8	36.6
-	-	1	25	13	29	2	1	-
-	-	.7	4.4	2.9	6.9	.9	.5	-
128	138	137	433	355	304	208	193	224
92.8	93.2	93.8	77.6	79.8	72.9	95.9	94.1	92.6
3	4	1	202	163	156	5	4	3
2.2	2.7	.7	35.8	36.2	37.0	2.3	1.9	1.2
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
58	50	72	404	426	327	82	85	88
46	44	56	373	392	289	71	68	72
4	2	9	10	22	15	4	7	8
1	1	4	5	15	10	2	1	4
48	43	51	17	27	10	31	32	22
87	98	94	157	144	154	140	164	150
8.1	9.2	8.8	11.3	10.7	11.4	7.2	8.5	7.7
-	-	-	6	2	5	2	1	1
-	-	-	10.6	4.4	11.8	9.1	4.8	4.1
-	-	3	6	2	6	2	1	1
-	-	20.4	10.6	4.4	14.2	9.1	4.8	4.1
1	2	5	17	6	10	5	3	5
4	6	5	8	10	7	7	5	14
18	17	17	28	37	35	43	55	46
64	73	67	104	91	102	85	101	85
37	49	41	61	66	70	64	84	57
344.2	462.3	383.2	437.3	492.5	518.5	329.0	435.2	293.8
16	19	25	41	38	38	32	35	39
148.8	179.2	233.6	293.9	283.6	281.5	164.5	181.3	201.0
7	8	8	4	5	10	7	11	9
65.1	75.5	74.8	28.7	37.3	74.1	36.0	57.0	46.4
3	4	4	4	4	5	3	1	6
27.9	37.7	37.4	28.7	29.9	37.0	15.4	5.2	30.9
-	2	2	3	1	3	3	1	3
-	18.9	18.7	21.5	7.5	22.2	15.4	5.2	15.5
1	1	3	15	24	18	-	-	-
1.1	1.0	3.2	9.6	16.7	11.7	-	-	-
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	NIAGARA COUNTY TOTAL COUNTY			LOCKPORT (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	218,600	215,900	218,700	24,450	24,250	24,450
RECORDED LIVE BIRTHS	2,673	2,680	2,597	472	369	314
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	3,172	3,084	3,020	426	364	354
RATE	14.5	14.3	13.8	17.4	15.0	14.5
PREMATURE, NUMBER	189	190	192	25	19	26
PERCENT	6.0	6.2	6.4	5.9	5.2	7.4
LIVE BIRTH ORDER #1, NUMBER	1,281	1,285	1,274	174	160	143
PERCENT	40.4	41.7	42.2	40.8	44.0	40.4
MOTHER'S AGE UNDER 18, NUMBER	122	135	116	17	25	16
PERCENT	3.8	4.4	3.8	4.0	6.9	4.5
EARLY PRENATAL CARE, NUMBER	2,668	2,527	2,419	351	299	293
PERCENT	85.1	86.0	84.8	82.6	84.5	84.7
RACE OTHER THAN WHITE, NUMBER	330	348	336	39	37	32
PERCENT	10.4	11.3	11.1	9.2	10.2	9.0
RECORDED FETAL DEATHS	409	456	448	17	27	26
INDUCED ABORTIONS, NUMBER	137	153	139	-	-	-
PERCENT	33.5	33.6	31.0	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	1,234	1,358	1,293	141	139	136
INDUCED ABORTIONS	944	1,054	974	121	110	100
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	43	30	44	6	5	6
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	12	3	13	2	-	1
RECORDED DEATHS	2,180	2,106	2,266	318	328	356
DEATHS BY PLACE OF RESIDENCE						
NUMBER	2,285	2,181	2,290	313	302	333
RATE	10.5	10.1	10.5	12.8	12.5	13.6
NEONATAL DEATHS, NUMBER	12	20	19	2	2	1
MORTALITY RATE	3.8	6.5	6.3	4.7	5.5	2.8
INFANT DEATHS, NUMBER	22	24	26	2	2	3
MORTALITY RATE	6.9	7.8	8.6	4.7	5.5	8.5
DEATHS BY AGE						
0-24	59	79	76	10	8	6
25-44	76	79	87	13	14	8
45-64	446	391	465	47	39	49
65 AND OVER	1,704	1,632	1,662	243	241	270
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	929	858	925	125	116	142
RATE	425.0	397.4	423.0	511.2	478.4	580.8
MALIGNANT NEOPLASMS, NUMBER	506	507	510	52	73	57
RATE	231.5	234.8	233.2	212.7	301.0	233.1
CEREBROVASCULAR DISEASE, NUMBER	224	214	249	41	26	41
RATE	102.5	99.1	113.9	167.7	107.2	167.7
TOTAL ACCIDENTS, NUMBER	66	81	80	13	13	7
RATE	30.2	37.5	36.6	53.2	53.6	28.6
MOTOR VEHICLE ACCIDENTS, NUMBER	37	36	52	6	3	3
RATE	16.9	16.7	23.8	24.5	12.4	12.3
RACE OTHER THAN WHITE, NUMBER	106	101	97	10	3	6
PERCENT	4.6	4.6	4.2	3.2	1.0	1.8
MARRIAGES BY COUNTY OF OCCURRENCE	2,240	2,208	2,162	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION	762	720	794	**	**	**
TYPE OF DECREE						
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	**	**	**
ARTICLE 10, DRL (DIVORCE)	753	707	781	**	**	**
ARTICLE 9, DRL (ANNULMENT)	9	13	13	**	**	**
NOT STATED	-	-	-	**	**	**

NIAGARA FALLS (C)			NORTH TONAWANDA (C)			ONEIDA COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
66,850	65,850	67,100	35,400	35,050	35,200	249,700	247,900	248,400
802	924	861	676	587	602	3,638	3,625	3,707
1,031	1,114	1,035	568	491	552	3,661	3,681	3,772
15.4	16.9	15.4	16.0	14.0	15.7	14.7	14.8	15.2
81	94	84	18	30	32	230	253	254
7.9	8.4	8.1	3.2	6.1	5.8	6.3	6.9	6.7
441	473	476	236	207	235	1,504	1,523	1,533
42.8	42.5	46.0	41.5	42.2	42.6	41.1	41.4	40.6
65	70	63	11	16	14	137	139	169
6.3	6.3	6.1	1.9	3.3	2.5	3.7	3.8	4.5
835	892	782	487	395	447	2,804	2,929	2,992
82.3	83.8	81.2	87.3	88.0	88.7	77.4	80.0	80.6
229	259	244	5	3	6	268	253	297
22.2	23.2	23.6	.9	.6	1.1	7.3	6.9	7.9
181	210	206	112	125	111	1,624	1,515	602
99	109	89	38	44	50	1,314	1,221	294
54.7	51.9	43.2	33.9	35.2	45.0	80.9	80.6	48.8
485	552	547	202	199	168	1,248	1,271	738
358	427	417	156	149	133	962	1,001	453
21	10	21	6	4	7	47	38	58
6	-	7	1	-	1	9	11	6
707	664	810	473	485	496	2,651	2,574	2,611
851	803	884	317	355	329	2,634	2,574	2,596
12.7	12.2	13.2	9.0	10.1	9.3	10.5	10.4	10.5
6	8	10	2	3	1	18	24	27
5.8	7.2	9.7	3.5	6.1	1.8	4.9	6.5	7.2
9	10	15	4	4	1	27	31	42
8.7	9.0	14.5	7.0	8.1	1.8	7.4	8.4	11.1
24	34	31	8	8	9	82	72	101
29	21	37	12	15	13	102	83	75
168	153	178	69	64	78	449	441	482
630	595	638	228	268	229	2,001	1,978	1,938
347	288	350	123	145	128	1,036	1,103	1,094
519.1	437.4	521.6	347.5	413.7	363.6	414.9	444.9	440.4
190	203	207	76	83	76	597	572	577
284.2	308.3	308.5	214.7	236.8	215.9	239.1	230.7	232.3
83	84	88	41	42	44	201	220	193
124.2	127.6	131.1	115.8	119.8	125.0	80.5	88.7	77.7
18	29	24	7	10	18	98	93	88
26.9	44.0	35.8	19.8	28.5	51.1	39.2	37.5	35.4
8	13	15	4	3	11	46	46	46
12.0	19.7	22.4	11.3	8.6	31.3	18.4	18.6	18.5
78	81	70	-	-	2	61	62	51
9.2	10.1	7.9	-	-	.6	2.3	2.4	2.0
**	**	**	**	**	**	2,191	2,204	2,231
**	**	**	**	**	**	851	826	824
**	**	**	**	**	**	-	-	-
**	**	**	**	**	**	846	822	822
**	**	**	**	**	**	5	4	2
**	**	**	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ONEIDA COUNTY (CONT.)					
	ROME (C)			UTICA (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	43,450	42,750	42,700	72,100	71,600	72,350
RECORDED LIVE BIRTHS	1,017	1,069	957	1,189	1,192	1,270
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	835	852	838	1,112	1,134	1,199
RATE	19.2	19.9	19.6	15.4	15.8	16.6
PREMATURE, NUMBER	45	59	53	95	100	106
PERCENT	5.4	6.9	6.3	8.6	8.8	8.9
LIVE BIRTH ORDER #1, NUMBER	362	371	351	476	477	494
PERCENT	43.4	43.5	41.9	42.8	42.1	41.2
MOTHER'S AGE UNDER 18, NUMBER	32	44	45	49	55	68
PERCENT	3.8	5.2	5.4	4.4	4.9	5.7
EARLY PRENATAL CARE, NUMBER	618	611	612	793	915	955
PERCENT	74.4	72.0	74.6	72.4	81.6	80.7
RACE OTHER THAN WHITE, NUMBER	64	74	76	188	168	202
PERCENT	7.7	8.7	9.1	16.9	14.8	16.8
RECORDED FETAL DEATHS	50	69	80	1,351	1,232	282
INDUCED ABORTIONS, NUMBER	15	11	15	1,225	1,136	204
PERCENT	30.0	15.9	18.8	90.7	92.2	72.3
FETAL DEATHS BY PLACE OF RESIDENCE	244	267	156	535	545	273
INDUCED ABORTIONS	209	210	95	401	436	171
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	8	9	18	22	15	16
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	2	-	4	4	2
RECORDED DEATHS	480	452	496	1,149	1,151	1,132
DEATHS BY PLACE OF RESIDENCE						
NUMBER	362	382	374	1,077	1,071	1,073
RATE	8.3	8.9	8.8	14.9	15.0	14.8
NEONATAL DEATHS, NUMBER	1	7	5	10	8	11
MORTALITY RATE	1.2	8.2	6.0	9.0	7.1	9.2
INFANT DEATHS, NUMBER	4	8	12	12	11	16
MORTALITY RATE	4.8	9.4	14.3	10.8	9.7	13.3
DEATHS BY AGE						
0-24	10	15	21	26	24	33
25-44	20	8	14	41	31	26
45-64	70	73	83	174	157	181
65 AND OVER	262	286	256	836	859	833
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	139	151	160	424	502	481
RATE	319.9	353.2	374.7	588.1	701.1	664.8
MALIGNANT NEOPLASMS, NUMBER	96	80	73	219	222	225
RATE	220.9	187.1	171.0	303.7	310.1	311.0
CEREBROVASCULAR DISEASE, NUMBER	22	37	29	95	91	65
RATE	50.6	86.5	67.9	131.8	127.1	89.8
TOTAL ACCIDENTS, NUMBER	18	15	11	31	34	36
RATE	41.4	35.1	25.8	43.0	47.5	49.8
MOTOR VEHICLE ACCIDENTS, NUMBER	12	6	6	11	14	13
RATE	27.6	14.0	14.1	15.3	19.6	18.0
RACE OTHER THAN WHITE, NUMBER	4	10	8	50	46	36
PERCENT	1.1	2.6	2.1	4.6	4.3	3.4
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

ONONDAGA COUNTY TOTAL COUNTY			SYRACUSE (C)			ONTARIO COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
460,900	455,400	456,900	164,650	162,450	163,850	89,700	89,100	88,800
8,884	8,597	8,364	7,054	6,963	6,561	1,605	1,574	1,581
7,382	7,143	6,953	3,056	2,893	2,863	1,304	1,279	1,279
16.0	15.7	15.2	18.6	17.8	17.5	14.5	14.4	14.4
456	432	454	251	215	252	68	61	69
6.2	6.1	6.5	8.2	7.4	8.8	5.2	4.8	5.4
3,156	2,996	3,031	1,315	1,225	1,262	542	542	513
42.8	41.9	43.6	43.0	42.3	44.1	41.6	42.4	40.1
294	288	294	217	216	207	31	24	28
4.0	4.0	4.2	7.1	7.5	7.2	2.4	1.9	2.2
6,366	6,100	5,812	2,468	2,264	2,202	1,074	1,038	1,036
86.6	85.6	83.8	81.3	78.4	77.1	84.3	83.2	82.0
1,078	1,005	1,001	903	828	840	42	31	42
14.6	14.1	14.4	29.5	28.6	29.3	3.2	2.4	3.3
3,369	3,422	3,288	3,122	3,218	3,068	143	182	184
2,861	3,029	2,956	2,839	2,975	2,905	111	144	137
84.9	88.5	89.9	90.9	92.4	94.7	77.6	79.1	74.5
2,579	2,671	2,415	1,385	1,387	1,245	333	414	409
2,172	2,340	2,118	1,224	1,252	1,136	279	359	351
89	87	107	38	45	57	10	19	15
27	28	45	12	19	29	2	5	2
4,697	4,651	4,661	3,373	3,373	3,424	888	901	901
4,097	4,024	4,073	1,963	1,938	1,998	778	790	744
8.9	8.8	8.9	11.9	11.9	12.2	8.7	8.9	8.4
49	52	54	27	23	36	6	6	10
6.6	7.3	7.8	8.8	8.0	12.6	4.6	4.7	7.8
70	80	84	42	39	51	9	6	16
9.5	11.2	12.1	13.7	13.5	17.8	6.9	4.7	12.5
156	146	166	75	71	83	23	25	45
167	151	159	83	77	86	21	31	33
778	803	802	303	317	330	145	140	138
2,996	2,924	2,945	1,502	1,473	1,499	589	594	528
1,532	1,479	1,483	726	728	727	294	286	262
332.4	324.8	324.6	440.9	448.1	443.7	327.8	321.0	295.0
934	936	976	416	407	421	179	203	168
202.6	205.5	213.6	252.7	250.5	256.9	199.6	227.8	189.2
303	319	333	148	154	177	64	71	54
65.7	70.0	72.9	89.9	94.8	108.0	71.3	79.7	60.8
127	129	150	57	57	58	32	40	52
27.6	28.3	32.8	34.6	35.1	35.4	35.7	44.9	58.6
56	50	62	19	16	21	20	24	19
12.2	11.0	13.6	11.5	9.8	12.8	22.3	26.9	21.4
235	214	225	210	198	207	8	7	9
5.7	5.3	5.5	10.7	10.2	10.4	1.0	.9	1.2
4,032	4,012	3,872	**	**	**	852	868	826
1,587	1,598	1,695	**	**	**	365	365	326
-	-	1	**	**	**	-	-	-
1,577	1,594	1,691	**	**	**	362	362	325
10	4	3	**	**	**	3	3	1
-	-	-	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ONTARIO COUNTY (CONT.)					
	GENEVA (C)			CANANDAIGUA (C)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	14,550	14,400	14,600	9,550	9,400	9,600
RECORDED LIVE BIRTHS	1,076	1,024	1,023	516	536	552
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	183	190	211	195	192	167
RATE	12.6	13.2	14.5	20.4	20.4	17.4
PREMATURE, NUMBER	12	11	11	7	11	14
PERCENT	6.6	5.8	5.2	3.6	5.7	8.4
LIVE BIRTH ORDER #1, NUMBER	87	89	88	78	95	65
PERCENT	47.5	46.8	41.7	40.0	49.5	38.9
MOTHER'S AGE UNDER 18, NUMBER	4	3	7	3	4	1
PERCENT	2.2	1.6	3.3	1.5	2.1	.6
EARLY PRENATAL CARE, NUMBER	135	152	156	155	148	146
PERCENT	73.8	80.9	74.3	81.6	78.7	88.0
RACE OTHER THAN WHITE, NUMBER	24	20	25	1	2	5
PERCENT	13.1	10.5	11.8	.5	1.0	3.0
RECORDED FETAL DEATHS	98	136	122	23	24	36
INDUCED ABORTIONS, NUMBER	96	127	110	-	2	7
PERCENT	98.0	93.4	90.2	-	8.3	19.4
FETAL DEATHS BY PLACE OF RESIDENCE	61	81	83	96	105	98
INDUCED ABORTIONS	57	76	82	75	97	86
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	2	3	2	2	2	2
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	-	2	-	-	-
RECORDED DEATHS	234	257	243	299	288	288
DEATHS BY PLACE OF RESIDENCE						
NUMBER	146	185	161	151	134	152
RATE	10.0	12.8	11.0	15.8	14.3	15.8
NEONATAL DEATHS, NUMBER	-	1	2	2	-	1
MORTALITY RATE	-	5.3	9.5	10.3	-	6.0
INFANT DEATHS, NUMBER	-	1	4	4	-	2
MORTALITY RATE	-	5.3	19.0	20.5	-	12.0
DEATHS BY AGE						
0-24	-	2	7	6	4	4
25-44	-	6	4	4	5	7
45-64	22	35	24	33	19	27
65 AND OVER	124	142	126	108	106	114
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	62	74	51	45	41	57
RATE	426.1	513.9	349.3	471.2	436.2	593.8
MALIGNANT NEOPLASMS, NUMBER	39	50	32	34	33	32
RATE	268.0	347.2	219.2	356.0	351.1	333.3
CEREBROVASCULAR DISEASE, NUMBER	12	16	13	12	19	14
RATE	82.5	111.1	89.0	125.7	202.1	145.8
TOTAL ACCIDENTS, NUMBER	5	4	11	4	7	8
RATE	34.4	27.8	75.3	41.9	74.5	83.3
MOTOR VEHICLE ACCIDENTS, NUMBER	3	2	2	2	4	1
RATE	20.6	13.9	13.7	20.9	42.6	10.4
RACE OTHER THAN WHITE, NUMBER	3	5	8	1	-	-
PERCENT	2.1	2.7	5.0	.7	-	-
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

ORANGE COUNTY TOTAL COUNTY			MIDDLETOWN (C) -			NEWBURG (C)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
269,800	268,200	265,700	21,500	21,300	21,150	24,100	23,650	23,600
4,254	4,098	4,120	1,207	1,130	1,066	1,287	1,222	1,289
4,406	4,158	4,009	494	425	439	683	589	591
16.3	15.5	15.1	23.0	20.0	20.8	28.3	24.9	25.0
255	258	209	37	35	29	60	54	56
5.8	6.2	5.2	7.5	8.3	6.6	8.9	9.2	9.5
1,735	1,609	1,595	198	173	164	282	240	257
39.4	38.7	39.8	40.1	40.7	37.4	41.3	40.7	43.5
159	141	145	24	18	21	74	62	63
3.6	3.4	3.6	4.9	4.2	4.8	10.8	10.5	10.7
3,087	2,915	2,608	334	262	260	348	284	270
71.4	71.0	68.4	69.2	61.9	61.2	52.6	48.7	46.6
551	474	476	98	66	66	294	258	262
12.5	11.4	11.9	19.8	15.5	15.0	43.0	43.8	44.3
278	376	1,354	94	89	113	97	176	680
122	160	1,096	67	49	56	21	66	576
43.9	42.6	80.9	71.3	55.1	49.6	21.6	37.5	84.7
1,179	1,086	1,608	195	192	264	308	290	394
1,006	875	1,353	186	176	247	268	220	343
55	47	66	6	7	6	14	18	22
21	19	26	1	3	3	8	7	6
2,427	2,448	2,401	609	579	580	545	508	469
2,356	2,305	2,341	274	250	249	321	294	338
8.7	8.6	8.8	12.7	11.7	11.8	13.3	12.4	14.3
31	27	25	7	-	4	11	5	6
7.0	6.5	6.2	14.2	-	9.1	16.1	8.5	10.2
48	33	33	11	1	6	18	8	9
10.9	7.9	8.2	22.3	2.4	13.7	26.4	13.6	15.2
101	91	97	15	4	12	25	18	21
133	101	135	11	12	15	19	18	23
463	480	486	46	42	49	72	62	71
1,658	1,633	1,623	202	192	173	205	196	223
924	940	951	90	92	98	143	110	130
342.5	350.5	357.9	418.6	431.9	463.4	593.4	465.1	550.8
591	552	564	77	55	56	62	67	82
219.1	205.8	212.3	358.1	258.2	264.8	257.3	283.3	347.5
118	155	140	7	24	15	16	18	19
43.7	57.8	52.7	32.6	112.7	70.9	66.4	76.1	80.5
98	97	103	7	12	12	7	8	12
36.3	36.2	38.8	32.6	56.3	56.7	29.0	33.8	50.8
56	50	59	3	6	6	4	2	8
20.8	18.6	22.2	14.0	28.2	28.4	16.6	8.5	33.9
148	113	131	14	20	19	80	58	69
6.3	4.9	5.6	5.1	8.0	7.6	24.9	19.7	20.4
2,462	2,259	2,291	**	**	**	**	**	**
912	851	868	**	**	**	**	**	**
-	-	-	**	**	**	**	**	**
908	840	862	**	**	**	**	**	**
4	11	6	**	**	**	**	**	**
-	-	-	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ORLEANS COUNTY TOTAL COUNTY			OSWEGO COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	38,400	38,100	38,200	115,500	114,200	114,100
RECORDED LIVE BIRTHS	410	391	418	1,060	1,049	1,020
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	617	558	601	1,801	1,806	1,778
RATE	16.1	14.6	15.7	15.6	15.8	15.6
PREMATURE, NUMBER	34	37	34	100	84	109
PERCENT	5.5	6.7	5.7	5.6	4.7	6.1
LIVE BIRTH ORDER #1, NUMBER	258	201	223	744	764	674
PERCENT	41.8	36.0	37.1	41.3	42.3	37.9
MOTHER'S AGE UNDER 18, NUMBER	29	17	31	65	70	64
PERCENT	4.7	3.0	5.2	3.6	3.9	3.6
EARLY PRENATAL CARE, NUMBER	513	436	460	1,511	1,523	1,455
PERCENT	84.1	79.9	77.1	84.0	84.4	82.3
RACE OTHER THAN WHITE, NUMBER	43	37	60	20	24	23
PERCENT	7.0	6.6	10.0	1.1	1.3	1.3
RECORDED FETAL DEATHS	70	79	81	14	16	37
INDUCED ABORTIONS, NUMBER	19	16	19	-	-	-
PERCENT	27.1	20.3	23.5	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	199	224	215	402	395	397
INDUCED ABORTIONS	133	152	138	349	348	342
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	9	4	10	17	11	19
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	1	5	3	1	6
RECORDED DEATHS	332	319	329	698	670	654
DEATHS BY PLACE OF RESIDENCE						
NUMBER	423	397	391	961	927	892
RATE	11.0	10.4	10.2	8.3	8.1	7.8
NEONATAL DEATHS, NUMBER	4	2	2	5	8	10
MORTALITY RATE	6.5	3.6	3.3	2.8	4.4	5.6
INFANT DEATHS, NUMBER	5	2	3	8	17	16
MORTALITY RATE	8.1	3.6	5.0	4.4	9.4	9.0
DEATHS BY AGE						
0-24	8	11	6	35	47	41
25-44	15	15	11	56	35	33
45-64	73	65	77	175	191	180
65 AND OVER	327	306	297	695	654	638
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	155	150	131	350	361	337
RATE	403.6	393.7	342.9	303.0	316.1	295.4
MALIGNANT NEOPLASMS, NUMBER	82	89	79	204	193	184
RATE	213.5	233.6	206.8	176.6	169.0	161.3
CEREBROVASCULAR DISEASE, NUMBER	61	36	59	73	76	65
RATE	158.9	94.5	154.5	63.2	66.5	57.0
TOTAL ACCIDENTS, NUMBER	10	17	13	53	49	38
RATE	26.0	44.6	34.0	45.9	42.9	33.3
MOTOR VEHICLE ACCIDENTS, NUMBER	7	10	5	36	34	16
RATE	18.2	26.2	13.1	31.2	29.8	14.0
RACE OTHER THAN WHITE, NUMBER	20	17	10	4	-	6
PERCENT	4.7	4.3	2.6	.4	-	.7
MARRIAGES BY COUNTY OF OCCURRENCE	377	358	350	1,038	1,035	992
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	124	96	118	367	331	316
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	-	-	-
ARTICLE 10, DRL (DIVORCE)	124	96	116	366	326	314
ARTICLE 9, DRL (ANNULMENT)	-	-	2	1	5	2
NOT STATED	-	-	-	-	-	-

FULTON (C)			OSWEGO (C)			OTSEGO COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
13,200	13,050	13,150	19,100	18,950	19,150	59,400	59,200	59,200
-	-	1	1,047	1,039	1,014	858	867	913
238	228	246	275	262	270	731	754	762
18.0	17.5	18.7	14.4	13.8	14.1	12.3	12.7	12.9
12	12	14	16	10	17	36	47	33
5.0	5.3	5.7	5.8	3.8	6.3	4.9	6.3	4.3
102	94	99	118	127	119	307	291	321
42.9	41.2	40.2	42.9	48.5	44.1	42.0	38.6	42.1
11	9	19	7	7	6	12	16	18
4.6	3.9	7.7	2.5	2.7	2.2	1.6	2.1	2.4
210	200	194	234	230	232	605	645	623
88.2	87.7	80.5	85.1	88.1	86.2	83.9	85.9	82.7
4	5	7	3	6	3	18	9	10
1.7	2.2	2.8	1.1	2.3	1.1	2.5	1.2	1.3
-	-	-	13	16	37	95	61	103
-	-	-	-	-	-	18	11	25
-	-	-	-	-	-	18.9	18.0	24.3
51	46	45	118	106	126	180	198	181
44	37	37	113	99	115	119	139	115
3	2	5	4	-	3	13	14	14
1	-	1	1	-	2	2	4	2
200	247	220	435	374	399	765	720	713
156	150	138	244	229	221	607	598	607
11.8	11.5	10.5	12.8	12.1	11.5	10.2	10.1	10.3
-	2	2	-	-	1	2	6	4
-	8.8	8.1	-	-	3.7	2.7	8.0	5.2
1	2	2	-	1	1	4	7	5
4.2	8.8	8.1	-	3.8	3.7	5.5	9.3	6.6
3	5	4	4	4	2	15	17	18
6	3	7	11	5	4	17	23	20
26	25	30	41	37	35	85	92	84
121	117	97	188	183	180	490	466	485
58	63	43	78	90	91	243	252	257
439.4	482.8	327.0	408.4	474.9	475.2	409.1	425.7	434.1
39	35	31	50	46	36	141	110	125
295.5	268.2	235.7	261.8	242.7	188.0	237.4	185.8	211.1
4	10	14	29	20	18	29	44	41
30.3	76.6	106.5	151.8	105.5	94.0	48.8	74.3	69.3
3	6	4	11	7	3	20	35	27
22.7	46.0	30.4	57.6	36.9	15.7	33.7	59.1	45.6
2	2	-	5	6	1	9	12	11
15.2	15.3	-	26.2	31.7	5.2	15.2	20.3	18.6
1	-	3	-	-	-	4	7	2
.6	-	2.2	-	-	-	.7	1.2	.3
**	**	**	**	**	**	503	486	466
**	**	**	**	**	**	176	197	195
**	**	**	**	**	**	-	-	-
**	**	**	**	**	**	173	195	193
**	**	**	**	**	**	3	2	2
**	**	**	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	OTSEGO COUNTY (CONT.)			PUTNAM COUNTY		
	ONEONTA (C)			TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	14,700	14,700	14,750	80,200	79,700	79,100
RECORDED LIVE BIRTHS	510	552	583	701	679	618
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	109	103	112	1,150	1,043	1,056
RATE	7.4	7.0	7.6	14.3	13.1	13.4
PREMATURE, NUMBER	5	9	3	36	43	57
PERCENT	4.6	8.7	2.7	3.1	4.1	5.4
LIVE BIRTH ORDER #1, NUMBER	46	49	58	499	478	496
PERCENT	42.2	47.6	51.8	43.4	45.8	47.0
MOTHER'S AGE UNDER 18, NUMBER	3	3	1	4	7	14
PERCENT	2.8	2.9	.9	.3	.7	1.3
EARLY PRENATAL CARE, NUMBER	100	94	102	1,018	903	898
PERCENT	91.7	92.2	94.4	91.8	91.4	90.3
RACE OTHER THAN WHITE, NUMBER	9	8	5	30	14	17
PERCENT	8.3	7.8	4.5	2.6	1.3	1.6
RECORDED FETAL DEATHS	26	18	29	90	59	56
INDUCED ABORTIONS, NUMBER	1	1	1	82	53	43
PERCENT	3.8	5.6	3.4	91.1	89.8	76.8
FETAL DEATHS BY PLACE OF RESIDENCE	55	60	61	257	291	328
INDUCED ABORTIONS	50	54	50	238	268	284
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	-	3	3	11	10	14
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	3	1	4	4	6
RECORDED DEATHS	310	288	312	435	449	453
DEATHS BY PLACE OF RESIDENCE						
NUMBER	138	137	142	548	534	537
RATE	9.4	9.3	9.6	6.8	6.7	6.8
NEONATAL DEATHS, NUMBER	1	1	-	2	3	7
MORTALITY RATE	9.2	9.7	-	1.7	2.9	6.6
INFANT DEATHS, NUMBER	2	1	-	7	4	9
MORTALITY RATE	18.3	9.7	-	6.1	3.8	8.5
DEATHS BY AGE						
0-24	5	5	1	28	24	18
25-44	2	3	4	24	26	25
45-64	15	15	16	100	110	112
65 AND OVER	116	114	121	396	374	382
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	54	71	64	207	220	243
RATE	367.3	483.0	433.9	258.1	276.0	307.2
MALIGNANT NEOPLASMS, NUMBER	32	20	36	143	125	119
RATE	217.7	136.1	244.1	178.3	156.8	150.4
CEREBROVASCULAR DISEASE, NUMBER	6	11	9	41	48	44
RATE	40.8	74.8	61.0	51.1	60.2	55.6
TOTAL ACCIDENTS, NUMBER	2	6	4	22	18	22
RATE	13.6	40.8	27.1	27.4	22.6	27.8
MOTOR VEHICLE ACCIDENTS, NUMBER	1	3	1	14	11	13
RATE	6.8	20.4	6.8	17.5	13.8	16.4
RACE OTHER THAN WHITE, NUMBER	-	1	-	2	4	3
PERCENT	-	.7	-	.4	.7	.6
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	660	647	640
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION	**	**	**	181	137	165
TYPE OF DECREE						
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	-	-	-
ARTICLE 10, DRL (DIVORCE)	**	**	**	181	137	165
ARTICLE 9, DRL (ANNULMENT)	**	**	**	-	-	-
NOT STATED	**	**	**	-	-	-

RENSSELAER COUNTY						ROCKLAND COUNTY		
TOTAL COUNTY			TROY (C)			TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
151,400	150,300	150,600	55,500	54,900	55,250	259,100	256,800	256,400
1,381	1,372	1,426	1,372	1,364	1,416	3,380	3,255	3,160
2,186	2,022	2,093	973	929	870	3,734	3,536	3,435
14.4	13.5	13.9	17.5	16.9	15.7	14.4	13.8	13.4
134	130	123	73	69	49	215	205	202
6.1	6.4	5.9	7.5	7.4	5.6	5.8	5.8	5.9
946	887	893	415	392	361	1,478	1,419	1,320
43.3	43.9	42.7	42.7	42.2	41.5	39.6	40.1	38.4
70	75	67	46	42	35	53	57	35
3.2	3.7	3.2	4.7	4.5	4.0	1.4	1.6	1.0
1,712	1,630	1,601	747	711	687	2,812	2,699	2,353
83.7	82.0	83.4	79.1	77.6	79.7	76.7	77.8	75.6
117	127	119	104	108	98	666	540	498
5.4	6.3	5.7	10.7	11.6	11.3	17.8	15.3	14.5
173	255	280	173	255	280	4,351	4,240	3,904
34	106	126	34	106	126	4,018	3,876	3,534
19.7	41.6	45.0	19.7	41.6	45.0	92.3	91.4	90.5
624	596	632	350	365	394	2,134	2,134	2,276
456	440	461	258	265	298	1,822	1,807	1,933
31	24	30	17	16	18	56	60	73
10	4	13	5	2	10	16	28	32
1,247	1,243	1,275	1,023	1,065	1,086	1,973	1,988	1,976
1,450	1,461	1,475	615	673	716	1,971	1,934	1,953
9.6	9.7	9.8	11.1	12.3	13.0	7.6	7.5	7.6
17	17	10	11	10	8	18	27	18
7.8	8.4	4.8	11.3	10.8	9.2	4.8	7.6	5.2
19	23	16	13	12	13	32	34	25
8.7	11.4	7.6	13.4	12.9	14.9	8.6	9.6	7.3
47	46	44	26	18	19	67	65	68
46	48	51	17	16	26	90	102	109
274	290	290	116	129	130	432	422	418
1,083	1,077	1,090	456	510	541	1,382	1,345	1,358
598	619	643	254	289	333	775	742	770
395.0	411.8	427.0	457.7	526.4	602.7	299.1	288.9	300.3
342	344	322	144	147	144	474	446	489
225.9	228.9	213.8	259.5	267.8	260.6	182.9	173.7	190.7
107	88	82	45	40	41	109	139	145
70.7	58.5	54.4	81.1	72.9	74.2	42.1	54.1	56.6
53	53	51	22	20	14	59	53	60
35.0	35.3	33.9	39.6	36.4	25.3	22.8	20.6	23.4
28	29	27	11	6	5	27	25	27
18.5	19.3	17.9	19.8	10.9	9.0	10.4	9.7	10.5
35	25	34	25	18	31	140	113	115
2.4	1.7	2.3	4.1	2.7	4.3	7.1	5.8	5.9
1,245	1,205	1,279	**	**	**	2,048	2,001	1,892
439	388	436	**	**	**	814	721	633
1	-	-	**	**	**	-	-	-
436	387	432	**	**	**	811	714	628
2	1	4	**	**	**	3	7	5
-	-	-	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ROCKLAND COUNTY (CONT.)					
	SPRING VALLEY (V)			SUFFERN(V)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	21,900	21,250	21,000	10,850	10,800	10,800
RECORDED LIVE BIRTHS	2	2	1	1,695	1,697	1,748
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	703	691	635	153	118	165
RATE	32.1	32.5	30.2	14.1	10.9	15.3
PREMATURE, NUMBER	47	48	50	7	4	8
PERCENT	6.7	7.0	7.9	4.7	3.4	4.9
LIVE BIRTH ORDER #1, NUMBER	284	274	241	69	58	84
PERCENT	40.4	39.7	38.0	45.1	49.2	50.9
MOTHER'S AGE UNDER 18, NUMBER	17	23	7	2	3	2
PERCENT	2.4	3.3	1.1	1.3	2.5	1.2
EARLY PRENATAL CARE, NUMBER	445	464	370	126	96	127
PERCENT	65.1	68.8	63.1	84.0	85.7	91.4
RACE OTHER THAN WHITE, NUMBER	327	284	235	25	9	8
PERCENT	46.5	41.1	37.0	16.3	7.6	4.8
RECORDED FETAL DEATHS	-	-	-	261	247	240
INDUCED ABORTIONS, NUMBER	-	-	-	1	1	1
PERCENT	-	-	-	.4	.4	.4
FETAL DEATHS BY PLACE OF RESIDENCE	410	525	489	122	123	144
INDUCED ABORTIONS	337	450	417	101	115	130
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	11	16	13	5	1	1
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	3	6	4	2	1	-
RECORDED DEATHS	23	30	27	542	549	575
DEATHS BY PLACE OF RESIDENCE						
NUMBER	182	185	157	99	101	95
RATE	8.3	8.7	7.5	9.1	9.4	8.8
NEONATAL DEATHS, NUMBER	5	4	-	-	2	2
MORTALITY RATE	7.1	5.8	-	-	16.9	12.1
INFANT DEATHS, NUMBER	6	4	3	2	3	2
MORTALITY RATE	8.5	5.8	4.7	13.1	25.4	12.1
DEATHS BY AGE						
0-24	13	5	7	2	3	3
25-44	11	17	8	4	4	7
45-64	51	40	29	11	25	26
65 AND OVER	107	123	113	82	69	59
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	71	71	65	49	40	34
RATE	324.2	334.1	309.5	451.6	370.4	314.8
MALIGNANT NEOPLASMS, NUMBER	43	40	42	20	28	29
RATE	196.3	188.2	200.0	184.3	259.3	268.5
CEREBROVASCULAR DISEASE, NUMBER	3	14	14	6	11	12
RATE	13.7	65.9	66.7	55.3	101.9	111.1
TOTAL ACCIDENTS, NUMBER	11	7	4	1	1	2
RATE	50.2	32.9	19.0	9.2	9.3	18.5
MOTOR VEHICLE ACCIDENTS, NUMBER	7	3	2	-	1	1
RATE	32.0	14.1	9.5	-	9.3	9.3
RACE OTHER THAN WHITE, NUMBER	49	41	21	1	1	4
PERCENT	26.9	22.2	13.4	1.0	1.0	4.2
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION	**	**	**	**	**	**
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

ST LAWRENCE COUNTY								
TOTAL COUNTY			OGDENSBURG (C)			MASSENA (V)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
111,800	110,400	111,200	11,300	11,150	11,300	12,150	12,000	12,150
1,473	1,538	1,560	547	557	555	280	352	345
1,531	1,585	1,570	213	221	228	178	181	161
13.7	14.4	14.1	18.8	19.8	20.2	14.7	15.1	13.3
92	95	89	21	22	16	9	10	9
6.1	6.0	5.7	9.9	10.0	7.0	5.1	5.5	5.6
599	649	632	77	103	98	66	74	62
39.1	40.9	40.3	36.2	46.6	43.0	37.1	40.9	38.5
55	67	74	8	6	9	5	8	12
3.6	4.2	4.7	3.8	2.7	3.9	2.9	4.4	7.5
1,165	1,242	1,245	173	167	176	145	147	142
78.3	79.7	81.1	82.0	77.0	80.0	87.3	82.6	90.4
29	23	25	7	7	9	2	1	2
1.9	1.5	1.6	3.3	3.2	3.9	1.1	.6	1.2
36	34	48	13	2	2	3	13	16
1	5	9	-	-	-	-	1	-
2.8	14.7	18.8	-	-	-	-	7.7	-
263	213	216	22	17	14	43	48	48
224	183	174	17	17	13	40	44	40
26	17	18	5	-	1	2	1	3
9	2	2	1	-	-	-	-	2
984	963	972	239	282	263	193	180	172
1,004	1,020	1,004	129	160	155	117	129	126
9.0	9.2	9.0	11.4	14.3	13.7	9.6	10.8	10.4
7	5	14	1	2	1	-	-	3
4.6	3.2	8.9	4.7	9.0	4.4	-	-	18.6
10	9	19	2	3	1	-	-	3
6.5	5.7	12.1	9.4	13.6	4.4	-	-	18.6
31	39	51	4	5	1	-	2	9
41	40	38	3	6	3	9	3	5
188	208	229	17	31	32	27	31	25
744	733	686	105	118	119	81	93	87
394	447	393	45	83	70	52	55	41
352.4	404.9	353.4	398.2	744.4	619.5	428.0	458.3	337.4
225	207	202	33	30	26	31	22	23
201.3	187.5	181.7	292.0	269.1	230.1	255.1	183.3	189.3
70	81	81	7	10	14	9	17	18
62.6	73.4	72.8	61.9	89.7	123.9	74.1	141.7	148.1
44	40	53	5	-	5	7	4	7
39.4	36.2	47.7	44.2	-	44.2	57.6	33.3	57.6
18	22	27	3	-	1	1	2	5
16.1	19.9	24.3	26.5	-	8.8	8.2	16.7	41.2
6	1	4	2	-	-	1	-	-
.6	.1	.4	1.6	-	-	.9	-	-
968	965	945	**	**	**	**	**	**
234	245	227	**	**	**	**	**	**
-	-	-	**	**	**	**	**	**
232	244	226	**	**	**	**	**	**
2	1	1	**	**	**	**	**	**
-	-	-	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ST LAWRENCE COUNTY (CONT.)			SARATOGA COUNTY		
	POTSDAM(V)			TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	10,700	10,700	10,700	156,500	155,200	154,700
RECORDED LIVE BIRTHS	413	405	437	839	837	901
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	73	60	70	2,358	2,223	2,249
RATE	6.8	5.6	6.5	15.1	14.3	14.5
PREMATURE, NUMBER	6	-	7	111	129	140
PERCENT	8.2	-	10.0	4.7	5.8	6.2
LIVE BIRTH ORDER #1, NUMBER	29	27	40	1,055	983	1,029
PERCENT	39.7	45.0	57.1	44.7	44.2	45.8
MOTHER'S AGE UNDER 18, NUMBER	2	2	1	56	61	68
PERCENT	2.7	3.3	1.4	2.4	2.7	3.0
EARLY PRENATAL CARE, NUMBER	60	54	55	2,023	1,931	1,936
PERCENT	82.2	90.0	79.7	88.1	87.9	87.3
RACE OTHER THAN WHITE, NUMBER	7	3	-	47	42	48
PERCENT	9.6	5.0	-	2.0	1.9	2.1
RECORDED FETAL DEATHS	5	4	5	113	110	102
INDUCED ABORTIONS, NUMBER	-	-	-	58	65	65
PERCENT	-	-	-	51.3	59.1	63.7
FETAL DEATHS BY PLACE OF RESIDENCE	47	37	29	629	605	598
INDUCED ABORTIONS	46	36	29	435	429	415
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	3	1	-	29	28	15
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	2	-	-	6	13	3
RECORDED DEATHS	221	185	221	726	673	668
DEATHS BY PLACE OF RESIDENCE						
NUMBER	65	61	61	1,205	1,216	1,142
RATE	6.1	5.7	5.7	7.7	7.8	7.4
NEONATAL DEATHS, NUMBER	1	-	2	13	18	11
MORTALITY RATE	13.7	-	28.6	5.5	8.1	4.9
INFANT DEATHS, NUMBER	1	-	3	20	25	20
MORTALITY RATE	13.7	-	42.9	8.5	11.2	8.9
DEATHS BY AGE						
0-24	2	-	7	48	54	57
25-44	3	4	1	56	56	41
45-64	6	13	10	232	272	225
65 AND OVER	54	44	43	869	834	819
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	31	26	27	438	475	456
RATE	289.7	243.0	252.3	279.9	306.1	294.8
MALIGNANT NEOPLASMS, NUMBER	11	13	13	287	275	265
RATE	102.8	121.5	121.5	183.4	177.2	171.3
CEREBROVASCULAR DISEASE, NUMBER	3	4	3	85	89	78
RATE	28.0	37.4	28.0	54.3	57.3	50.4
TOTAL ACCIDENTS, NUMBER	7	5	1	52	47	48
RATE	65.4	46.7	9.3	33.2	30.3	31.0
MOTOR VEHICLE ACCIDENTS, NUMBER	3	1	1	36	24	24
RATE	28.0	9.3	9.3	23.0	15.5	15.5
RACE OTHER THAN WHITE, NUMBER	2	-	-	18	20	16
PERCENT	3.1	-	-	1.5	1.6	1.4
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	1,503	1,438	1,357
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION	**	**	**	530	557	490
TYPE OF DECREE	**	**	**	-	-	-
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	527	551	488
ARTICLE 10, DRL (DIVORCE)	**	**	**	3	6	2
ARTICLE 9, DRL (ANNULMENT)	**	**	**	-	-	-
NOT STATED						

SARATOGA SPRINGS (C)			SCHENECTADY COUNTY TOTAL COUNTY			SCHENECTADY (C)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
23,700	23,550	23,650	149,000	148,300	148,600	67,850	67,400	67,500
834	834	893	3,208	2,931	3,037	1,487	1,314	1,297
320	335	346	2,068	1,927	1,995	1,186	1,089	1,162
13.5	14.2	14.6	13.9	13.0	13.4	17.5	16.2	17.2
24	10	21	106	116	124	69	78	90
7.5	3.0	6.1	5.1	6.0	6.2	5.8	7.2	7.8
149	145	182	871	874	896	522	516	533
46.6	43.3	52.6	42.1	45.4	44.9	44.0	47.4	45.9
6	11	11	56	51	69	46	46	59
1.9	3.3	3.2	2.7	2.6	3.5	3.9	4.2	5.1
274	295	300	1,798	1,640	1,693	995	899	948
85.9	88.9	87.0	88.7	87.4	87.4	85.7	85.1	84.3
25	14	19	156	130	152	131	118	123
7.8	4.2	5.5	7.5	6.7	7.6	11.0	10.8	10.6
112	103	100	2,430	2,183	2,041	2,025	1,740	1,596
58	65	65	1,971	1,717	1,612	1,768	1,496	1,377
51.8	63.1	65.0	81.1	78.7	79.0	87.3	86.0	86.3
134	129	125	989	1,029	928	748	792	727
104	111	106	701	745	682	548	601	544
5	8	4	36	35	35	24	30	27
3	4	1	11	13	18	8	13	14
477	438	441	1,737	1,756	1,783	1,480	1,536	1,537
288	267	277	1,616	1,564	1,620	865	873	957
12.2	11.3	11.7	10.8	10.5	10.9	12.7	13.0	14.2
4	2	2	20	22	19	12	14	16
12.5	6.0	5.8	9.7	11.4	9.5	10.1	12.9	13.8
5	4	3	27	28	24	17	17	19
15.6	11.9	8.7	13.1	14.5	12.0	14.3	15.6	16.4
8	7	12	57	46	57	31	23	33
10	9	6	64	51	60	41	28	35
32	48	43	241	263	302	118	135	183
238	203	216	1,254	1,204	1,201	675	687	706
89	90	104	654	639	678	348	360	409
375.5	382.2	439.7	438.9	430.9	456.3	512.9	534.1	605.9
70	56	70	385	426	375	190	228	208
295.4	237.8	296.0	258.4	287.3	252.4	280.0	338.3	308.1
23	26	15	104	81	102	65	41	63
97.0	110.4	63.4	69.8	54.6	68.6	95.8	60.8	93.3
9	8	8	40	46	50	27	23	26
38.0	34.0	33.8	26.8	31.0	33.6	39.8	34.1	38.5
6	3	6	16	19	21	10	9	8
25.3	12.7	25.4	10.7	12.8	14.1	14.7	13.4	11.9
14	15	13	31	38	45	30	35	40
4.9	5.6	4.7	1.9	2.4	2.8	3.5	4.0	4.2
**	**	**	1,278	1,285	1,255	**	**	**
**	**	**	524	567	522	**	**	**
**	**	**	-	-	-	**	**	**
**	**	**	512	555	511	**	**	**
**	**	**	12	12	11	**	**	**
**	**	**	-	-	-	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	SCHOHARIE COUNTY TOTAL COUNTY			SCHUYLER COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	29,100	29,000	29,100	17,400	17,300	17,400
RECORDED LIVE BIRTHS	190	226	251	98	119	128
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	369	329	388	208	282	239
RATE	12.7	11.3	13.3	12.0	16.3	13.7
PREMATURE, NUMBER	28	21	39	13	20	8
PERCENT	7.6	6.4	10.1	6.3	7.1	3.3
LIVE BIRTH ORDER #1, NUMBER	139	134	161	94	123	103
PERCENT	37.7	40.7	41.5	45.2	43.6	43.1
MOTHER'S AGE UNDER 18, NUMBER	8	9	8	11	8	13
PERCENT	2.2	2.7	2.1	5.3	2.8	5.4
EARLY PRENATAL CARE, NUMBER	278	239	300	155	214	176
PERCENT	77.7	73.3	78.7	74.9	76.2	73.9
RACE OTHER THAN WHITE, NUMBER	4	3	4	2	1	2
PERCENT	1.1	.9	1.0	1.0	.4	.8
RECORDED FETAL DEATHS	18	33	24	8	13	14
INDUCED ABORTIONS, NUMBER	12	21	12	-	-	1
PERCENT	66.7	63.6	50.0	-	-	7.1
FETAL DEATHS BY PLACE OF RESIDENCE	132	136	118	70	56	48
INDUCED ABORTIONS	112	110	92	51	34	28
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	7	4	4	4	2	7
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	2	-	1	2	-	3
RECORDED DEATHS -	219	237	210	136	113	126
DEATHS BY PLACE OF RESIDENCE						
NUMBER	281	303	291	192	169	152
RATE	9.7	10.4	10.0	11.0	9.8	8.7
NEONATAL DEATHS, NUMBER	3	2	7	2	2	-
MORTALITY RATE	8.1	6.1	18.0	9.6	7.1	-
INFANT DEATHS, NUMBER	4	3	8	4	2	-
MORTALITY RATE	10.8	9.1	20.6	19.2	7.1	-
DEATHS BY AGE						
0-24	13	11	16	14	5	4
25-44	6	11	10	9	6	4
45-64	53	58	66	26	39	34
65 AND OVER	209	223	199	143	119	110
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	96	145	125	71	65	54
RATE	329.9	500.0	429.6	408.0	375.7	310.3
MALIGNANT NEOPLASMS, NUMBER	68	55	55	40	38	38
RATE	233.7	189.7	189.0	229.9	219.7	218.4
CEREBROVASCULAR DISEASE, NUMBER	24	13	18	13	15	15
RATE	82.5	44.8	61.9	74.7	86.7	86.2
TOTAL ACCIDENTS, NUMBER	19	18	17	11	4	6
RATE	65.3	62.1	58.4	63.2	23.1	34.5
MOTOR VEHICLE ACCIDENTS, NUMBER	9	9	8	6	1	3
RATE	30.9	31.0	27.5	34.5	5.8	17.2
RACE OTHER THAN WHITE, NUMBER	3	-	2	-	1	-
PERCENT	1.1	-	.7	-	.6	-
MARRIAGES BY COUNTY OF OCCURRENCE	290	235	243	156	175	179
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	81	99	87	[illegible]	55	57
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	-	-	-
ARTICLE 10, DRL (DIVORCE)	80	99	86	54	54	56
ARTICLE 9, DRL (ANNULMENT)	1	-	1	-	1	1
NOT STATED	-	-	-	-	-	-

SENECA COUNTY			STEUBEN COUNTY					
TOTAL COUNTY			TOTAL COUNTY			CORNING (C)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
31,900	31,500	31,800	97,000	96,000	96,600	12,500	12,400	12,550
4	8	3	1,297	1,303	1,201	483	500	407
507	441	455	1,443	1,412	1,432	178	195	203
15.9	14.0	14.3	14.9	14.7	14.8	14.2	15.7	16.2
37	15	25	87	67	70	12	8	11
7.3	3.4	5.5	6.0	4.8	4.9	6.7	4.1	5.4
210	194	205	605	562	602	88	78	95
41.4	44.0	45.1	41.9	39.8	42.0	49.4	40.0	46.8
12	14	19	71	74	69	9	11	7
2.4	3.2	4.2	4.9	5.2	4.8	5.1	5.6	3.4
382	333	347	1,184	1,128	1,147	145	166	170
75.6	76.0	77.3	82.5	80.2	81.1	81.5	85.6	83.7
16	10	12	33	26	22	7	4	4
3.2	2.3	2.6	2.3	1.8	1.5	3.9	2.1	2.0
-	2	-	48	54	64	20	18	23
-	-	-	2	5	15	-	2	-
-	-	-	4.2	9.3	23.4	-	11.1	-
65	107	112	246	241	295	48	36	54
55	95	103	192	180	213	37	27	39
4	3	7	16	12	20	2	2	6
1	1	3	2	4	7	-	1	1
229	174	219	970	911	881	316	282	289
315	264	296	1,069	968	976	186	159	165
9.9	8.4	9.3	11.0	10.1	10.1	14.9	12.8	13.1
3	4	4	10	12	10	3	2	4
5.9	9.1	8.8	6.9	8.5	7.0	16.9	10.3	19.7
3	5	5	16	18	12	3	5	4
5.9	11.3	11.0	11.1	12.7	8.4	16.9	25.6	19.7
12	9	11	42	40	25	7	7	4
10	12	14	35	34	31	7	2	6
58	47	71	196	155	176	22	29	27
235	196	200	796	739	744	150	121	128
112	115	104	432	365	388	80	49	59
351.1	365.1	327.0	445.4	380.2	401.7	640.0	395.2	470.1
72	68	69	244	217	201	38	40	38
225.7	215.9	217.0	251.5	226.0	208.1	304.0	322.6	302.8
27	14	23	84	88	80	20	14	20
84.6	44.4	72.3	86.6	91.7	82.8	160.0	112.9	159.4
13	12	15	31	41	33	5	1	3
40.8	38.1	47.2	32.0	42.7	34.2	40.0	8.1	23.9
7	4	9	16	27	14	1	1	1
21.9	12.7	28.3	16.5	28.1	14.5	8.0	8.1	8.0
1	1	3	6	17	6	1	2	1
.3	.4	1.0	.7	1.8	.6	.5	1.3	.6
293	284	322	891	924	943	**	**	**
125	110	115	353	350	347	**	**	**
-	-	-	-	-	-	**	**	**
125	110	114	350	345	346	**	**	**
-	-	1	3	5	1	**	**	**
-	-	-	-	-	-	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	STEUBEN COUNTY (CONT.) HORNELL (C)			SUFFOLK COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	9,950	9,800	9,900	1,287,100	1,277,000	1,276,200
RECORDED LIVE BIRTHS	423	333	311	14,659	14,229	14,030
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	202	201	187	17,620	16,908	16,783
RATE	20.3	20.5	18.9	13.7	13.2	13.2
PREMATURE, NUMBER	7	8	11	975	970	959
PERCENT	3.5	4.0	5.9	5.6	5.8	5.7
LIVE BIRTH ORDER #1, NUMBER	74	85	68	8,022	7,570	7,225
PERCENT	36.6	42.3	36.4	45.5	44.8	43.0
MOTHER'S AGE UNDER 18, NUMBER	12	13	7	347	331	362
PERCENT	5.9	6.5	3.7	2.0	2.0	2.2
EARLY PRENATAL CARE, NUMBER	156	161	149	14,114	13,669	13,711
PERCENT	77.6	80.1	81.0	83.9	84.5	83.6
RACE OTHER THAN WHITE, NUMBER	6	5	6	1,729	1,637	1,650
PERCENT	3.0	2.5	3.2	9.8	9.7	9.8
RECORDED FETAL DEATHS	11	13	5	11,529	9,792	9,064
INDUCED ABORTIONS, NUMBER	-	-	-	10,135	8,505	7,730
PERCENT	-	-	-	87.9	86.9	85.3
FETAL DEATHS BY PLACE OF RESIDENCE	48	34	60	12,689	11,097	10,334
INDUCED ABORTIONS	40	28	57	11,087	9,645	8,841
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	3	-	-	253	262	307
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	-	-	105	134	153
RECORDED DEATHS	184	158	153	10,628	10,412	10,403
DEATHS BY PLACE OF RESIDENCE						
NUMBER	140	146	130	10,312	10,152	9,994
RATE	14.1	14.9	13.1	8.0	7.9	7.8
NEONATAL DEATHS, NUMBER	3	2	1	129	106	106
MORTALITY RATE	14.9	10.0	5.3	7.3	6.3	6.3
INFANT DEATHS, NUMBER	4	2	2	174	147	151
MORTALITY RATE	19.8	10.0	10.7	9.9	8.7	9.0
DEATHS BY AGE						
0-24	6	4	4	407	367	425
25-44	4	-	4	535	539	497
45-64	24	18	26	2,248	2,277	2,161
65 AND OVER	106	124	96	7,122	6,967	6,910
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	53	60	53	4,180	4,036	4,114
RATE	532.7	612.2	535.4	324.8	316.1	322.4
MALIGNANT NEOPLASMS, NUMBER	30	31	28	2,550	2,587	2,504
RATE	301.5	316.3	282.8	198.1	202.6	196.2
CEREBROVASCULAR DISEASE, NUMBER	15	18	8	660	667	699
RATE	150.8	183.7	80.8	51.3	52.2	54.8
TOTAL ACCIDENTS, NUMBER	2	4	4	350	375	403
RATE	20.1	40.8	40.4	27.2	29.4	31.6
MOTOR VEHICLE ACCIDENTS, NUMBER	2	1	1	189	197	224
RATE	20.1	10.2	10.1	14.7	15.4	17.6
RACE OTHER THAN WHITE, NUMBER	1	1	-	582	564	536
PERCENT	.7	.7	-	5.6	5.6	5.4
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	10,743	10,482	10,506
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	3,843	4,051	3,966
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	-	1	-
ARTICLE 10, DRL (DIVORCE)	**	**	**	3,808	4,009	3,933
ARTICLE 9, DRL (ANNULMENT)	**	**	**	35	41	33
NOT STATED	**	**	**	-	-	-

BABYLON (V)			LINDENHURST (V)			PATCHOGUE (V)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
12,350	12,250	12,300	26,800	26,500	26,600	11,000	11,050	11,100
4	3	1	-	-	1	-	-	-
184	162	157	442	430	398	78	52	61
14.9	13.2	12.8	16.5	16.2	15.0	7.1	4.7	5.5
11	9	14	19	28	32	3	-	1
6.0	5.6	9.0	4.3	6.5	8.1	3.8	-	1.7
89	81	60	211	202	185	41	31	28
48.4	50.0	38.2	47.7	47.0	46.5	52.6	59.6	45.9
3	-	1	3	5	8	1	-	-
1.6	-	.6	.7	1.2	2.0	1.3	-	-
156	137	134	373	369	333	72	48	59
86.2	86.7	87.0	86.9	88.3	84.7	93.5	92.3	96.7
14	8	8	7	5	8	4	-	1
7.6	4.9	5.1	1.6	1.2	2.0	5.1	-	1.6
-	-	-	-	9	-	-	-	-
-	-	-	-	9	-	-	-	-
-	-	-	-	100.0	-	-	-	-
60	145	166	394	376	359	112	83	78
56	142	157	371	355	336	105	79	75
1	-	8	5	11	5	1	1	4
1	-	6	1	3	1	1	1	4
23	28	20	45	42	39	32	21	24
108	126	119	239	252	241	119	99	104
8.7	10.3	9.7	8.9	9.5	9.1	10.8	9.0	9.4
1	2	1	1	2	2	1	1	-
5.4	12.3	6.4	2.3	4.7	5.0	12.8	19.2	-
1	2	2	1	2	3	2	2	2
5.4	12.3	12.7	2.3	4.7	7.5	25.6	38.5	32.8
5	2	7	5	9	6	4	4	4
6	3	3	14	10	7	1	2	4
13	43	25	58	66	51	26	23	22
84	78	84	162	167	177	68	70	74
54	54	44	115	108	120	53	50	47
437.2	440.8	357.7	429.1	407.5	451.1	481.8	452.5	423.4
17	33	33	48	66	57	22	14	29
137.7	269.4	268.3	179.1	249.1	214.3	200.0	126.7	261.3
5	7	12	12	19	12	9	6	2
40.5	57.1	97.6	44.8	71.7	45.1	81.8	54.5	18.0
3	3	4	4	7	3	5	4	2
24.3	24.5	32.5	14.9	26.4	11.3	45.5	36.2	18.0
2	1	2	3	4	1	2	2	-
16.2	8.2	16.3	11.2	15.1	3.8	18.2	18.1	-
4	4	2	-	-	-	1	1	-
3.7	3.2	1.7	-	-	-	.8	1.0	-
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	SULLIVAN COUNTY TOTAL COUNTY			TIOGA COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	63,400	63,000	63,400	50,200	49,600	49,600
RECORDED LIVE BIRTHS	689	601	586	5	? 4	7
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	972	847	924	796	733	712
RATE	15.3	13.4	14.6	15.9	14.8	14.4
PREMATURE, NUMBER	61	46	71	43	41	39
PERCENT	6.3	5.4	7.8	5.4	5.6	5.5
LIVE BIRTH ORDER #1, NUMBER	366	344	344	345	289	300
PERCENT	37.7	40.6	37.2	43.3	39.4	42.1
MOTHER'S AGE UNDER 18, NUMBER	40	31	29	30	28	24
PERCENT	4.1	3.7	3.1	3.8	3.8	3.4
EARLY PRENATAL CARE, NUMBER	670	564	501	591	545	352
PERCENT	69.5	67.5	60.2	75.6	75.9	77.5
RACE OTHER THAN WHITE, NUMBER	87	74	88	12	14	8
PERCENT	9.0	8.7	9.5	1.5	1.9	1.1
RECORDED FETAL DEATHS	116	44	26	1	8	13
INDUCED ABORTIONS, NUMBER	77	25	20	-	7	7
PERCENT	66.4	56.8	76.9	-	87.5	53.8
FETAL DEATHS BY PLACE OF RESIDENCE	310	247	315	158	161	192
INDUCED ABORTIONS	264	214	295	141	149	169
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	14	10	9	3	-	5
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	6	3	7	1	-	4
RECORDED DEATHS	612	631	643	194	196	189
DEATHS BY PLACE OF RESIDENCE						
NUMBER	770	777	739	362	362	325
RATE	12.1	12.3	11.7	7.2	7.3	6.6
NEONATAL DEATHS, NUMBER	9	4	3	3	5	4
MORTALITY RATE	9.3	4.7	3.2	3.8	6.8	5.6
INFANT DEATHS, NUMBER	12	8	5	5	9	6
MORTALITY RATE	12.3	9.4	5.4	6.3	12.3	8.4
DEATHS BY AGE						
0-24	28	25	25	13	15	17
25-44	30	34	26	23	14	16
45-64	164	136	157	70	66	51
65 AND OVER	548	582	531	256	267	241
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	323	327	307	129	141	125
RATE	509.5	519.0	484.2	257.0	284.3	252.0
MALIGNANT NEOPLASMS, NUMBER	182	173	171	85	73	81
RATE	287.1	274.6	269.7	169.3	147.2	163.3
CEREBROVASCULAR DISEASE, NUMBER	55	69	53	29	26	25
RATE	86.8	109.5	83.6	57.8	52.4	50.4
TOTAL ACCIDENTS, NUMBER	33	39	33	17	14	18
RATE	52.1	61.9	52.1	33.9	28.2	36.3
MOTOR VEHICLE ACCIDENTS, NUMBER	13	12	19	9	4	8
RATE	20.5	19.0	30.0	17.9	8.1	16.1
RACE OTHER THAN WHITE, NUMBER	40	41	33	5	3	-
PERCENT	5.2	5.3	4.5	1.4	.8	-
MARRIAGES BY COUNTY OF OCCURRENCE	659	598	585	487	449	500
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION	263	221	238	140	162	169
TYPE OF DECREE	-	-	-	-	-	-
ARTICLE 12, DOMESTIC RELATIONS LAW	258	216	233	137	161	167
ARTICLE 10, DRL (DIVORCE)	5	5	5	3	1	2
ARTICLE 9, DRL (ANNULMENT)	-	-	-	-	-	-
NOT STATED						

TOMPKINS COUNTY TOTAL COUNTY			ITHACA (C)			ULSTER COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
89,200	88,500	88,200	27,900	27,700	27,950	158,700	158,000	157,600
1,235	1,288	1,263	11	6	6	1,336	1,453	1,390
1,113	1,160	1,135	199	236	216	2,121	2,194	2,085
12.5	13.1	12.9	7.1	8.5	7.7	13.4	13.9	13.2
45	63	62	13	22	22	121	140	117
4.0	5.4	5.5	6.6	9.3	10.2	5.7	6.4	5.6
518	538	534	101	124	94	897	937	908
46.5	46.4	47.0	50.8	52.5	43.5	42.3	42.7	43.5
36	25	31	9	7	2	56	60	60
3.2	2.2	2.7	4.5	3.0	.9	2.6	2.7	2.9
909	910	899	163	181	162	1,781	1,791	1,636
82.0	78.7	79.7	81.9	77.0	76.8	85.4	82.6	79.6
94	90	99	41	44	47	131	155	127
8.4	7.8	8.7	20.6	18.6	21.8	6.2	7.1	6.1
653	583	768	85	2	6	265	291	324
510	449	612	82	1	6	118	110	111
78.1	77.0	79.7	96.5	50.0	100.0	44.5	37.8	34.3
730	701	780	383	349	354	892	795	872
599	584	643	334	314	323	706	542	624
13	13	20	5	6	10	24	37	24
5	7	9	3	5	6	7	6	2
476	535	541	72	76	64	1,225	1,250	1,232
516	582	544	178	187	169	1,523	1,559	1,520
5.8	6.6	6.2	6.4	6.8	6.0	9.6	9.9	9.6
7	13	9	2	1	2	17	20	18
6.3	11.2	7.9	10.1	4.2	9.3	8.0	9.1	8.6
12	14	10	3	1	2	25	28	25
10.8	12.1	8.8	15.1	4.2	9.3	11.8	12.8	12.0
20	31	26	5	8	4	59	53	49
25	32	26	9	14	7	71	60	56
77	97	103	28	24	28	231	288	284
394	422	389	136	141	130	1,162	1,158	1,131
162	174	184	59	68	54	643	621	647
181.6	196.6	208.6	211.5	245.5	193.2	405.2	393.0	410.5
108	142	118	33	39	36	339	358	339
121.1	160.5	133.8	118.3	140.8	128.8	213.6	226.6	215.1
44	42	40	14	11	15	91	122	125
49.3	47.5	45.4	50.2	39.7	53.7	57.3	77.2	79.3
20	22	24	7	6	6	69	66	58
22.4	24.9	27.2	25.1	21.7	21.5	43.5	41.8	36.8
12	12	13	2	2	5	36	43	29
13.5	13.6	14.7	7.2	7.2	17.9	22.7	27.2	18.4
18	18	15	15	12	12	49	46	29
3.5	3.1	2.8	8.4	6.4	7.1	3.2	3.0	1.9
726	731	744	**	**	**	1,468	1,427	1,445
338	347	349	**	**	**	485	592	553
-	-	1	**	**	**	-	-	-
335	343	347	**	**	**	483	588	550
3	4	1	**	**	**	2	4	3
-	-	-	**	**	**	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	ULSTER COUNTY (CONT.) KINGSTON (C)			WARREN COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	24,150	24,100	24,150	55,100	54,800	54,800
RECORDED LIVE BIRTHS	1,305	1,425	1,358	1,524	1,432	1,465
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	351	410	367	775	718	785
RATE	14.5	17.0	15.2	14.1	13.1	14.3
PREMATURE, NUMBER	30	30	27	37	47	46
PERCENT	8.5	7.3	7.4	4.8	6.5	5.9
LIVE BIRTH ORDER #1, NUMBER	154	175	157	315	314	333
PERCENT	43.9	42.7	42.8	40.6	43.7	42.4
MOTHER'S AGE UNDER 18, NUMBER	17	19	18	31	29	33
PERCENT	4.8	4.6	4.9	4.0	4.0	4.2
EARLY PRENATAL CARE, NUMBER	293	326	296	599	561	619
PERCENT	84.9	79.7	81.8	78.5	80.5	81.2
RACE OTHER THAN WHITE, NUMBER	55	66	61	11	6	8
PERCENT	15.7	16.1	16.6	1.4	.8	1.0
RECORDED FETAL DEATHS	244	275	307	129	121	108
INDUCED ABORTIONS, NUMBER	98	95	94	104	95	69
PERCENT	40.2	34.5	30.6	80.6	78.5	63.9
FETAL DEATHS BY PLACE OF RESIDENCE	224	168	189	138	146	128
INDUCED ABORTIONS	185	119	121	123	133	111
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	5	8	4	9	6	4
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	1	1	-	5	5	2
RECORDED DEATHS	817	880	822	890	845	895
DEATHS BY PLACE OF RESIDENCE						
NUMBER	356	363	377	577	546	553
RATE	14.7	15.1	15.6	10.5	10.0	10.1
NEONATAL DEATHS, NUMBER	5	4	3	6	8	5
MORTALITY RATE	14.2	9.8	8.2	7.7	11.1	6.4
INFANT DEATHS, NUMBER	9	6	4	9	9	8
MORTALITY RATE	25.6	14.6	10.9	11.6	12.5	10.2
DEATHS BY AGE						
0-24	13	8	10	17	19	16
25-44	10	11	7	23	16	25
45-64	48	75	53	109	95	115
65 AND OVER	285	269	307	428	416	397
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	149	156	167	224	203	203
RATE	617.0	647.3	691.5	406.5	370.4	370.4
MALIGNANT NEOPLASMS, NUMBER	86	72	82	151	131	138
RATE	356.1	298.8	339.5	274.0	239.1	251.8
CEREBROVASCULAR DISEASE, NUMBER	21	27	30	38	43	42
RATE	87.0	112.0	124.2	69.0	78.5	76.6
TOTAL ACCIDENTS, NUMBER	8	9	10	23	19	28
RATE	33.1	37.3	41.4	41.7	34.7	51.1
MOTOR VEHICLE ACCIDENTS, NUMBER	4	5	4	12	9	10
RATE	16.6	20.7	16.6	21.8	16.4	18.2
RACE OTHER THAN WHITE, NUMBER	32	24	11	1	1	4
PERCENT	9.0	6.6	2.9	.2	.2	.7
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	658	620	649
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	221	211	209
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	-	-	-
ARTICLE 10, DRL (DIVORCE)	**	**	**	221	209	208
ARTICLE 9, DRL (ANNULMENT)	**	**	**	-	2	1
NOT STATED	**	**	**	-	-	-

GLENS FALLS (C)			WASHINGTON COUNTY TOTAL COUNTY			WAYNE COUNTY TOTAL COUNTY		
1985	1984	1983	1985	1984	1983	1985	1984	1983
16,350	16,250	16,200	53,800	53,500	53,400	87,300	86,500	85,900
1,521	1,428	1,462	174	144	183	657	738	765
313	266	316	779	796	755	1,446	1,430	1,380
19.1	16.4	19.5	14.5	14.9	14.1	16.6	16.5	16.1
21	24	18	37	41	49	81	76	78
6.7	9.0	5.7	4.8	5.2	6.5	5.6	5.3	5.7
144	117	135	322	330	312	599	593	579
46.0	44.0	42.7	41.4	41.5	41.3	41.4	41.5	42.0
18	10	12	33	37	34	49	66	59
5.8	3.8	3.8	4.2	4.6	4.5	3.4	4.6	4.3
233	212	249	536	597	501	1,118	1,066	1,072
75.6	82.5	80.8	72.1	76.6	79.7	78.5	76.1	78.5
5	4	4	6	4	7	87	95	78
1.6	1.5	1.3	.8	.5	.9	6.0	6.6	5.7
129	121	108	-	1	1	56	71	68
104	95	69	-	-	-	9	26	23
80.6	78.5	63.9	-	-	-	16.1	36.6	33.8
78	89	67	88	107	85	339	405	379
68	82	75	76	91	69	242	327	297
4	3	3	3	4	9	23	18	21
3	3	1	1	2	5	4	5	5
715	707	754	331	294	306	881	825	825
200	188	190	582	511	582	729	717	747
12.2	11.6	11.7	10.8	9.6	10.9	8.4	8.3	8.7
2	5	4	1	2	5	5	9	11
6.4	18.8	12.7	1.5	2.5	6.6	3.5	6.3	8.0
3	5	4	6	5	6	9	16	12
9.6	18.8	12.7	7.7	6.3	7.9	6.2	11.2	8.7
1	7	5	21	13	15	29	36	34
4	7	8	24	23	17	25	24	35
35	20	31	111	84	106	131	142	138
158	154	146	426	391	444	543	515	540
83	79	74	242	210	269	281	259	286
507.6	486.2	456.8	449.8	392.5	505.7	321.9	299.4	332.9
48	32	45	128	110	133	158	150	166
293.6	196.9	277.8	237.9	205.6	249.1	181.0	182.7	193.2
15	19	17	40	49	50	49	41	44
91.7	116.9	104.9	74.3	91.6	93.6	56.1	47.4	51.6
7	3	7	24	28	12	34	36	46
42.8	18.5	43.2	44.6	52.3	22.5	38.9	41.6	53.6
2	1	2	11	18	7	26	21	21
12.2	6.2	12.3	20.4	33.6	13.1	29.8	24.3	24.4
-	-	3	2	-	3	22	26	21
-	-	1.6	.3	-	.5	3.0	3.6	2.8
**	**	**	585	515	520	693	819	801
**	**	**	180	165	200	361	337	279
**	**	**	-	-	-	-	-	-
**	**	**	176	165	197	360	337	278
**	**	**	4	-	3	1	-	1
**	**	**	-	-	-	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	WAYNE COUNTY (CONT.) NEWARK(V)			WESTCHESTER COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	9,400	9,400	9,300	857,700	853,000	855,200
RECORDED LIVE BIRTHS	386	419	449	10,595	10,181	9,976
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	138	143	144	10,694	10,294	10,313
RATE	14.7	15.2	15.5	12.5	12.1	12.1
PREMATURE, NUMBER	5	7	5	640	654	632
PERCENT	3.6	4.9	3.5	6.0	6.4	6.1
LIVE BIRTH ORDER #1, NUMBER	52	40	60	5,070	4,963	4,888
PERCENT	37.7	28.0	41.7	47.4	48.2	47.4
MOTHER'S AGE UNDER 18, NUMBER	4	4	4	236	259	252
PERCENT	2.9	2.8	2.8	2.2	2.5	2.4
EARLY PRENATAL CARE, NUMBER	105	111	113	8,746	8,312	8,232
PERCENT	76.1	77.6	79.6	84.0	83.0	82.9
RACE OTHER THAN WHITE, NUMBER	5	3	4	2,348	2,274	2,263
PERCENT	3.6	2.1	2.8	22.0	22.1	21.9
RECORDED FETAL DEATHS	43	37	38	6,464	6,973	7,620
INDUCED ABORTIONS, NUMBER	-	-	-	6,030	6,426	6,944
PERCENT	-	-	-	93.3	92.2	91.1
FETAL DEATHS BY PLACE OF RESIDENCE	57	66	51	5,890	6,394	6,882
INDUCED ABORTIONS	41	54	41	5,428	5,864	6,221
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	4	2	1	162	181	206
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	-	1	-	68	106	120
RECORDED DEATHS	279	250	261	8,655	8,536	8,474
DEATHS BY PLACE OF RESIDENCE						
NUMBER	105	118	120	8,135	7,995	8,061
RATE	11.2	12.2	12.9	9.5	9.4	9.4
NEONATAL DEATHS, NUMBER	-	-	-	78	76	57
MORTALITY RATE	-	-	-	7.3	7.4	5.5
INFANT DEATHS, NUMBER	2	-	-	98	102	96
MORTALITY RATE	14.5	-	-	9.2	9.9	9.3
DEATHS BY AGE						
0-24	4	4	1	234	226	239
25-44	5	2	4	401	343	336
45-64	14	23	22	1,420	1,550	1,465
65 AND OVER	82	86	93	6,080	5,872	6,022
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	39	36	48	3,216	3,333	3,393
RATE	414.9	383.0	516.1	375.0	390.7	396.7
MALIGNANT NEOPLASMS, NUMBER	19	28	23	2,011	2,008	1,922
RATE	202.1	297.9	247.3	234.5	235.4	224.7
CEREBROVASCULAR DISEASE, NUMBER	7	7	6	584	581	573
RATE	74.5	74.5	64.5	68.1	68.1	67.0
TOTAL ACCIDENTS, NUMBER	4	2	7	211	205	239
RATE	42.6	21.3	75.3	24.6	24.0	27.9
MOTOR VEHICLE ACCIDENTS, NUMBER	2	2	2	76	89	91
RATE	21.3	21.3	21.5	8.9	10.4	10.6
RACE OTHER THAN WHITE, NUMBER	2	3	-	895	863	864
PERCENT	1.9	2.6	-	11.0	10.8	11.0
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	7,045	6,730	6,764
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	2,110	2,168	2,258
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	-		1
ARTICLE 10, DRL (DIVORCE)	**	**	**	2,098	2,1	2,228
ARTICLE 9, DRL (ANNULMENT)	**	**	**	12		29
NOT STATED	**	**	**	-		-

PEEKSKILL (C)			WHITE PLAINS (C)			MOUNT VERNON (C)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
18,900	18,750	18,650	45,500	45,150	45,550	66,450	65,850	66,000
1	3	-	1,985	1,828	1,871	815	823	828
349	375	358	612	620	556	1,067	1,040	1,011
18.5	20.0	19.2	13.5	13.7	12.2	16.1	15.8	15.3
25	24	25	31	40	30	90	114	93
7.2	6.5	7.0	5.1	6.5	5.4	8.4	11.0	9.2
165	176	182	320	295	276	486	496	468
47.3	46.9	50.8	52.3	47.6	49.6	45.5	47.7	46.3
16	22	14	9	16	11	55	64	61
4.6	5.9	3.9	1.5	2.6	2.0	5.2	6.2	6.0
281	296	283	501	480	441	769	753	743
81.9	80.0	81.8	85.1	80.0	83.4	75.4	74.3	75.5
82	100	87	160	192	167	708	689	662
23.5	26.7	24.3	26.1	31.0	30.0	66.4	66.3	65.5
1	-	-	4,071	4,516	4,849	20	49	41
1	-	-	4,055	4,499	4,820	11	39	33
100.0	-	-	99.6	99.6	99.4	55.0	79.6	80.5
249	258	292	576	577	557	758	900	935
237	247	269	562	568	535	730	868	905
5	11	12	6	10	18	19	23	24
4	7	6	1	6	8	6	11	13
79	65	72	869	853	813	555	558	597
233	226	214	522	493	530	685	683	718
12.3	12.1	11.5	11.5	10.9	11.6	10.3	10.4	10.9
3	3	2	3	4	5	11	9	5
8.6	8.0	5.6	4.9	6.5	9.0	10.3	8.7	4.9
4	4	2	4	5	8	14	12	8
11.5	10.7	5.6	6.5	8.1	14.4	13.1	11.5	7.9
9	8	8	11	13	14	29	20	21
10	10	11	20	12	26	46	37	35
51	57	41	89	73	76	134	146	155
163	151	154	402	395	414	476	479	507
79	94	76	196	199	205	280	295	300
418.0	501.3	407.5	430.8	440.8	480.1	421.4	448.0	454.5
59	47	62	145	119	138	143	149	176
312.2	250.7	332.4	318.7	263.6	303.0	215.2	226.3	266.7
21	20	18	42	52	39	25	39	34
111.1	106.7	96.5	92.3	115.2	85.6	37.6	59.2	51.5
6	2	5	14	10	14	16	17	23
31.7	10.7	26.8	30.8	22.1	35.1	24.1	25.8	34.8
4	1	2	6	5	3	4	4	7
21.2	5.3	10.7	13.2	11.1	6.6	6.0	6.1	10.6
28	21	23	79	83	88	269	250	275
12.0	9.3	10.7	15.1	16.8	16.6	39.3	36.6	38.3
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	WESTCHESTER COUNTY (CONT.)					
	NEW ROCHELLE (C)			OSSINING (V)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	70,600	70,600	70,650	18,750	18,550	18,650
RECORDED LIVE BIRTHS	749	856	899	3	3	1
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	761	793	838	288	271	280
RATE	10.8	11.2	11.9	15.4	14.6	15.0
PREMATURE, NUMBER	40	44	56	18	20	18
PERCENT	5.3	5.6	6.7	6.3	7.4	6.4
LIVE BIRTH ORDER #1, NUMBER	368	396	390	146	145	153
PERCENT	48.4	49.9	46.5	50.7	53.5	54.6
MOTHER'S AGE UNDER 18, NUMBER	19	19	17	7	4	6
PERCENT	2.5	2.4	2.0	2.4	1.5	2.1
EARLY PRENATAL CARE, NUMBER	616	658	688	219	215	213
PERCENT	82.2	83.7	84.0	76.8	80.5	76.6
RACE OTHER THAN WHITE, NUMBER	195	198	199	70	60	57
PERCENT	25.6	25.0	23.7	24.3	22.1	20.4
RECORDED FETAL DEATHS	89	114	135	-	-	-
INDUCED ABORTIONS, NUMBER	28	33	36	-	-	-
PERCENT	31.5	28.9	26.7	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	432	440	529	220	220	226
INDUCED ABORTIONS	382	378	456	190	181	200
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	13	20	10	4	7	7
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	3	6	6	3	5	3
RECORDED DEATHS	1,017	990	975	71	85	76
DEATHS BY PLACE OF RESIDENCE						
NUMBER	808	811	755	188	204	178
RATE	11.4	11.5	10.7	10.0	11.0	9.5
NEONATAL DEATHS, NUMBER	5	2	4	2	4	1
MORTALITY RATE	6.6	2.5	4.8	6.9	14.8	3.6
INFANT DEATHS, NUMBER	5	5	6	4	6	3
MORTALITY RATE	6.6	6.3	7.2	13.9	22.1	10.7
DEATHS BY AGE						
0-24	11	15	20	5	8	6
25-44	33	35	21	12	14	7
45-64	134	136	124	27	38	32
65 AND OVER	630	625	590	144	144	133
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	333	353	333	70	82	65
RATE	471.7	500.0	471.3	373.3	442.0	348.5
MALIGNANT NEOPLASMS, NUMBER	207	187	152	41	42	43
RATE	293.2	264.9	215.1	218.7	226.4	230.6
CEREBROVASCULAR DISEASE, NUMBER	61	68	61	22	17	16
RATE	86.4	96.3	86.3	117.3	91.6	85.8
TOTAL ACCIDENTS, NUMBER	15	7	22	5	6	4
RATE	21.2	9.9	31.1	26.7	32.3	21.4
MOTOR VEHICLE ACCIDENTS, NUMBER	4	1	8	1	2	1
RATE	5.7	1.4	11.3	5.3	10.8	5.4
RACE OTHER THAN WHITE, NUMBER	131	127	136	33	31	23
PERCENT	16.2	15.7	18.0	17.6	15.2	12.9
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

CITIES AND VILLAGES WITH 10,000 OR MORE POPULATION: 1983 - 1985 CONT.

PORT CHESTER (V)			YONKERS (C)			RYE (C)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
23,100	22,950	23,050	191,150	189,900	191,150	15,400	15,450	15,350
688	641	646	1,702	1,698	1,768	-	-	1
327	333	330	2,496	2,398	2,540	130	137	128
14.2	14.5	14.3	13.1	12.6	13.3	8.4	8.9	8.3
21	24	18	183	190	196	2	5	6
6.4	7.2	5.5	7.3	7.9	7.8	1.5	3.6	4.7
154	169	172	1,144	1,089	1,148	69	72	71
47.1	50.8	52.1	45.8	45.4	45.2	53.1	52.6	55.5
10	14	12	96	101	105	1	1	-
3.1	4.2	3.6	3.8	4.2	4.1	.8	.7	-
264	261	250	1,903	1,800	1,907	111	110	95
86.0	83.9	84.5	77.0	75.9	76.5	91.7	89.4	88.0
59	75	58	624	568	634	14	12	16
18.0	22.5	17.6	25.0	23.7	25.0	10.8	8.8	12.5
98	99	104	322	438	457	-	-	-
35	32	28	197	229	221	-	-	-
35.7	32.3	26.9	61.2	52.3	48.4	-	-	-
237	232	247	1,460	1,556	1,680	57	64	78
207	202	221	1,333	1,372	1,456	52	62	72
5	7	4	57	36	43	1	1	1
3	3	1	15	20	24	1	1	-
505	512	546	1,623	1,618	1,615	35	29	35
249	265	244	2,004	2,006	2,113	115	121	127
10.8	11.5	10.6	10.5	10.6	11.1	7.5	7.8	8.3
1	3	1	27	29	19	-	-	-
3.1	9.0	3.0	10.8	12.1	7.5	-	-	-
2	3	1	33	35	35	-	-	-
6.1	9.0	3.0	13.2	14.6	13.8	-	-	-
5	9	4	68	65	73	1	1	3
15	12	13	121	101	97	7	4	6
36	48	55	337	419	373	17	21	18
193	196	172	1,478	1,419	1,570	90	95	100
106	110	98	849	877	948	40	46	50
458.9	479.3	425.2	444.2	461.8	495.9	259.7	297.7	325.7
47	54	54	452	527	490	30	29	27
203.5	235.3	234.3	236.5	277.5	256.3	194.8	187.7	175.9
21	21	19	133	101	119	12	12	14
90.9	91.5	82.4	69.6	53.2	62.3	77.9	77.7	91.2
2	8	12	55	53	54	5	3	9
8.7	34.9	52.1	28.8	27.9	28.3	32.5	19.4	58.6
1	4	2	15	21	17	1	1	5
4.3	17.4	8.7	7.8	11.1	8.9	6.5	6.5	32.6
31	24	33	168	165	147	6	3	5
12.4	9.1	13.5	8.4	8.2	7.0	5.2	2.5	3.9
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	WESTCHESTER COUNTY (CONT.)					
	MAMARONECK (V)			TARRYTOWN (V)		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	17,000	16,900	17,050	10,850	10,850	10,750
RECORDED LIVE BIRTHS	-	1	-	-	-	-
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	150	160	162	161	139	131
RATE	8.8	9.5	9.5	14.8	12.8	12.2
PREMATURE, NUMBER	9	6	20	5	15	5
PERCENT	6.0	3.8	12.3	3.1	10.8	3.8
LIVE BIRTH ORDER #1, NUMBER	72	75	83	89	86	76
PERCENT	48.0	46.9	51.2	55.3	61.9	58.0
MOTHER'S AGE UNDER 18, NUMBER	1	2	1	2	-	1
PERCENT	.7	1.3	.6	1.2	-	.8
EARLY PRENATAL CARE, NUMBER	134	146	138	142	120	100
PERCENT	91.8	91.3	87.9	90.4	87.6	77.5
RACE OTHER THAN WHITE, NUMBER	16	11	19	16	20	17
PERCENT	10.7	6.9	11.7	9.9	14.4	13.0
RECORDED FETAL DEATHS	-	-	-	-	-	-
INDUCED ABORTIONS, NUMBER	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-
FETAL DEATHS BY PLACE OF RESIDENCE	85	99	116	102	114	116
INDUCED ABORTIONS	71	85	103	92	103	104
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	5	3	3	-	-	1
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	1	3	1	-	-	-
RECORDED DEATHS	73	72	68	43	34	47
DEATHS BY PLACE OF RESIDENCE						
NUMBER	159	167	173	116	88	97
RATE	9.4	9.9	10.1	10.7	8.1	9.0
NEONATAL DEATHS, NUMBER	-	1	-	1	-	-
MORTALITY RATE	-	6.3	-	6.2	-	-
INFANT DEATHS, NUMBER	1	1	-	1	-	-
MORTALITY RATE	6.7	6.3	-	6.2	-	-
DEATHS BY AGE						
0-24	5	5	3	5	1	1
25-44	5	11	5	9	3	4
45-64	31	27	31	14	19	24
65 AND OVER	118	123	134	88	65	68
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	60	68	79	43	34	35
RATE	352.9	402.4	463.3	396.3	313.4	325.6
MALIGNANT NEOPLASMS, NUMBER	46	34	37	30	24	29
RATE	270.6	201.2	217.0	276.5	221.2	269.8
CEREBROVASCULAR DISEASE, NUMBER	12	16	17	9	6	12
RATE	70.6	94.7	99.7	82.9	55.3	111.6
TOTAL ACCIDENTS, NUMBER	3	6	3	5	2	-
RATE	17.6	35.5	17.6	46.1	18.4	-
MOTOR VEHICLE ACCIDENTS, NUMBER	1	2	2	1	-	-
RATE	5.9	11.8	11.7	9.2	-	-
RACE OTHER THAN WHITE, NUMBER	16	12	10	13	8	10
PERCENT	10.1	7.2	5.8	11.2	9.1	10.3
MARRIAGES BY COUNTY OF OCCURRENCE	**	**	**	**	**	**
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	**	**	**	**	**	**
ARTICLE 12, DOMESTIC RELATIONS LAW	**	**	**	**	**	**
ARTICLE 10, DRL (DIVORCE)	**	**	**	**	**	**
ARTICLE 9, DRL (ANNULMENT)	**	**	**	**	**	**
NOT STATED	**	**	**	**	**	**

DOBBS FERRY (V)			HARRISON(V)			SCARSDALE (V)		
1985	1984	1983	1985	1984	1983	1985	1984	1983
9,850	9,800	9,850	23,100	23,050	23,050	17,550	17,400	17,400
-	-	-	-	-	1	-	-	2
97	115	95	198	166	177	308	280	282
9.8	11.7	9.6	8.6	7.2	7.7	17.5	16.1	16.2
5	4	6	10	5	9	16	6	12
5.2	3.5	6.3	5.1	3.0	5.1	5.2	2.2	4.3
57	53	50	98	84	88	132	140	122
58.8	46.1	52.6	49.5	50.6	49.7	42.9	50.0	43.3
1	-	-	-	-	1	1	-	1
1.0	-	-	-	-	.6	.3	-	.4
82	97	82	168	141	154	268	244	253
87.2	87.4	88.2	91.3	90.4	94.5	89.0	88.7	91.7
8	7	5	12	11	13	33	24	22
8.2	6.1	5.3	6.1	6.6	7.3	10.7	8.6	7.8
1,603	1,440	1,610	-	1	-	-	-	-
1,603	1,440	1,607	-	1	-	-	-	-
100.0	100.0	99.8	-	100.0	-	-	-	-
54	65	52	118	151	143	104	107	135
45	59	46	115	144	132	99	95	123
1	2	-	2	3	1	2	4	5
-	1	-	2	2	1	1	1	3
113	138	132	32	31	40	31	23	30
61	103	96	162	142	136	164	164	148
6.2	10.5	9.7	7.0	6.2	5.9	9.3	9.4	8.5
-	-	2	1	-	-	-	1	-
-	-	21.1	5.1	-	-	-	3.6	-
-	-	2	1	-	-	-	1	1
-	-	21.1	5.1	-	-	-	3.6	3.5
3	1	5	3	4	-	1	8	3
2	5	5	8	5	3	5	7	3
9	21	20	26	23	32	34	21	25
47	76	66	125	110	101	124	128	117
20	40	40	53	51	61	74	63	73
203.0	408.2	406.1	229.4	221.3	264.6	421.7	362.1	419.5
16	31	23	49	39	39	40	39	32
162.4	316.3	233.5	212.1	169.2	169.2	227.9	224.1	183.9
3	9	10	16	17	7	11	21	12
30.5	91.8	101.5	69.3	73.8	30.4	62.7	120.7	69.0
1	3	2	7	9	4	3	4	6
10.2	30.6	20.3	30.3	39.0	17.4	17.1	23.0	34.5
-	2	-	3	6	1	-	3	4
-	20.4	-	13.0	26.0	4.3	-	17.2	23.0
-	6	2	-	-	3	1	6	1
-	5.8	2.1	-	-	2.2	.6	3.7	.7
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**
**	**	**	**	**	**	**	**	**

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	WYOMING COUNTY TOTAL COUNTY			YATES COUNTY TOTAL COUNTY		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	38,600	38,300	38,300	21,200	21,000	21,100
RECORDED LIVE BIRTHS	526	555	557	17	16	13
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	586	620	614	290	322	312
RATE	15.2	16.2	16.0	13.7	15.3	14.8
PREMATURE, NUMBER	17	37	25	11	12	20
PERCENT	2.9	6.0	4.1	3.8	3.7	6.4
LIVE BIRTH ORDER #1, NUMBER	237	233	231	121	120	141
PERCENT	40.4	37.6	37.6	41.7	37.3	45.2
MOTHER'S AGE UNDER 18, NUMBER	20	18	23	7	10	8
PERCENT	3.4	2.9	3.7	2.4	3.1	2.6
EARLY PRENATAL CARE, NUMBER	450	468	501	203	228	202
PERCENT	78.3	77.9	83.4	70.5	71.3	65.4
RACE OTHER THAN WHITE, NUMBER	1	4	7	3	3	2
PERCENT	.2	.6	1.1	1.0	.9	.6
RECORDED FETAL DEATHS	65	74	70	11	6	16
INDUCED ABORTIONS, NUMBER	54	68	67	-	1	2
PERCENT	83.1	91.9	95.7	-	16.7	12.5
FETAL DEATHS BY PLACE OF RESIDENCE	142	122	141	64	69	69
INDUCED ABORTIONS	119	111	122	47	63	49
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	9	7	7	3	1	6
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	2	2	4	-	1	-
RECORDED DEATHS	264	302	280	158	151	172
DEATHS BY PLACE OF RESIDENCE						
NUMBER	349	395	366	214	189	232
RATE	9.0	10.3	9.6	10.1	9.0	11.0
NEONATAL DEATHS, NUMBER	2	3	1	1	3	2
MORTALITY RATE	3.4	4.8	1.6	3.4	9.3	6.4
INFANT DEATHS, NUMBER	3	5	4	2	3	2
MORTALITY RATE	5.1	8.1	6.5	6.9	9.3	6.4
DEATHS BY AGE						
0-24	13	16	14	7	6	9
25-44	24	27	12	4	6	11
45-64	58	67	71	25	35	42
65 AND OVER	254	285	269	178	142	170
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	118	147	138	79	84	84
RATE	305.7	383.8	360.3	372.6	400.0	398.1
MALIGNANT NEOPLASMS, NUMBER	73	80	87	43	44	55
RATE	189.1	208.9	227.2	202.8	209.5	260.7
CEREBROVASCULAR DISEASE, NUMBER	24	25	23	19	14	15
RATE	62.2	65.3	60.1	89.6	66.7	71.1
TOTAL ACCIDENTS, NUMBER	16	22	19	10	4	11
RATE	41.5	57.4	49.6	47.2	19.0	52.1
MOTOR VEHICLE ACCIDENTS, NUMBER	13	14	9	3	-	8
RATE	33.7	36.6	23.5	14.2	-	37.9
RACE OTHER THAN WHITE, NUMBER	7	10	3	2	1	2
PERCENT	2.0	2.5	.8	.9	.5	.9
MARRIAGES BY COUNTY OF OCCURRENCE	421	475	380	184	211	216
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	108	117	134	67	79	66
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	-	-	-
ARTICLE 10, DRL (DIVORCE)	107	116	131	67	78	66
ARTICLE 9, DRL (ANNULMENT)	1	1	3	-	1	-
NOT STATED	-	-	-	-	-	-

CITIES AND VILLAGES WITH 10,000 OR MORE POPULATION: 1983 - 1985 CONT.

BRONX			KINGS			NEW YORK		
1985	1984	1983	1985	1984	1983	1985	1984	1983
1,174,000	1,160,500	1,161,700	2,276,800	2,252,300	2,246,400	1,425,600	1,420,900	1,421,900
18,852	17,954	17,548	37,029	35,466	35,975	35,679	34,035	33,599
21,774	20,786	20,579	41,635	39,646	39,879	19,187	18,598	17,938
18.5	17.9	17.7	18.3	17.6	17.8	13.5	13.1	12.6
2,140	2,063	2,073	3,680	3,408	3,502	1,681	1,632	1,622
9.8	9.9	10.1	8.8	8.6	8.8	8.8	8.8	9.0
9,604	9,309	8,901	18,003	17,821	17,517	10,133	9,999	9,489
44.1	44.8	43.3	43.2	45.0	43.9	52.8	53.8	52.9
1,379	1,414	1,488	2,089	1,967	2,177	778	846	885
6.3	6.8	7.2	5.0	5.0	5.5	4.1	4.6	4.9
8,002	7,826	6,666	18,037	17,427	17,540	8,245	8,200	7,729
38.5	38.8	33.4	49.0	47.4	46.4	45.7	45.8	44.8
9,504	8,726	8,668	20,858	19,223	19,130	7,654	7,488	7,200
43.6	42.0	42.1	50.1	48.5	48.0	39.9	40.3	40.1
9,002	9,816	9,664	24,772	22,619	25,658	53,727	50,646	53,035
8,645	9,460	9,247	22,865	21,212	24,286	51,817	48,913	51,354
96.0	96.4	95.7	92.3	93.8	94.7	96.4	96.6	96.8
20,955	20,124	20,441	37,851	35,514	36,992	18,693	18,125	18,758
20,441	19,579	19,838	35,661	33,819	35,387	17,705	17,226	17,882
551	613	613	1,154	1,148	1,214	518	472	516
362	410	377	675	717	723	307	284	298
12,861	12,773	12,504	20,486	20,213	20,097	21,728	21,821	21,366
12,620	12,564	12,426	22,355	22,185	22,036	15,888	16,042	15,703
10.7	10.8	10.7	9.8	9.8	9.8	11.1	11.3	11.0
198	189	196	400	390	385	149	132	145
9.1	9.1	9.5	9.6	9.8	9.7	7.8	7.1	8.1
294	311	308	600	585	583	231	224	225
13.5	15.0	15.0	14.4	14.8	14.6	12.0	12.0	12.5
635	680	652	1,206	1,167	1,185	492	516	527
1,336	1,191	1,027	2,163	1,862	1,733	1,964	1,703	1,529
2,483	2,482	2,458	4,609	4,717	4,657	3,353	3,394	3,287
8,166	8,211	8,289	14,377	14,439	14,460	10,079	10,428	10,359
5,608	5,782	5,882	9,985	10,221	10,247	5,692	6,256	6,434
477.7	498.2	506.3	438.6	453.8	456.2	399.3	440.3	452.5
2,301	2,351	2,341	4,408	4,507	4,616	3,410	3,396	3,328
196.0	202.6	201.5	193.6	200.1	205.5	239.2	239.0	234.1
500	489	530	915	893	933	708	703	693
42.6	42.1	45.6	40.2	39.6	41.5	49.7	49.5	48.7
205	234	185	397	390	390	233	244	264
17.5	20.2	15.9	17.4	17.3	17.4	16.3	17.2	18.6
92	84	68	150	143	157	64	79	82
7.8	7.2	5.9	6.6	6.3	7.0	4.5	5.6	5.8
3,262	3,164	3,028	5,884	5,712	5,449	4,705	4,909	4,839
25.8	25.2	24.4	26.3	25.7	24.7	29.6	30.6	30.8
12,220	11,714	10,153	15,347	15,162	13,852	31,916	31,338	30,089
5,153	4,580	4,261	4,834	4,739	4,877	19,869	16,632	15,824
-	-	-	-	1	1	-	-	2
5,052	4,525	4,206	4,742	4,610	4,780	19,653	16,422	15,582
101	55	55	92	128	96	216	210	240
-	-	-	-	-	-	-	-	-

TABLE 29. BASIC NEW YORK STATE VITAL STATISTICS BY COUNTY AND BY

	QUEENS			RICHMOND		
	1985	1984	1983	1985	1984	1983
ESTIMATED POPULATION (SEE FOOTNOTES)	1,915,400	1,908,500	1,904,000	367,700	366,600	363,200
RECORDED LIVE BIRTHS	22,417	21,453	20,962	4,565	4,424	4,269
LIVE BIRTHS BY PLACE OF RESIDENCE						
NUMBER	26,186	25,611	25,341	5,002	4,868	4,885
RATE	13.7	13.4	13.3	13.6	13.3	13.4
PREMATURE, NUMBER	1,882	1,774	1,894	306	305	275
PERCENT	7.2	6.9	7.5	6.1	6.3	5.6
LIVE BIRTH ORDER #1, NUMBER	13,268	13,085	13,055	2,234	2,260	2,255
PERCENT	50.7	51.1	51.5	44.7	46.4	46.2
MOTHER'S AGE UNDER 18, NUMBER	739	735	758	105	109	122
PERCENT	2.8	2.9	3.0	2.1	2.2	2.5
EARLY PRENATAL CARE, NUMBER	14,236	14,389	14,136	3,356	3,355	3,273
PERCENT	57.7	59.3	58.6	68.2	69.8	68.9
RACE OTHER THAN WHITE, NUMBER	10,671	9,943	9,636	820	790	783
PERCENT	40.8	38.8	38.0	16.4	16.2	16.0
RECORDED FETAL DEATHS	18,256	17,775	16,002	1,046	906	1,005
INDUCED ABORTIONS, NUMBER	17,210	16,772	14,912	516	445	523
PERCENT	94.3	94.4	93.2	49.3	49.1	52.0
FETAL DEATHS BY PLACE OF RESIDENCE	19,318	19,663	19,956	3,100	2,869	2,965
INDUCED ABORTIONS	17,890	18,272	18,505	2,573	2,390	2,473
FETAL DEATHS, GESTATION 20 WEEKS AND OVER	545	589	599	94	88	111
INDUCED ABORTIONS GESTATION 20 WEEKS AND OVER	292	317	345	59	43	59
RECORDED DEATHS	16,553	16,415	16,548	3,224	3,056	3,029
DEATHS BY PLACE OF RESIDENCE						
NUMBER	19,701	19,804	19,654	3,200	3,048	3,021
RATE	10.3	10.4	10.3	8.7	8.3	8.3
NEONATAL DEATHS, NUMBER	182	162	217	50	35	37
MORTALITY RATE	7.0	6.3	8.6	10.0	7.2	7.6
INFANT DEATHS, NUMBER	271	235	304	62	46	55
MORTALITY RATE	10.3	9.2	12.0	12.4	9.4	11.3
DEATHS BY AGE						
0-24	572	556	660	132	107	126
25-44	1,236	1,115	999	210	166	157
45-64	3,803	3,751	3,877	664	657	642
65 AND OVER	14,090	14,382	14,118	2,194	2,118	2,076
DEATHS BY CAUSE						
DISEASES OF HEART, NUMBER	9,362	9,703	9,763	1,440	1,447	1,374
RATE	488.8	508.4	512.8	391.6	394.7	378.3
MALIGNANT NEOPLASMS, NUMBER	4,327	4,382	4,310	739	724	690
RATE	225.9	229.6	226.4	201.0	197.5	190.0
CEREBROVASCULAR DISEASE, NUMBER	912	920	912	146	127	158
RATE	47.6	48.2	47.9	39.7	34.6	43.5
TOTAL ACCIDENTS, NUMBER	361	344	406	49	46	54
RATE	18.8	18.0	21.3	13.3	12.5	14.9
MOTOR VEHICLE ACCIDENTS, NUMBER	149	145	150	28	23	22
RATE	7.8	7.6	7.9	7.6	6.3	6.1
RACE OTHER THAN WHITE, NUMBER	3,209	3,198	3,067	198	207	188
PERCENT	16.3	16.1	15.6	6.2	6.8	6.2
MARRIAGES BY COUNTY OF OCCURRENCE	17,837	17,230	16,261	3,289	3,514	3,157
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE OF THE DISSOLUTION						
TYPE OF DECREE	4,389	4,432	5,602	905	1,082	707
ARTICLE 12, DOMESTIC RELATIONS LAW	-	-	-	-	-	-
ARTICLE 10, DRL (DIVORCE)	4,304	4,370	5,514	888	1,059	694
ARTICLE 9, DRL (ANNULMENT)	85	62	88	17	23	13
NOT STATED	-	-	-	-	-	-

CITIES AND VILLAGES WITH 10,000 OR MORE POPULATION: 1983 - 1985 CONT.

NEW YORK CITY			UPSTATE			NEW YORK STATE		
1985	1984	1983	1985	1984	1983	1985	1984	1983
7,159,500	7,108,800	7,097,200	10,498,900	10,420,300	10,431,800	17,658,400	17,529,100	17,529,000
118,542	113,332	112,353	142,148	138,670	137,136	260,690	252,002	249,489
113,784	109,509	108,622	145,042	140,927	139,600	258,826	250,436	248,222
15.9	15.4	15.3	13.8	13.5	13.4	14.7	14.3	14.2
9,689	9,182	9,366	8,399	8,406	8,530	18,088	17,588	17,896
8.5	8.4	8.6	5.8	6.0	6.1	7.0	7.0	7.2
53,242	52,474	51,217	63,287	61,001	60,184	116,529	113,475	111,401
46.8	47.9	47.2	43.6	43.3	43.1	45.0	45.3	44.9
5,090	5,071	5,430	4,421	4,369	4,553	9,511	9,440	9,983
4.5	4.6	5.0	3.0	3.1	3.3	3.7	3.8	4.0
51,876	51,197	49,344	116,966	112,640	109,900	168,842	163,837	159,244
49.3	49.3	47.5	82.8	82.9	82.3	68.5	68.3	67.1
49,507	46,170	45,417	16,392	15,574	15,345	65,899	61,744	60,762
43.5	42.2	41.8	11.3	11.1	11.0	25.5	24.7	24.5
106,803	101,762	105,364	65,472	65,481	64,514	172,275	167,243	169,878
101,053	96,802	100,322	55,382	55,684	54,390	156,435	152,486	154,712
94.6	95.1	95.2	84.6	85.0	84.3	90.8	91.2	91.1
99,917	96,295	99,112	64,112	63,692	63,053	164,029	159,987	162,165
94,270	91,286	94,085	54,340	54,269	53,263	148,610	145,555	147,348
2,862	2,910	3,053	1,918	1,910	2,251	4,780	4,820	5,304
1,695	1,771	1,802	684	773	928	2,379	2,544	2,730
74,852	74,278	73,544	96,730	95,982	95,996	171,582	170,260	169,540
73,764	73,643	72,840	96,429	95,402	95,764	170,193	169,045	168,604
10.3	10.4	10.3	9.2	9.2	9.2	9.6	9.6	9.6
979	908	980	920	937	957	1,899	1,845	1,937
8.6	8.3	9.0	6.3	6.6	6.9	7.3	7.4	7.8
1,458	1,401	1,475	1,315	1,328	1,381	2,773	2,729	2,856
12.8	12.8	13.6	9.1	9.4	9.9	10.7	10.9	11.5
3,037	3,026	3,150	3,118	3,225	3,410	6,155	6,251	6,560
6,909	6,037	5,445	4,102	3,867	3,897	11,011	9,904	9,342
14,912	15,001	14,941	18,206	18,551	19,034	33,118	33,552	33,975
48,906	49,578	49,302	70,995	69,746	69,413	119,901	119,324	118,715
32,087	33,409	33,700	38,549	38,758	39,353	70,636	72,167	73,053
448.2	470.0	474.8	367.2	371.9	377.2	400.0	411.7	416.8
15,185	15,360	15,285	22,812	22,450	22,218	37,997	37,810	37,503
212.1	216.1	215.4	217.3	215.4	213.0	215.2	215.7	213.9
3,181	3,132	3,226	6,974	7,068	7,007	10,155	10,200	10,233
44.4	44.1	45.5	66.4	67.8	67.2	57.5	58.2	58.4
1,245	1,258	1,299	3,166	3,308	3,416	4,411	4,566	4,715
17.4	17.7	18.3	30.2	31.7	32.7	25.0	26.0	26.9
483	474	479	1,558	1,579	1,616	2,041	2,053	2,095
6.7	6.7	6.7	14.8	15.2	15.5	11.6	11.7	12.0
17,258	17,190	16,571	5,031	4,797	4,833	22,289	21,987	21,404
23.4	23.3	22.7	5.2	5.0	5.0	13.1	13.0	12.7
80,609	78,958	73,512	90,066	88,656	88,884	170,675	167,614	162,396
35,150	31,465	31,271	32,466	33,173	32,889	67,616	64,638	64,160
-	1	3	1	3	5	1	4	8
34,639	30,986	30,776	32,177	32,867	32,574	66,816	63,853	63,350
511	478	492	288	303	310	799	781	802
-	-	-	-	-	-	-	-	-

FOOTNOTES FOR TABLE 29

1. The term "Upstate" means New York State exclusive of New York City.

2. All vital statistics rates are calculated using residence data. See TECHNICAL NOTES for definition of rates. Table 29 is a summary table of the vital statistics of New York State, 1983-1985. For a complete commentary of the data see, HIGHLIGHTS, TECHNICAL NOTES, and the footnotes to Figures 2-6 and Tables 1-28.

3. A premature birth is defined as a live birth with birthweight under 2500 grams.

4. A birth with early prenatal care is defined as a live birth reporting prenatal care of the mother during the first trimester.

5. Marriage and dissolution of marriage counts by place of occurrence are not available for villages and cities except New York City.

6. Percents and rates for all variables presented in the table exclude events in the "not stated" category.

7. The July 1 population estimates for the years 1983, 1984 and 1985 for New York State counties and places used in this table are estimates prepared by the Bureau of Biostatistics, New York State Department of Health and are consistent with the 1980 Census.

TABLE 30. REPORTABLE DISEASES. CASES AND DEATHS: NEW YORK STATE, NEW YORK CITY AND UPSTATE NEW YORK, 1984-1985

NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES		New York State				New York City				Upstate New York			
		Cases		Deaths		Cases		Deaths		Cases		Deaths	
		1985	1984	1985	1984	1985	1984	1985	1984	1985	1984	1985	1984
279.1	AIDS	2,859	1,940	1,717	993	2,505	1,724	1,588	912	354	216	129	81
006	Amebiasis	789	1,364	-	2	732	1,326	-	-	57	38	-	2
005.1	Botulism	-	-	-	-	-	-	-	-	-	-	-	-
023	Brucellosis	4	4	-	-	2	1	-	-	2	3	-	-
099.0	Chancroid	1,324	340	-	-	1,323	340	-	-	1	-	-	-
052	Chickenpox	12,117	11,804	8	4	2,366	5,811	6	1	9,751	5,993	2	3
771.6	Conjunctivitis of the newborn*	94	57	-	-	69	23	-	-	25	34	-	-
009.2	Diarrhea of the newborn*	NA	NA	-	-	NA	NA	-	-	13	11	-	-
032	Diptheria	-	-	-	-	-	-	-	-	-	-	-	-
062-064	Encephalitis, viral	NA	NA	-	-	NA	NA	-	-	46	32	-	-
098	Gonorrhea	76,877	66,914	-	-	58,532	48,032	-	-	18,345	18,882	-	-
099.2	Granuloma inguinale	6	3	-	-	6	3	-	-	-	-	-	-
070.0-.1	Hepatitis A (infectious)	NA	941	5	6	NA	560	4	4	618	381	1	2
070.2-.3	Hepatitis B (serum)	NA	2,341	40	25	NA	1,528	20	13	914	813	20	12
070.4-.9	Hepatitis, Viral (unspecified)	NA	302	26	27	NA	140	15	12	208	162	11	15
115	Histoplasmosis	NA	NA	1	5	NA	NA	1	4	2	3	-	1
030	Leprosy	30	49	-	1	29	46	-	1	1	3	-	-
100	Leptospirosis	2	2	1	-	1	1	1	-	1	1	-	-
099.1	Lymphogranuloma Venereum	31	24	-	-	31	22	-	-	-	2	-	-
084	Malaria	115	74	-	-	64	46	-	-	51	28	-	-
055	Measles	166	172	-	-	81	115	-	-	85	57	-	-
036.0	Meningococcal Meningitis	NA	NA	8	7	NA	NA	5	3	114	102	3	4
036.2	Meningoccemia	NA	NA	10	13	NA	NA	5	6	43	45	5	7
047,049.0-.1	Meningitis, Aseptic	930	678	2	4	201	166	1	4	729	512	1	-
320-322	Meningitis (except aseptic tuberculous)	956	736	142	134	484	327	101	90	472	409	41	44
075	Mononucleosis, infectious	NA	NA	1	2	NA	NA	1	1	3,318	2,602	-	1
072	Mumps	234	149	-	-	32	46	-	-	202	103	-	-
045	Poliomyelitis	1	-	1	2	1	-	1	2	-	-	-	-
073	Psittacosis	14	7	-	-	6	3	-	-	8	4	-	-
	Reye's Syndrome	NA	NA	NA	NA	NA	NA	NA	NA	4	22	NA	NA
082	Rocky Mountain Spotted Fever	17	13	1	1	6	2	-	-	11	11	1	1
056	Rubella	205	210	-	-	184	111	-	-	21	99	-	-
771.0	Rubella, Congenital Syndrome	NA	NA	-	-	NA	NA	-	-	-	-	-	-
002.1-.9,003	Salmonellosis	NA	NA	8	9	NA	NA	4	6	1,970	1,513	4	3
044	Shigellosis	NA	NA	-	-	NA	NA	-	-	457	303	-	-
091	Syphilis (primary and secondary)	2,519	2,623	-	-	2,157	2,285	-	-	362	338	-	-
090,092-097	Syphilis (other stages)	5,571	5,256	3	6	4,790	4,509	2	1	781	747	1	5
037	Tetanus	3	4	-	1	1	1	-	1	2	3	-	-
124	Trichinosis	6	4	1	1	1	3	-	1	5	1	1	-
010-018	Tuberculosis	2,481	2,246	189	206	1,843	1,630	151	154	638	616	38	52
021	Tularemia	1	2	-	-	1	2	-	-	-	-	-	-
002.0	Typhoid Fever	48	38	-	-	34	26	-	-	14	12	-	-
080,081	Typhus	1	1	-	-	1	1	-	-	-	-	-	-
033	Whooping Cough	160	129	-	-	26	20	-	-	134	109	-	-

*27 Days or Less
NA - Not Available

TABLE 31. LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, NEONATAL DEATHS AND RATES: NEW YORK STATE, 1900-1985

Year	Live Births		Deaths		Fetal Deaths* (Gestation 20 weeks or more)		Infant Deaths		Neonatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Recorded										
1900	215,800	29.6	132,091	18.1			26,768	124.0		
1901	210,400	28.2	131,333	17.6			24,047	114.3		
1902	215,500	28.1	124,784	16.3			23,808	110.5		
1903	219,100	27.9	127,554	16.3	Not		22,972	104.8	Not	
1904	223,700	27.9	142,234	17.7	Available		24,909	111.4	Available	
1905	227,600	27.7	137,435	16.7			25,914	113.9		
1906	235,300	28.0	141,099	16.8			27,137	115.3		
1907	246,300	28.7	147,130	17.1	9,760	38.1	27,935	113.4		
1908	242,200	27.6	138,909	15.8	9,808	38.9	26,581	109.7		
1909	240,700	26.8	140,261	15.6	9,429	37.7	26,109	108.5		
1910	243,800	26.7	147,702	16.2	9,509	37.5	27,547	113.0		
1911	242,700	26.1	145,912	15.7	9,774	38.7	25,353	104.5	9,778	40.3
1912	244,000	25.8	142,366	15.1	9,860	38.8	24,704	101.2	9,834	40.3
1913	243,300	25.3	145,273	15.1	9,987	39.4	25,042	102.9	10,105	41.5
1914	247,447	25.4	145,476	14.9	10,201	39.6	23,748	96.0	10,048	40.6
1915	247,156	24.9	146,892	14.8	9,886	38.5	24,080	97.4	10,072	40.8
1916	242,264	24.2	151,544	15.1	9,653	38.3	22,730	93.8	9,905	40.9
1917	246,453	24.3	154,127	15.2	9,497	37.1	22,476	91.2	10,003	40.6
1918	242,704	23.7	192,318	18.8	10,348	40.9	23,524	96.9	10,034	41.3
1919	226,269	21.9	143,401	13.9	8,992	38.2	18,976	83.9	8,873	39.2
1920	235,460	22.4	144,466	13.8	9,522	38.9	20,326	86.3	9,331	39.6
1921	240,210	22.4	130,110	12.1	9,574	38.3	18,070	75.2	9,270	38.6
1922	231,363	21.1	138,942	12.7	9,303	38.7	17,836	77.1	8,706	37.6
1923	230,889	20.7	141,107	12.6	9,369	39.0	16,634	72.0	8,538	37.0
1924	233,839	20.5	140,181	12.3	9,832	40.3	16,159	69.1	8,638	36.9
1925	230,350	19.8	142,549	12.3	9,329	38.9	15,524	67.4	8,238	35.8
1926	223,819	18.9	151,350	12.8	9,126	39.2	15,738	70.3	8,153	36.4
1927	228,134	19.0	141,006	11.7	9,057	38.2	13,507	59.2	7,764	34.0
1928	223,070	18.2	151,593	12.4	9,045	39.0	14,523	65.1	7,750	34.7
1929	217,634	17.5	154,034	12.4	8,467	37.4	13,185	60.6	7,328	33.7
1930	216,556	17.2	147,424	11.7	8,307	36.9	12,636	58.3	7,251	33.5
1931	206,238	16.2	149,219	11.8	7,849	36.7	11,824	57.3	6,703	32.5
1932	198,195	15.5	147,639	11.5	7,582	36.8	10,459	52.8	6,315	31.9
1933	187,295	14.5	148,290	11.5	7,066	36.4	10,063	53.7	6,072	32.4
1934	185,709	14.3	149,192	11.5	6,660	34.6	9,646	51.9	5,987	32.2
1935	184,424	14.1	148,433	11.4	6,470	33.9	8,829	47.9	5,501	29.8
1936	181,921	13.8	153,498	11.7	6,150	32.7	8,560	47.1	5,405	29.7
1937	186,391	14.1	154,034	11.6	6,011	31.2	8,397	45.1	5,265	28.2
1938	189,675	14.2	147,101	11.0	6,045	30.9	7,715	40.7	5,109	26.9
1939	188,247	14.0	149,388	11.1	5,704	29.4	7,361	39.1	4,908	26.1
1940	197,496	14.6	150,176	11.1	5,850	28.8	7,348	37.2	5,042	25.5

TABLE 31. LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, NEONATAL DEATHS AND RATES: NEW YORK STATE, 1900-1985
(continued)

Year	Live Births		Deaths		Fetal Deaths* (Gestation 20 weeks or more)		Infant Deaths		Neonatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Resident										
1940	196,458	14.5	149,522	11.1	5,850	28.9	7,298	37.1	5,018	25.5
1941	210,424	15.5	147,454	10.8	6,122	28.3	6,940	33.0	4,928	23.4
1942	243,967	17.8	149,013	10.9	6,783	27.1	7,784	31.9	5,572	22.8
1943	248,967	18.0	161,569	11.7	6,625	25.9	8,099	32.5	5,531	22.2
1944	228,835	16.4	152,236	10.9	6,110	26.0	7,492	32.7	5,311	23.2
1945	234,110	16.6	152,913	10.8	6,209	25.8	7,459	31.9	5,374	23.0
1946	285,145	20.0	152,427	10.7	7,349	25.1	8,297	29.1	6,346	22.3
1947	323,397	22.5	156,862	10.9	7,528	22.7	9,074	28.1	6,918	21.4
1948	301,598	20.7	157,713	10.8	6,981	22.6	8,214	27.2	6,277	20.8
1949	301,025	20.5	154,910	10.5	6,611	21.5	7,860	26.1	6,010	20.0
1950	300,752	20.2	156,143	10.5	6,285	20.5	7,450	24.8	5,717	19.0
1951	316,233	21.0	158,501	10.5	6,507	20.2	7,445	23.5	5,766	18.2
1952	326,035	21.3	160,724	10.5	6,468	19.5	7,851	24.1	5,905	18.1
1953	325,077	21.0	163,763	10.6	6,306	19.0	7,980	24.5	6,042	18.6
1954	335,226	21.4	159,519	10.2	6,541	19.1	7,845	23.4	5,947	17.7
1955	342,148	21.5	165,588	10.4	6,509	18.7	8,317	24.3	6,364	18.6
1956	346,700	21.5	166,446	10.3	6,518	18.5	8,219	23.7	6,260	18.1
1957	358,880	22.0	172,552	10.6	7,022	19.2	8,577	23.9	6,613	18.4
1958	360,389	21.8	173,741	10.5	7,113	19.4	8,831	24.5	6,594	18.3
1959	360,662	21.6	176,128	10.6	7,252	19.7	8,925	24.7	6,735	18.7
1960	359,222	21.3	177,586	10.5	7,216	19.7	8,641	24.1	6,525	18.2
1961	362,247	21.4	179,067	10.6	7,220	19.5	8,601	23.7	6,542	18.1
1962	353,835	20.6	181,576	10.6	6,955	19.3	8,740	24.7	6,599	18.6
1963	355,752	20.4	186,041	10.7	7,074	19.5	8,537	24.0	6,379	17.9
1964	351,390	19.9	184,377	10.5	7,092	19.8	8,508	24.2	6,413	18.3
1965	335,576	18.9	185,079	10.4	6,489	19.0	7,848	23.4	5,857	17.5
1966	320,699	17.9	187,951	10.5	6,119	18.7	7,257	22.6	5,455	17.0
1967	308,047	17.1	186,688	10.4	5,887	18.8	6,816	22.1	5,227	17.0
1968	301,697	16.7	190,950	10.5	5,943	19.3	6,290	20.8	4,741	15.7
1969	309,794	17.1	186,229	10.3	6,033	19.1	6,532	21.1	4,921	15.9
1970	315,791	17.3	187,350	10.3	4,998	15.6	6,179	19.6	4,722	15.0
1971	283,562	15.4	186,001	10.1	4,139	14.4	5,204	18.4	3,844	13.6
1972	252,795	13.8	184,252	10.0	3,181	12.4	4,485	17.7	3,391	13.4
1973	238,513	13.1	180,002	9.9	2,862	11.9	4,053	17.0	3,029	12.7
1974	238,705	13.2	174,709	9.7	2,496	10.3	3,881	16.3	2,902	12.2
1975	235,403	13.1	167,857	9.3	2,767	11.6	3,729	15.8	2,766	11.8
1976	235,176	13.1	171,150	9.5	2,967	12.5	3,724	15.8	2,750	11.7
1977	239,762	13.4	167,398	9.4	2,877	11.9	3,428	14.3	2,481	10.3
1978	233,328	13.2	166,183	9.4	2,414	10.2	3,248	13.9	2,338	10.0
1979	234,867	13.3	162,966	9.2	2,596	10.9	3,177	13.5	2,266	9.6
1980	239,003	13.6	171,769	9.8	2,719	11.2	2,994	12.5	2,091	8.7
1981	241,843	13.8	166,816	9.5	2,611	10.7	2,970	12.3	2,039	8.4
1982	246,889	14.1	166,665	9.5	2,640	10.6	3,001	12.2	2,092	8.5
1983	248,222	14.2	168,604	9.6	2,574	10.3	2,856	11.5	1,937	7.8
1984	250,436	14.3	169,045	9.6	2,276	9.0	2,729	10.9	1,845	7.4
1985	258,826	14.7	170,193	9.6	2,401	9.2	2,773	10.7	1,899	7.3

* Fetal deaths do not include induced abortions.

TABLE 32. LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, NEONATAL DEATHS AND RATES: NEW YORK CITY, 1900-1985

Year	Live Births		Deaths		Fetal Deaths* (Gestation 20 weeks or more)		Infant Deaths		Neonatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Recorded										
1900	123,000	35.7	70,872	20.6	5,438	42.3	16,640	135.3		
1901	122,000	34.0	70,720	19.7	5,398	42.4	15,467	126.8		
1902	127,000	34.2	68,085	18.3	5,603	42.3	15,526	122.3		
1903	129,000	33.5	67,864	17.6	5,645	41.9	14,413	111.7		
1904	133,000	33.4	78,060	19.6	5,860	42.2	16,125	121.2		
1905	135,000	32.8	73,714	17.9	5,947	42.2	16,522	122.4	Not	
1906	141,000	33.1	76,203	17.9	6,251	42.5	17,188	121.9	Available	
1907	149,000	33.9	79,205	18.0	6,910	44.3	17,437	117.0		
1908	146,000	32.3	73,072	16.1	6,708	43.9	16,231	111.2		
1909	142,000	30.5	74,105	15.9	6,228	42.0	15,976	112.5		
1910	143,000	29.9	76,742	16.0	6,279	42.1	16,215	113.4		
1911	141,000	28.9	75,423	15.5	6,202	42.1	15,053	106.8	5,286	37.5
1912	140,000	28.2	73,008	14.7	6,161	42.2	14,289	102.1	5,235	37.4
1913	140,000	27.7	73,902	14.6	6,151	42.1	13,780	98.4	5,108	36.5
1914	140,647	27.4	74,803	14.6	6,117	41.7	13,312	94.6	5,130	36.5
1915	141,256	27.0	76,193	14.6	5,802	39.5	13,866	98.2	5,067	35.9
1916	137,664	25.9	77,801	14.6	5,743	40.0	12,818	93.1	5,061	36.8
1917	141,564	26.2	78,575	14.5	5,641	38.3	12,568	88.8	5,115	36.1
1918	138,046	25.2	98,119	17.9	6,317	43.8	12,657	91.7	5,118	37.1
1919	130,377	23.4	74,433	13.3	5,512	40.6	10,639	81.6	4,537	34.8
1920	132,856	23.4	73,249	12.9	5,572	40.3	11,340	85.4	4,673	35.2
1921	134,241	23.1	64,257	11.1	5,632	40.3	9,548	71.1	4,571	34.1
1922	129,684	21.8	69,690	11.7	5,506	40.7	9,666	74.5	4,275	33.0
1923	129,160	21.3	69,452	11.4	5,469	40.6	8,578	66.4	4,132	32.0
1924	130,436	21.1	71,252	11.5	5,781	42.4	8,820	67.6	4,346	33.3
1925	128,790	20.4	71,864	11.4	5,527	41.1	8,315	64.6	4,222	32.8
1926	125,515	19.5	76,082	11.8	5,470	41.8	8,509	67.8	4,058	32.3
1927	128,889	19.6	70,430	10.7	5,384	40.1	7,210	55.9	3,859	29.9
1928	126,332	18.8	78,091	11.6	5,464	41.5	8,280	65.5	4,022	31.8
1929	124,404	18.2	77,482	11.3	5,069	39.2	7,281	58.5	3,770	30.3
1930	122,811	17.7	74,888	10.8	5,017	39.2	7,030	57.2	3,753	30.6
Resident										
1930	121,677	17.5	76,368	11.0	5,017	39.6	6,998	57.5	3,736	30.7
1931	114,360	16.3	79,061	11.3	4,717	39.6	6,412	56.1	3,323	29.1
1932	108,658	15.4	76,033	10.8	4,521	39.9	5,542	51.0	3,194	29.4
1933	102,241	14.4	76,931	10.8	4,202	39.5	5,476	53.6	3,082	30.1
1934	100,060	14.0	77,687	10.9	3,856	37.1	5,262	52.6	3,139	31.4
1935	99,390	13.8	77,018	10.7	3,852	37.3	4,768	48.0	2,918	29.4
1936	97,122	13.4	79,793	11.0	3,727	37.0	4,472	46.0	2,759	28.4
1937	100,586	13.8	79,637	10.9	3,536	34.0	4,400	43.7	2,671	26.6
1938	100,346	13.6	75,964	10.3	3,647	35.1	3,842	38.3	2,470	24.6
1939	100,544	13.6	77,709	10.5	3,318	31.9	3,753	37.3	2,495	24.8
1940	104,646	14.0	78,404	10.5	3,466	32.1	3,683	35.2	2,569	24.5

TABLE 32. LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, NEONATAL DEATHS AND RATES: NEW YORK CITY, 1900-1985
(continued)

Year	Live Births		Deaths		Fetal Deaths* (Gestation 20 weeks or more)		Infant Deaths		Neonatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Resident										
1941	111,536	14.9	77,327	10.3	3,667	31.8	3,471	31.1	2,467	22.1
1942	128,542	17.0	78,016	10.3	4,017	30.3	3,781	28.9	2,708	21.1
1943	131,228	17.3	85,418	11.2	3,884	28.7	3,970	30.3	2,827	21.5
1944	119,910	15.7	80,646	10.6	3,614	29.3	3,754	31.3	2,719	22.7
1945	126,101	16.4	81,618	10.6	3,723	28.7	3,819	30.3	2,764	21.9
1946	149,334	19.3	80,737	10.4	4,383	28.5	4,160	27.9	3,208	21.5
1947	167,571	21.6	83,448	10.7	4,547	26.4	4,443	26.5	3,389	20.2
1948	153,997	19.7	84,864	10.9	4,176	26.4	4,050	26.3	3,101	20.1
1949	152,196	19.4	81,543	10.4	3,925	25.1	3,866	25.4	2,939	19.3
1950	150,373	19.0	82,278	10.4	3,636	23.6	3,755	25.0	2,879	19.1
1951	155,302	19.7	82,869	10.5	3,761	23.6	3,720	24.0	2,879	18.5
1952	155,955	19.8	84,694	10.7	3,713	23.3	3,842	24.6	2,881	18.5
1953	153,055	19.5	85,648	10.9	3,431	21.9	3,819	25.0	2,833	18.5
1954	154,975	19.7	82,624	10.5	3,661	23.1	3,759	24.3	2,830	18.3
1955	155,438	19.8	85,038	10.8	3,625	22.8	4,114	26.5	3,107	20.0
1956	156,034	19.9	84,429	10.8	3,553	22.3	3,892	24.9	2,935	18.8
1957	158,228	20.2	87,577	11.2	3,866	23.9	4,043	25.6	3,081	19.5
1958	159,286	20.4	87,946	11.3	4,128	25.3	4,298	27.0	3,161	19.8
1959	159,470	20.5	88,845	11.4	4,223	25.8	4,296	26.9	3,181	19.9
1960	157,711	20.3	88,943	11.4	4,185	25.8	4,142	26.3	3,050	19.3
1961	160,128	20.7	89,899	11.6	4,228	25.7	4,159	26.0	3,127	19.5
1962	157,750	20.2	90,431	11.6	4,116	25.4	4,379	27.8	3,189	20.2
1963	160,779	20.3	92,432	11.7	4,228	25.6	4,217	26.2	3,083	19.2
1964	159,164	19.9	91,135	11.4	4,246	26.0	4,302	27.0	3,214	20.2
1965	153,128	19.1	91,159	11.4	3,884	24.7	3,955	25.8	2,941	19.2
1966	147,415	18.4	92,226	11.5	3,689	24.4	3,686	25.0	2,747	18.6
1967	140,347	17.6	91,054	11.4	3,590	24.9	3,345	23.8	2,546	18.1
1968	135,912	17.1	93,001	11.7	3,576	25.6	3,131	23.0	2,309	17.0
1969	140,394	17.8	89,837	11.4	3,525	24.5	3,408	24.3	2,534	18.0
1970	142,544	18.1	90,558	11.5	2,879	19.8	3,108	21.8	2,327	16.3
1971	126,660	16.0	88,925	11.3	2,235	17.3	2,568	20.3	1,847	14.6
1972	112,386	14.3	87,498	11.2	1,546	13.6	2,140	19.0	1,595	14.2
1973	106,204	13.8	84,153	11.0	1,342	12.5	2,008	18.9	1,487	14.0
1974	105,774	13.9	80,196	10.6	1,015	9.5	1,926	18.2	1,416	13.4
1975	104,866	14.0	76,416	10.2	1,400	13.2	1,872	17.9	1,409	13.4
1976	105,491	14.2	77,809	10.5	1,468	13.7	1,908	18.1	1,406	13.3
1977	106,154	14.5	74,983	10.3	1,460	13.6	1,800	17.0	1,267	11.9
1978	102,668	14 3	72,893	10.2	1,087	10.5	1,638	16.0	1,141	11.1
1979	101,591	14.3	71,779	10.1	1,193	11.6	1,591	15.7	1,126	11.1
1980	102,865	14.5	76,270	10.8	1,339	12.8	1,558	15.1	1,074	10.4
1981	104,510	14.9	72,821	10.3	1,224	11.6	1,518	14.5	1,018	9.7
1982	107,684	15.4	72,851	10.4	1,238	11.4	1,566	14.5	1,064	9.9
1983	108,622	15.3	72,840	10.3	1,251	11.4	1,475	13.6	980	9.0
1984	109,509	15.4	73,643	10.4	1,139	10.3	1,401	12.8	908	8.3
1985	113,784	15.9	73,764	10.3	1,167	10.2	1,458	12.8	979	8.6

* Fetal deaths do not include induced abortions.

TABLE 33. LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, NEONATAL DEATHS AND RATES: UPSTATE NEW YORK, 1900-1985

Year	Live Births		Deaths		Fetal Deaths* (Gestation 20 weeks or more)		Infant Deaths		Neonatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Recorded										
1900	92,800	24.2	61,219	16.0			10,128	109.1		
1901	88,400	22.7	60,613	15.6			8,580	97.1		
1902	88,500	22.5	56,699	14.4	Not		8,282	93.6		
1903	90,100	22.6	59,690	15.0	Available		8,559	95.0		
1904	90,700	22.4	64,174	15.9			8,784	96.8	Not	
1905	92,600	22.6	63,721	15.6			9,392	101.4	Available	
1906	94,300	22.7	64,896	15.6			9,949	105.5		
1907	97,300	23.2	67,925	16.2	2,850	28.5	10,498	107.9		
1908	96,200	22.6	65,837	15.5	3,100	31.2	10,350	107.6		
1909	98,700	22.9	66,156	15.4	3,201	31.4	10,133	102.7		
1910	100,800	23.1	70,960	16.3	3,230	31.0	11,332	112.4		
1911	101,700	23.0	70,489	15.9	3,572	33.9	10,300	101.3	4,492	44.2
1912	104,900	23.2	69,358	15.5	3,699	34.3	10,415	100.1	4,599	44.2
1913	103,300	22.7	71,371	15.7	3,836	35.8	11,262	109.0	4,997	48.4
1914	106,800	23.1	70,673	15.3	4,084	36.8	10,436	97.7	4,918	46.0
1915	105,900	22.6	70,699	15.1	4,084	37.1	10,214	96.4	5,005	47.3
1916	104,600	22.2	73,743	15.7	3,910	36.0	9,912	94.8	4,844	46.3
1917	104,889	22.2	75,552	16.0	3,856	35.5	9,908	94.5	4,888	46.6
1918	104,658	22.1	94,199	19.9	4,031	37.1	10,867	103.8	4,916	47.0
1919	95,892	20.2	68,968	14.5	3,480	35.0	8,337	86.9	4,336	45.2
1920	102,604	21.3	71,217	14.8	3,950	37.1	8,986	87.6	4,658	45.4
1921	105,969	21.6	65,853	13.4	3,942	35.9	8,522	80.4	4,699	44.3
1922	101,679	20.3	69,252	13.8	3,797	36.0	8,170	80.4	4,431	43.6
1923	101,729	19.9	71,655	14.0	3,900	36.9	8,056	79.2	4,406	43.3
1924	103,403	19.9	68,929	13.0	4,051	37.7	7,339	71.0	4,292	41.5
1925	101,560	19.2	70,685	13.3	3,802	36.1	7,209	71.0	4,016	39.5
1926	98,304	18.3	75,268	14.0	3,656	35.9	7,229	73.5	4,095	41.7
1927	99,245	18.2	70,576	13.0	3,673	35.7	6,297	63.4	3,905	39.3
1928	96,738	17.5	73,502	13.3	3,581	35.7	6,243	64.5	3,728	38.5
1929	93,230	16.6	76,552	13.7	3,398	35.2	5,904	63.3	3,558	38.2
1930	93,745	16.5	72,536	12.8	3,290	33.9	5,606	59.8	3,498	37.3
Resident										
1930	94,279	16.7	71,056	12.5	3,290	33.5	5,638	59.4	3,515	37.0
1931	91,378	16.1	70,158	12.3	3,132	33.0	5,412	58.9	3,380	36.8
1932	89,537	15.6	71,606	12.5	3,061	33.1	4,917	54.9	3,121	34.9
1933	85,054	14.7	71,359	12.3	2,864	32.6	4,587	53.9	2,990	35.2
1934	85,649	14.7	71,505	12.3	2,804	31.7	4,384	51.2	2,848	33.3
1935	85,034	14.5	71,415	12.2	2,618	29.9	4,061	47.8	2,583	30.4
1936	84,799	14.4	73,705	12.5	2,423	27.8	4,088	48.2	2,646	31.2
1937	85,805	14.5	74,397	12.6	2,475	28.0	3,997	46.6	2,594	30.2
1938	89,329	15.0	71,137	11.9	2,398	26.1	3,873	43.4	2,639	29.5
1939	87,703	14.6	71,679	12.0	2,386	26.5	3,608	41.1	2,413	27.5
1940	91,812	15.2	71,118	11.8	2,384	25.3	3,615	39.4	2,449	26.7

TABLE 33. LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, NEONATAL DEATHS AND RATES: UPSTATE NEW YORK, 1900-1985

(continued)

Year	Live Births		Deaths		Fetal Deaths* (Gestation 20 weeks or more)		Infant Deaths		Neonatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1941	98,888	16.2	70,127	11.5	2,455	24.2	3,469	35.1	2,461	24.9
1942	115,425	18.7	70,997	11.5	2,766	23.4	4,066	35.2	2,864	24.8
1943	117,739	18.8	76,151	12.2	2,741	22.8	4,129	35.1	2,704	23.0
1944	108,925	17.2	71,590	11.3	2,496	22.4	3,738	34.3	2,592	23.8
1945	108,009	16.8	71,295	11.1	2,486	22.5	3,640	33.7	2,610	24.2
1946	135,811	20.9	71,690	11.0	2,966	21.4	4,137	30.5	3,138	23.1
1947	155,826	23.6	73,414	11.1	2,981	18.8	4,631	29.7	3,529	22.6
1948	147,601	21.9	72,849	10.8	2,805	18.6	4,164	28.2	3,176	21.5
1949	148,829	21.7	73,367	10.7	2,686	17.7	3,994	26.8	3,071	20.6
1950	150,379	21.4	73,865	10.5	2,649	17.3	3,695	24.6	2,838	18.9
1951	160,931	22.3	75,632	10.5	2,746	16.8	3,725	23.1	2,887	17.9
1952	170,080	23.0	76,030	10.3	2,755	15.9	4,009	23.6	3,024	17.8
1953	172,022	22.6	78,115	10.3	2,875	16.4	4,161	24.2	3,209	18.7
1954	180,251	23.1	76,895	9.8	2,880	15.7	4,086	22.7	3,117	17.3
1955	186,710	23.2	80,550	10.0	2,884	15.2	4,203	22.5	3,257	17.4
1956	190,666	23.1	82,017	9.9	2,965	15.3	4,327	22.7	3,325	17.4
1957	200,652	23.6	84,975	10.0	3,156	15.5	4,534	22.6	3,532	17.6
1958	201,103	23.1	85,795	9.9	2,985	14.6	4,533	22.5	3,433	17.1
1959	201,192	22.6	87,283	9.8	3,029	14.8	4,629	23.0	3,554	17.7
1960	201,511	22.2	88,643	9.8	3,031	14.8	4,499	22.3	3,475	17.2
1961	202,119	21.9	89,168	9.7	2,992	14.6	4,442	22.0	3,415	16.9
1962	196,085	20.9	91,145	9.7	2,839	14.3	4,361	22.2	3,410	17.4
1963	194,973	20.5	93,609	9.8	2,846	14.4	4,320	22.2	3,296	16.9
1964	192,226	19.9	93,242	9.7	2,846	14.6	4,206	21.9	3,199	16.6
1965	182,448	18.6	93,920	9.6	2,605	14.1	3,893	21.3	2,916	16.0
1966	173,284	17.5	95,725	9.7	2,430	13.8	3,571	20.6	2,708	15.6
1967	167,700	16.7	95,634	9.5	2,297	13.5	3,471	20.7	2,681	16.0
1968	165,785	16.3	97,949	9.6	2,367	14.1	3,159	19.1	2,432	14.7
1969	169,400	16.5	96,392	9.4	2,508	14.6	3,124	18.4	2,387	14.1
1970	173,247	16.7	96,792	9.4	2,119	12.1	3,071	17.7	2,395	13.8
1971	156,902	15.0	97,076	9.3	1,904	12.0	2,636	16.8	1,997	12.7
1972	140,409	13.4	96,754	9.2	1,635	11.5	2,345	16.7	1,796	12.8
1973	132,309	12.6	95,849	9.1	1,520	11.4	2,045	15.5	1,542	11.7
1974	132,931	12.7	94,513	9.0	1,481	11.0	1,955	14.7	1,486	11.2
1975	130,537	12.4	91,441	8.7	1,367	10.4	1,857	14.2	1,357	10.4
1976	129,685	12.3	93,341	8.8	1,499	11.4	1,816	14.0	1,344	10.4
1977	133,608	12.7	92,415	8.8	1,417	10.5	1,628	12.2	1,214	9.1
1978	130,660	12.4	93,290	8.9	1,327	10.1	1,610	12.3	1,197	9.2
1979	133,276	12.7	91,187	8.7	1,403	10.4	1,586	11.9	1,140	8.6
1980	136,138	13.0	95,499	9.1	1,380	10.0	1,436	10.5	1,017	7.5
1981	137,333	13.1	93,995	9.0	1,387	10.0	1,452	10.6	1,021	7.4
1982	139,205	13.3	93,814	9.0	1,402	10.0	1,435	10.3	1,028	7.4
1983	139,600	13.4	95,764	9.2	1,323	9.4	1,381	9.9	957	6.9
1984	140,927	13.5	95,402	9.2	1,137	8.0	1,328	9.4	937	6.6
1985	145,042	13.8	96,429	9.2	1,234	8.4	1.315	9.1	920	6.3

* Fetal deaths do not include induced abortions.

TABLE 34. DEATHS AND DEATH RATES FROM SELECTED CAUSES: NEW YORK STATE, 1900-1985

Year	Diseases of the Heart, 390-398, 402,404-429		Malignant Neoplasms 140-208		Cerebrovascular Diseases 430-438		Pneumonia 480-486		Accidents* 800-949	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Recorded										
1900	10,303	141.4	4,872	66.9	7,783	106.8	15,774	216.5		
1901	10,882	145.7	5,033	67.4	7,936	106.2	14,454	193.5		
1902	11,533	150.6	5,089	66.5	7,779	101.6	13,887	181.3	Not	
1903	12,095	154.2	5,458	69.6	7,977	101.7	14,443	184.1	Available	
1904	13,907	173.2	5,696	70.9	8,487	105.7	17,702	220.4		
1905	13,632	165.9	6,059	73.7	8,409	102.3	15,029	182.9		
1906	14,209	169.0	6,164	73.3	8,312	98.9	15,997	190.3		
1907	13,733	159.8	6,558	76.3	9,370	109.1	18,104	210.7	7,619	88.7
1908	13,289	151.4	6,682	76.1	8,765	99.8	14,852	169.2	6,966	79.3
1909	13,977	155.9	7,207	80.4	8,755	97.6	16,597	185.1	6,937	77.4
1910	14,406	157.6	7,670	83.9	9,043	98.9	17,115	187.2	7,377	80.7
1911	14,908	160.4	8,142	87.6	9,255	99.6	16,460	177.1	8,429	90.7
1912	15,108	159.9	8,426	89.2	9,111	96.4	16,537	175.0	7,706	81.6
1913	15,553	162.0	8,738	91.0	8,982	93.5	16,530	172.1	7,992	83.2
1914	19,479	199.7	9,134	93.6	9,930	101.8	15,511	159.0	7,543	77.3
1915	21,151	213.4	9,524	96.1	9,572	96.6	17,210	173.7	7,324	73.9
1916	22,253	222.2	9,681	96.7	9,881	98.7	17,320	172.9	8,160	81.5
1917	22,998	227.2	9,957	98.4	10,395	102.7	18,673	184.5	9,268	91.6
1918	23,269	227.5	10,122	99.0	10,479	102.5	34,513	337.5	8,440	82.5
1919	21,221	205.4	10,435	101.0	9,897	95.8	17,096	165.5	7,431	71.0
1920	22,775	217.0	10,787	102.8	10,177	97.0	16,475	157.0	7,335	69.9
1921	22,775	212.5	11,408	106.4	10,025	93.5	10,645	99.3	7,172	66.9
1922	25,769	235.4	12,023	109.8	10,273	93.9	14,229	130.0	7,772	71.0
1923	27,378	245.1	12,611	112.9	10,413	93.2	14,086	126.1	8,770	78.5
1924	28,026	246.0	13,190	115.8	10,892	95.6	13,930	122.3	8,763	76.9
1925	29,738	256.0	13,589	117.0	9,867	84.9	13,571	116.8	9,466	81.5
1926	33,000	279.1	14,021	118.6	10,221	86.5	16,666	141.0	9,396	79.5
1927	31,374	260.9	14,743	122.6	9,682	80.5	12,267	102.0	9,318	77.5
1928	34,996	286.1	15,189	124.2	10,016	81.9	15,519	126.9	9,694	79.3
1929	36,727	295.4	15,648	125.8	10,156	81.7	15,443	124.1	10,099	81.2
1930	36,248	287.5	16,144	128.0	9,507	75.4	12,908	102.4	10,179	80.7
Resident										
1930	35,787	283.8	16,144	128.0	9,507	75.4	12,908	102.4	10,179	80.7
1931	36,982	291.2	16,550	130.3	9,568	75.3	13,590	107.0	9,828	77.4
1932	39,060	305.4	16,945	132.5	9,808	76.7	12,636	98.8	9,135	71.4
1933	40,118	311.5	17,609	136.7	9,952	77.3	12,134	94.2	9,025	70.1
1934	42,396	326.9	18,406	141.9	9,794	75.5	11,224	86.5	9,501	73.3
1935	42,325	324.2	19,371	148.4	9,926	76.0	11,018	84.4	9,216	70.6
1936	45,423	345.6	19,911	151.5	10,309	78.4	11,514	87.6	9,307	70.8
1937	46,919	354.5	20,410	154.2	9,945	75.1	11,368	85.9	9,500	71.8
1938	47,621	357.4	21,164	158.9	9,514	71.4	8,337	62.6	8,566	64.3
1939	50,337	375.3	21,610	161.1	9,898	73.8	7,434	55.4	8,542	63.7
1940	52,038	385.3	22,392	165.8	9,955	73.7	6,110	45.2	8,502	63.0

TABLE 34. DEATHS AND DEATH RATES FROM SELECTED CAUSES: NEW YORK STATE, 1900-1985
(continued)

Year	Diseases of the Heart, 390-398, 402,404-429		Malignant Neoplasms 140-208		Cerebrovascular Diseases 430-438		Pneumonia 480-486		Accidents* 800-949	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1941	52,492	385.6	21,827	160.3	9,997	73.4	5,804	42.6	8,480	62.3
1942	54,049	393.6	22,842	166.3	10,048	73.2	5,433	39.6	8,296	60.4
1943	60,626	437.6	22,988	165.9	10,767	77.7	7,055	50.9	8,327	60.1
1944	57,401	410.7	23,384	167.3	10,117	72.4	5,968	42.7	7,625	54.6
1945	58,643	416.1	24,324	172.6	10,435	74.0	5,199	36.9	8,186	58.1
1946	58,289	409.7	24,922	175.2	10,275	72.2	5,144	36.2	8,293	58.3
1947	60,851	423.0	25,756	179.0	10,465	72.7	5,181	36.0	8,431	58.6
1948	61,866	425.2	26,722	183.7	10,755	73.9	5,138	35.3	8,174	56.2
1949	65,169	443.1	26,136	177.7	12,825	87.2	4,001	27.2	7,494	50.9
1950	68,702	460.6	26,699	179.0	13,356	89.6	3,974	26.6	7,183	48.2
1951	69,703	461.8	27,464	182.0	13,757	91.1	4,097	27.1	7,232	47.9
1952	70,776	463.2	28,382	185.7	14,097	92.3	4,235	27.7	7,238	47.4
1953	72,739	470.1	28,891	186.7	14,583	94.2	4,406	28.5	7,239	46.8
1954	71,058	453.5	29,110	185.8	14,243	90.9	3,904	24.9	6,851	43.7
1955	73,387	462.2	30,183	190.1	14,594	91.9	4,444	28.0	7,023	44.2
1956	74,176	460.9	30,337	188.5	14,819	92.1	4,539	28.2	6,847	42.5
1957	77,032	472.4	30,405	186.5	15,291	93.8	5,797	35.6	7,013	43.0
1958	77,875	472.1	30,349	184.0	15,741	95.4	5,992	36.3	6,339	38.4
1959	77,682	465.8	30,789	184.6	16,084	96.4	6,603	39.6	6,552	39.3
1960	78,606	466.7	31,529	187.2	15,675	93.1	6,447	38.3	6,496	38.6
1961	79,314	467.6	31,856	187.8	15,861	93.5	6,710	39.6	6,361	37.5
1962	80,512	468.5	32,009	186.2	15,589	90.7	6,532	38.0	6,870	40.0
1963	81,850	469.4	32,320	185.4	16,000	91.8	7,509	43.1	6,959	39.9
1964	80,586	457.0	33,082	187.6	15,932	90.3	6,714	38.1	6,869	39.0
1965	80,498	452.4	33,470	188.1	15,982	89.8	7,050	39.6	7,157	40.2
1966	81,398	454.1	34,348	191.6	16,128	90.0	7,430	41.4	7,565	42.2
1967	80,464	446.7	34,419	191.1	16,069	89.2	6,808	37.8	7,455	41.4
1968	81,104	447.9	35,035	193.5	16,535	91.3	7,900	43.6	7,790	43.0
1969	77,979	429.3	34,613	190.6	16,169	89.0	7,368	40.6	6,884	37.9
1970	77,261	423.5	35,764	196.1	16,200	88.8	6,956	38.1	6,417	35.2
1971	76,367	415.8	35,883	195.4	16,184	88.1	6,667	36.3	6,748	36.7
1972	76,006	414.2	35,551	193.7	16,083	87.6	6,661	36.3	6,757	36.8
1973	73,363	403.2	35,926	197.4	15,529	85.3	6,246	34.3	6,639	36.5
1974	71,889	397.8	35,675	197.4	14,792	81.8	6,011	33.3	5,692	31.5
1975	68,842	381.8	35,822	198.7	13,733	76.2	5,503	30.5	5,282	29.3
1976	70,612	392.8	36,671	204.0	13,397	74.5	6,020	33.5	5,027	28.0
1977	69,771	390.8	36,849	206.4	12,814	71.8	5,330	29.9	5,126	28.7
1978	69,398	391.6	36,618	206.6	12,229	69.0	5,647	31.9	5,130	29.0
1979	69,462	393.9	36,526	207.1	11,659	66.1	4,658	26.4	4,938	28.0
1980	74,090	422.0	37,489	213.5	12,108	69.0	5,725	32.6	5,314	30.3
1981	71,816	410.5	37,182	212.5	11,112	63.5	4,957	28.3	4,966	28.4
1982	72,662	416.2	37,126	212.7	10,714	61.4	4,612	26.4	4,889	28.0
1983	73,053	416.8	37,503	213.9	10,233	58.4	5,196	29.6	4,462	25.5
1984	72,167	411.7	37,810	215.7	10,200	58.2	5,628	32.1	4,381	25.0
1985	70,636	400.0	37,997	215.2	10,155	57.5	6,055	34.3	4,158	23.5

Cause of death codes apply to the ninth revision of the International Classification of Diseases.
* Accidents are allocated by place of occurrence.

TABLE 35. DEATHS AND DEATH RATES FROM SELECTED CAUSES: NEW YORK CITY, 1900-1985

Year	Diseases of the Heart, 390-398, 402,404-429		Malignant Neoplasms 140-208		Cerebrovascular Diseases 430-438		Pneumonia 480-486		Accidents* 800-949	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Recorded										
1900	4,648	134.8	2,291	66.4	2,906	84.3	10,482	304.0		
1901	4,823	134.6	2,463	68.7	3,014	84.1	9,168	255.9		
1902	5,134	138.1	2,450	65.9	2,925	78.7	9,377	252.2	Not	
1903	5,323	138.2	2,608	67.7	2,914	75.6	9,714	252.2	Available	
1904	6,279	157.5	2,709	67.9	3,217	80.7	12,369	310.2		
1905	6,188	150.1	2,874	69.7	3,300	80.1	9,783	237.4		
1906	6,652	156.3	3,000	70.5	3,175	74.6	10,868	255.3		
1907	7,081	161.3	3,306	75.3	3,208	73.1	11,806	268.9	3,916	89.2
1908	6,757	149.3	3,310	73.1	2,976	65.8	9,508	210.1	3,512	77.6
1909	7,150	153.4	3,566	76.5	2,976	63.9	10,614	227.8	3,331	71.5
1910	7,583	158.5	3,790	79.2	2,946	61.6	10,519	219.8	3,527	73.7
1911	7,921	162.5	3,975	81.6	3,057	62.7	10,055	206.3	4,114	84.4
1912	8,226	165.8	4,179	84.2	2,983	60.1	9,979	201.2	3,661	73.8
1913	8,455	167.5	4,336	85.9	2,870	56.8	10,042	198.9	3,760	74.5
1914	8,824	171.8	4,587	89.3	3,343	65.1	9,678	188.4	3,751	73.0
1915	10,057	192.5	4,788	91.6	3,191	61.1	10,922	209.0	3,558	68.1
1916	10,668	200.8	4,866	91.6	3,427	64.5	10,568	198.9	3,968	74.7
1917	10,863	201.2	5,007	92.7	3,609	66.8	11,051	204.6	4,716	87.3
1918	11,328	206.4	5,077	92.5	3,703	67.5	20,628	375.9	4,290	78.2
1919	10,478	187.9	5,307	95.2	3,268	58.6	10,977	196.9	3,826	68.6
1920	10,843	190.8	5,476	96.3	3,321	58.4	10,058	177.0	3,619	63.7
1921	11,061	190.3	5,709	98.2	3,368	58.0	6,477	111.4	3,479	59.9
1922	12,547	211.2	6,140	103.4	3,338	56.2	8,794	148.1	3,668	61.8
1923	13,432	221.4	6,487	106.9	3,556	58.6	8,231	135.7	4,194	69.1
1924	14,210	229.4	6,799	109.7	3,818	61.6	9,152	147.7	4,200	67.8
1925	15,089	238.6	7,008	110.8	3,228	51.1	8,397	132.8	4,787	75.7
1926	16,527	256.2	7,264	112.6	3,385	52.2	10,521	163.1	4,741	73.5
1927	15,461	235.0	7,712	117.2	3,258	49.5	7,523	114.4	4,603	70.0
1928	17,599	262.4	8,023	119.6	3,328	49.6	10,019	149.4	4,664	69.5
1929	18,431	269.7	8,169	119.5	3,331	48.7	9,456	138.4	4,862	71.1
1930	18,886	272.0	8,465	121.9	3,290	47.4	8,058	116.0	4,868	70.1
Resident										
1930	19,004	273.7	8,465	121.9	3,556	51.2	8,163	117.6	4,871	70.2
1931	19,391	277.2	8,674	124.0	3,570	51.0	9,374	134.0	4,655	66.5
1932	20,033	284.2	8,947	126.9	3,885	55.1	7,994	113.4	4,288	60.8
1933	20,872	293.9	9,297	130.9	3,997	56.3	7,815	110.1	4,249	59.8
1934	21,991	307.4	9,929	138.8	4,133	57.8	6,919	96.7	4,482	62.7
1935	21,941	304.5	10,439	144.9	4,199	58.3	6,549	90.9	4,276	59.3
1936	23,612	325.3	10,957	151.0	4,288	59.1	6,717	92.5	4,251	58.6
1937	24,245	331.6	11,184	153.0	4,031	55.1	6,741	92.2	4,240	58.0
1938	24,763	336.3	11,686	158.7	3,777	51.3	4,928	66.9	3,832	52.0
1939	26,190	353.2	12,108	163.3	3,934	53.0	4,389	59.2	4,024	54.3
1940	27,659	370.5	12,897	172.7	3,811	51.0	3,574	47.9	3,891	52.1

TABLE 35. DEATHS AND DEATH RATES FROM SELECTED CAUSES: NEW YORK CITY, 1900-1985
(continued)

Year	Diseases of the Heart, 390-398, 402,404-429		Malignant Neoplasms 140-208		Cerebrovascular Diseases 430-438		Pneumonia 480-486		Accidents* 800-949	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1941	28,107	374.3	12,285	163.6	3,798	50.6	3,501	46.6	3,737	49.8
1942	29,047	384.6	13,155	174.2	3,670	48.6	3,089	40.9	3,872	51.3
1943	33,002	434.4	13,241	174.3	3,953	52.0	4,010	52.8	3,937	51.8
1944	31,168	407.9	13,585	177.8	3,676	48.1	3,577	46.8	3,599	47.1
1945	32,121	418.0	13,992	182.1	3,876	50.4	3,152	41.0	3,992	52.0
1946	31,809	411.6	14,253	184.4	3,803	49.2	3,072	39.8	3,942	51.0
1947	33,082	425.7	14,905	191.8	3,885	50.0	3,089	39.7	3,882	49.9
1948	33,930	434.2	15,619	199.9	4,059	51.9	3,116	39.9	3,795	48.6
1949	35,256	448.6	14,889	189.5	5,066	64.5	2,478	31.5	3,483	44.3
1950	37,041	468.7	15,173	192.0	5,497	69.6	2,502	31.7	3,230	40.9
1951	37,392	473.9	15,417	195.4	5,723	72.5	2,563	32.5	3,125	39.6
1952	38,575	489.6	16,099	204.3	5,920	75.1	2,671	33.9	3,175	40.3
1953	39,250	498.9	16,134	205.1	6,134	78.0	2,887	36.7	3,088	39.3
1954	37,990	483.7	15,986	203.5	5,992	76.3	2,429	30.9	2,959	37.7
1955	38,718	493.7	16,465	209.9	6,029	76.9	2,789	35.6	3,012	38.4
1956	38,718	494.4	16,457	210.2	5,913	75.5	2,756	35.2	2,880	36.8
1957	40,069	512.5	16,311	208.6	6,236	79.8	3,563	45.6	2,872	36.7
1958	40,230	515.4	16,187	207.4	6,440	82.5	3,660	46.9	2,610	33.4
1959	39,847	511.3	16,449	211.0	6,705	86.0	3,943	50.6	2,642	33.9
1960	39,881	512.4	16,665	214.1	6,423	82.5	3,757	48.3	2,659	34.2
1961	40,380	521.0	16,822	217.1	6,466	83.4	3,790	48.9	2,518	32.5
1962	40,672	519.8	16,849	215.3	6,292	80.4	3,555	45.4	2,692	34.4
1963	41,133	518.6	16,760	211.3	6,531	82.3	4,210	53.1	2,732	34.4
1964	40,093	501.9	17,177	215.0	6,537	81.8	3,688	46.2	2,416	30.2
1965	39,746	496.1	17,065	213.0	6,640	82.9	3,833	47.8	2,798	34.9
1966	39,752	495.7	17,447	217.6	6,709	83.7	4,150	51.8	2,869	35.8
1967	39,471	494.4	17,308	216.8	6,456	80.9	3,629	45.5	2,774	34.7
1968	39,325	494.2	17,429	219.0	6,835	85.9	4,287	53.9	3,003	37.7
1969	36,959	468.8	16,882	214.1	6,646	84.3	4,116	52.2	2,360	29.9
1970	36,996	468.6	17,441	220.9	6,533	82.7	3,903	49.4	1,884	23.9
1971	36,059	456.3	17,347	219.5	6,355	80.4	3,686	46.6	2,128	26.9
1972	35,627	454.7	17,156	219.0	6,267	80.0	3,559	45.4	2,114	27.0
1973	34,010	442.7	16,936	220.5	5,787	75.3	3,401	44.3	2,030	26.4
1974	33,314	438.5	16,314	214.7	5,339	70.3	3,258	42.9	1,582	20.8
1975	31,613	421.9	16,295	217.5	4,929	65.8	2,957	39.5	1,291	17.2
1976	32,529	437.9	16,488	222.0	4,850	65.3	3,362	45.3	1,372	18.5
1977	31,920	437.2	16,120	220.8	4,516	61.9	2,925	40.1	1,444	19.8
1978	31,249	435.3	15,646	217.9	4,283	59.7	3,020	42.1	1,316	18.3
1979	31,819	448.0	15,505	218.3	4,009	56.4	2,564	36.1	1,190	16.8
1980	34,326	485.4	15,911	225.0	4,185	59.2	3,098	43.8	1,393	19.7
1981	33,039	469.5	15,477	219.9	3,597	51.1	2,600	36.9	1,271	18.1
1982	33,803	481.9	15,181	216.4	3,416	48.7	2,442	34.8	1,432	20.4
1983	33,700	474.8	15,285	215.4	3,226	45.5	2,559	36.1	1,132	15.9
1984	33,409	470.0	15,360	216.1	3,132	44.1	2,964	41.7	1,082	15.2
1985	32,087	448.2	15,185	212.1	3,181	44.4	3,176	44.4	1,037	14.5

Cause of death codes apply to the ninth revision of the International Classification of Diseases.
* Accidents are allocated by place of occurrence.

TABLE 36. DEATHS AND DEATH RATES FROM SELECTED CAUSES: UPSTATE NEW YORK, 1900-1985

Year	Diseases of the Heart, 390-398, 402,404-429		Malignant Neoplasms 140-208		Cerebrovascular Diseases 430-438		Pneumonia 480-486		Accidents* 800-949	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Recorded										
1900	5,655	147.4	2,581	67.3	4,877	127.1	5,292	138.0		
1901	6,059	155.8	2,570	66.1	4,922	126.6	5,386	136.0		
1902	6,399	162.4	2,639	67.0	4,854	123.2	4,510	114.5	Not	
1903	6,772	169.6	2,850	71.4	5,063	126.8	4,729	118.4	Available	
1904	7,628	188.6	2,987	73.9	5,270	130.3	5,333	131.9		
1905	7,444	181.7	3,185	77.7	5,109	124.7	5,246	128.1		
1906	7,557	182.1	3,164	76.3	5,137	123.8	5,129	123.6		
1907	6,652	158.3	3,252	77.4	6,162	146.7	6,298	149.9	3,703	88.1
1908	6,532	153.6	3,372	79.3	5,789	136.1	5,344	125.6	3,454	81.2
1909	6,827	158.6	3,641	84.6	5,779	134.2	5,983	139.0	3,606	83.8
1910	6,823	156.7	3,880	89.1	6,097	140.0	6,596	151.5	3,850	88.4
1911	6,987	158.0	4,167	94.2	6,198	140.2	6,405	144.9	4,315	97.6
1912	6,882	153.4	4,247	94.6	6,128	136.6	6,558	146.1	4,045	90.1
1913	7,098	155.9	4,402	96.7	6,112	134.2	6,488	142.5	4,232	92.9
1914	10,655	230.6	4,547	98.4	6,587	142.6	5,833	126.3	3,792	82.1
1915	11,094	236.7	4,736	101.1	6,381	136.2	6,288	134.2	3,766	80.4
1916	11,585	246.3	4,815	102.4	6,454	137.2	6,752	143.5	4,192	89.1
1917	12,135	257.0	4,950	104.8	6,786	143.7	7,622	161.4	4,552	96.4
1918	11,941	252.0	5,045	106.5	6,776	143.0	13,885	293.0	4,150	87.6
1919	10,743	225.9	5,128	107.8	6,629	139.4	6,119	128.7	3,605	75.8
1920	11,932	247.9	5,311	110.3	6,856	142.5	6,417	133.3	3,716	77.2
1921	11,714	238.7	5,699	116.1	6,657	135.6	4,168	84.9	3,693	75.2
1922	13,222	264.1	5,883	117.5	6,935	138.5	5,435	108.6	4,104	82.0
1923	13,946	273.3	6,124	120.0	6,857	134.4	5,855	114.7	4,576	89.7
1924	13,816	265.8	6,391	122.9	7,074	136.1	4,778	91.9	4,563	87.8
1925	14,649	276.7	6,581	124.3	6,639	125.4	5,174	97.7	4,679	88.4
1926	16,473	306.7	6,757	125.8	6,836	127.3	6,145	114.4	4,655	86.7
1927	15,913	292.1	7,031	129.1	6,424	117.9	4,744	87.1	4,715	86.5
1928	17,397	314.9	7,166	129.7	6,688	121.1	5,500	99.6	5,030	91.1
1929	18,296	326.7	7,479	133.5	6,825	121.9	5,977	106.7	5,237	93.5
1930	17,362	306.4	7,679	135.5	6,217	109.7	4,850	85.6	5,311	93.7
Resident										
1930	16,783	296.2	7,679	135.5	5,951	105.0	4,745	83.7	5,308	93.7
1931	17,591	308.5	7,876	138.1	5,998	105.2	4,216	73.9	5,173	90.7
1932	19,027	331.5	7,998	139.3	5,923	103.2	4,642	80.9	4,847	84.4
1933	19,246	333.1	8,312	143.8	5,955	103.1	4,319	74.7	4,776	82.6
1934	20,405	350.9	8,477	145.8	5,661	97.3	4,305	74.0	5,019	86.3
1935	20,384	348.4	8,932	152.7	5,727	97.9	4,469	76.4	4,940	84.4
1936	21,811	370.5	8,954	152.1	6,021	108.3	4,797	81.5	5,056	85.9
1937	22,674	382.8	9,226	155.8	5,914	99.8	4,627	78.1	5,260	88.8
1938	22,858	383.5	9,478	159.0	5,737	96.3	3,409	57.2	4,734	79.4
1939	24,147	402.7	9,502	158.5	5,964	99.5	3,045	50.8	4,518	75.3
1940	24,379	403.7	9,495	157.2	6,144	101.7	2,536	42.0	4,611	76.4

TABLE 36. DEATHS AND DEATH RATES FROM SELECTED CAUSES: UPSTATE NEW YORK, 1900-1985
(continued)

Year	Diseases of the Heart, 390-398, 402,404-429		Malignant Neoplasms 140-208		Cerebrovascular Diseases 430-438		Pneumonia 480-486		Accidents* 800-949	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1941	24,385	399.5	9,542	156.3	6,199	101.5	2,303	37.7	4,743	77.7
1942	25,002	404.6	9,687	156.8	6,378	103.2	2,344	37.9	4,424	71.6
1943	27,624	441.4	9,747	155.7	6,814	108.9	3,045	48.7	4,390	70.1
1944	26,233	414.1	9,799	154.7	6,441	101.7	2,391	37.7	4,026	63.6
1945	26,522	413.7	10,332	161.2	6,559	102.3	2,047	31.9	4,194	65.4
1946	26,480	407.4	10,669	164.1	6,472	99.6	2,072	31.9	4,351	66.9
1947	27,769	419.9	10,851	164.1	6,580	99.5	2,092	31.6	4,549	68.8
1948	27,936	414.9	11,103	164.9	6,696	99.4	2,022	30.0	4,379	65.0
1949	29,913	436.7	11,247	164.2	7,759	113.3	1,523	22.2	4,011	58.6
1950	31,661	451.6	11,526	164.4	7,859	112.1	1,472	21.0	3,953	56.4
1951	32,311	448.6	12,047	167.3	8,034	111.5	1,534	21.3	4,107	57.0
1952	32,201	435.0	12,283	165.9	8,177	110.5	1,564	21.1	4,063	54.9
1953	33,489	440.3	12,757	167.7	8,449	111.1	1,519	20.0	4,151	54.6
1954	33,068	423.2	13,124	167.9	8,251	105.6	1,475	18.9	3,892	49.8
1955	34,669	431.4	13,718	170.7	8,565	106.6	1,655	20.6	4,011	49.9
1956	35,458	429.1	13,880	168.0	8,906	107.8	1,783	21.6	3,967	48.0
1957	36,963	435.3	14,094	166.1	9,055	106.7	2,234	26.3	4,141	48.8
1958	37,645	433.3	14,162	163.0	9,301	107.1	2,332	26.8	3,728	42.9
1959	37,835	425.9	14,340	161.4	9,379	105.6	2,660	29.9	3,910	44.0
1960	38,725	427.4	14,864	164.1	9,252	102.1	2,690	29.7	3,837	42.4
1961	38,934	422.7	15,034	163.2	9,395	102.0	2,920	31.7	3,843	41.7
1962	39,840	425.6	15,160	161.9	9,297	99.3	2,977	31.8	4,178	44.6
1963	40,717	428.4	15,560	163.7	9,469	99.6	3,299	34.7	4,227	44.5
1964	40,493	419.8	15,905	164.9	9,395	97.4	3,026	31.4	4,453	46.2
1965	40,752	416.5	16,405	167.7	9,342	95.5	3,217	32.9	4,359	44.6
1966	41,646	420.3	16,901	170.6	9,419	95.1	3,280	33.1	4,696	47.4
1967	40,993	408.8	17,111	173.4	9,613	95.9	3,179	31.7	4,681	46.7
1968	41,779	411.6	17,606	173.4	9,700	95.6	3,613	35.6	4,787	47.2
1969	41,020	399.0	17,731	172.5	9,523	92.6	3,252	31.6	4,524	44.0
1970	40,265	389.2	18,323	177.1	9,667	93.4	3,053	29.5	4,533	43.8
1971	40,308	385.3	18,536	177.2	9,829	93.9	2,981	28.5	4,620	44.2
1972	40,379	384.0	18,395	174.9	9,816	93.3	3,102	29.5	4,643	44.1
1973	39,353	374.3	18,990	180.6	9,742	92.7	2,845	27.1	4,609	43.8
1974	38,575	368.3	19,361	184.8	9,453	90.2	2,753	26.3	4,110	39.2
1975	37,229	353.2	19,527	185.3	8,804	83.5	2,546	24.2	3,991	37.9
1976	38,083	361.1	20,183	191.4	8,547	81.0	2,658	25.2	3,655	34.7
1977	37,851	358.7	20,729	196.5	8,298	78.6	2,405	22.8	3,682	34.9
1978	38,149	361.9	20,972	199.0	8,016	76.0	2,627	24.9	3,814	36.2
1979	37,643	357.4	21,021	199.6	7,650	72.6	2,094	19.9	3,748	35.6
1980	39,764	379.2	21,578	205.8	7,923	75.6	2,627	25.1	3,921	37.4
1981	38,777	370.8	21,705	207.5	7,515	71.9	2,357	22.5	3,695	35.3
1982	38,859	372.1	21,945	210.1	7,298	69.9	2,170	20.8	3,457	33.1
1983	39,353	377.2	22,218	213.0	7,007	67.2	2,637	25.3	3,330	31.9
1984	38,758	371.9	22,450	215.4	7,068	67.8	2,664	25.6	3,299	31.7
1985	38,549	367.2	22,812	217.3	6,974	66.4	2,879	27.4	3,121	29.7

Cause of death codes apply to the ninth revision of the International Classification of Diseases.
* Accidents are allocated by place of occurrence.

TECHNICAL NOTES

Registration

New York State is divided into two registration areas, New York City and upstate New York (New York State exclusive of New York City). New York City includes the five counties of Bronx, Kings (Brooklyn), Queens, New York (Manhattan) and Richmond (Staten Island); the remaining 57 counties comprise upstate New York. The Bureau of Biostatistics of the New York State Department of Health processes data from live birth, death and fetal death certificates recorded in upstate New York. Through a cooperative agreement it receives data on live births, deaths and fetal deaths recorded in New York City and on live births and deaths recorded in other states and Canada.

Residence

Unless otherwise specified in the titles of the tables, thevital statistics presented in this report are based on the vital records of events to New York State residents occurring in the United States or Canada. The events are allocated to the place of usual residence as reported on the certificates with the following exception. Vital events occurring to inmates of state and federal institutions are allocated to their residence at the time of admission. Vital events occurring to resident staff are allocated to the institution district.

Events occurring to residents of communities neighboring majormetropolitan areas are sometimes misallocated. In areas where postal boundaries and civil divisions do not coincide, the mailing address is sometimes misreported as the place of residence. Analysis involving small geographic areas should be conducted with awareness of this potential problem.

Live Births

A live birth is defined as the complete expulsion orextraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

"Early prenatal care" (Table 29) is defined as prenatal care during the first trimester of the pregnancy.

The number of out-of-wedlock live births (Table 25) is an estimate. New York State Public Health Law prohibits the specific statement on the birth certificate as to whether the child was born in wedlock or out of wedlock.

Prior to 1977, marital status was inferred by examining the statistical information on the certificate of live birth. In 1977, the procedure was modified to also identify out-of-wedlock live births for which paternity affidavits were filed. These births were previously inferred to have occurred in wedlock. This modification resulted in a noticeable increase in the estimated number of out-of-wedlock live births starting in 1977. The background and details of the modified procedure are described in Quarterly Vital Statistics Review, April-June, 1977.

A premature live birth (Table 29) is defined as a live birth having a birthweight of less than 2,500 grams.

Deaths

The cause of death reported in this publication is the underlying cause classified according to the ninth revision of the International Classification of Diseases (ICD, 9th revision) adopted by New York State in 1979. Historically, several revisions of the ICD have been used; therefore, it is necessary to employ a "comparability ratio" when comparing cause of death statistics from one revision to another. Comparability ratios have been published by the National Center for Health Statistics.

Infant and neonatal death statistics published in this report are based on all live births regardless of birthweight or gestation. No attempt was made to account for the viability of the infant at birth.

Infant and neonatal mortality rates for a specific year are based on live births that occurred during that year. While these live births are not the true population at risk, they are the most accurate and timely estimate of that population.

Fetal Deaths

A fetal death is defined by New York State Public Health Law to be the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles.

The fetal death statistics include events occurring within New York City and upstate New York. Induced abortions are included in the fetal death count unless otherwise indicated.

New York State Public Health Law requires the registration of all fetal deaths regardless of the gestation of the fetus. Unlike birth and death registration, the registration of fetal mortality is not uniform across the United States. In order to provide data comparable to other states, this report (Tables 3 and 23) presents data for spontaneous fetal deaths of gestation 20 weeks or more. Table 29 also provides data for fetal deaths of all gestations.

Population

Population estimates for July 1, 1983, for New York State counties, cities and villages were prepared using a component method in which the natural increase and the estimated net-migration between 1982 and 1983 were added to the 1982 Revenue Sharing Estimates prepared by the U.S. Bureau of the Census. The estimated net-migration for each minor civil division in the state was based on the average annual net-migration experience in a given area during the 1980-1982 period. Population estimates for July 1, 1984, and July 1, 1985, were generated using the same methodology discussed above for the 1983 estimates.

The institutional population was handled as a special group. The population estimates for the counties and the incorporated cities and villages do not include the resident population of state and federal institutions located within their boundaries. For New York City and its constituent counties, the estimates include institutional population.

The population for upstate New York was the sum of the estimates for the 57 counties in the state outside New York City and the actual count of the institutional population in these counties in the same year. The population for New York City was obtained by adding the population estimates for the five counties of the city.

There have been some changes in the inclusion of incorporated places in Table 29. Those incorporated places that failed to have at least a total resident population of 10,000 people within their corporate limits in the 1980 Census count have been excluded and other qualifying places have been added to Table 29. Newark Village in Wayne County has been included because it had a total resident population of 10,017 in 1980.

Estimates of Population by Age and Sex

The population estimates by age and sex for July 1, 1985, appearing in Table 1 were estimated in two steps. The estimated number of children under five was developed from birth and death data and corrected for an estimated net-migration. This migration was based on New York State birth and death data and the final 1980 Census data by age and sex. The population over five was estimated using the 1980 Census population by age and sex, resident death data by age and sex, and estimated migration data by age and sex based on the censuses of 1970 and 1980. The populations in each age group over five were then uniformly adjusted so that the sum of all the age groups in Table 1 equalled the population estimates for July 1, 1985, for New York City and upstate New York as given in Table 29. The New York State population estimates by age and sex are the sum of the New York City and upstate New York estimates.

A new feature added to Table 1 is the inclusion of estimates of 15-19 population further subdivided as 15-17 and 18-19 years of age. The standard five year age distribution for July 1, 1985, as calculated above was subdivided into single year age groups by using the Sprague multipliers. The single year distributions were than combined to form population estimates for 15-17 and 18-19 age groups for New York City, upstate, and New York State.

Vital Statistics Rates and Ratios

The definitions of the rates calculated for this report are given below. In a definition, the numerator reflects the number of vital events counted in a specified period of time, usually a calendar year. The denominator refers to the population count at a specified point in time, usually mid-calendar year. The figure, map and/or table in which the rates appear is given in parentheses.

1. Live Birth Rate: annual number of live births per 1,000 population. (Map 1; Figure 2; Tables 2,29,31,32,33).

2. Low Birthweight Rate: annual number of live births with birthweight < 2,500 grams per 100 live births occurring during the year (Map 2).

3. Abortion Ratio: annual number of induced abortions per 1,000 live births occurring during the year (Map 3).

4. Spontaneous Fetal Mortality Rate: annual number of spontaneous fetal deaths with gestation 20 weeks or more excluding induced abortions per 1,000 spontaneous fetal deaths of gestation 20 weeks or more plus live births occurring during the year. A fetal death is defined as death prior to the complete expulsion or extraction from its mother of a product of conception. (Map 4; Figure 3; Tables 3,31,32,33).

5. General Fertility Rate: annual number of live births per 1,000 female population ages 15 to 44 years (Table 2).

6. Neonatal Mortality Rate: annual number of deaths under 28 days of age per 1,000 live births occurring during the year. (Map 5; Figure 6; Tables 6,29,31,32,33).

7. Postneonatal Mortality Rate: annual number of deaths at age 28 days and older but less than 1 year per 1,000 live births occurring during the year. (Map 6).

8. Infant Mortality Rate: annual number of deaths under one year of age per 1,000 live births occurring during the year. (Map 7; Figure 5; Tables 5,11,29,31,32,33).

9. Perinatal Mortality Rate: annual number of neonatal deaths plus spontaneous fetal deaths of gestation 20 weeks or more per 1,000 spontaneous fetal deaths of gestation 20 weeks or more plus live births occurring during the year (Map 8).

10. (Crude) Death Rate: annual number of deaths per 1,000 population. (Map 9; Figure 4; Tables 4,11,29,31,32,33).

11. Age-Sex-Specific Death Rate: annual number of deaths in a specified age and sex group per 1,000 population in the same age and sex group. Age is decedent's age at last birthday. (Table 11).

12. Cause-Specific Death Rate: annual number of deaths from a specified cause or group of causes per 100,000 population. (Maps 10, 11,12,13; Tables 12,13,14,29, 34,35,36). Exception: The death rate from complications of pregnancy, childbirth and the puerperium is defined as number of deaths from complications of pregnancy, childbirth and the puerperium occurring during the year per 10,000 live births occurring during that year. This death rate is the maternal mortality rate. This cause of death category also includes any maternal death which may have resulted from an induced abortion. (Tables 12,13,14).

13. Age-Sex-Adjusted Death Rate (Direct Method): death rate of a group calculated as a weighted average of the age-sex-specific death rate of the same group. The system of weights is the age-sex-distribution of a population called the standard population. In this report the standard population is the census count of the New York State population on April 1, 1940. (Figure 4; Table 4).

Small Area Data

In tabulating vital events for cities and villages with 10,000 or more population (Table 29), the problem of small frequencies occurs. Statistics based on a small number of vital events are subject to a large degree of variability and inferences should be made with care.

Maps

The maps presented in this report show the rates and ratios associated with selected vital events. Population characteristics determine in part the size of these measurements.

Live birth rates and induced abortion ratios depend on the race and age distribution of the female population, median family income and availability of induced abortion services. Counties with large percentages of women aged 20-35 or women of races other than white will tend to rank highest in births. Suburban counties, on the other hand, with affluent white populations and easy access to induced abortion clinics tend to be low in birth rates and high in abortion ratios.

Low birthweight percentages, infant and spontaneous fetal mortality are related to maternal age and race, to median family income and to late or no prenatal care. These indices, which measure pregnancy outcomes, rise if the population contains a large proportion of teenagers, women of other races or women living in poverty who are unable to obtain early prenatal care.

General mortality rates are influenced markedly by the age and sex distributions of the population. In general, men have higher death rates than women at all ages and people over the age of 50 die at a higher rate than the young.

In those counties different in rates but similar in population characteristics, identification of causative factors can be obtained only by rigorous epidemiological studies, not by simple correlations of vital statistics.

ARTICLES: VITAL STATISTICS QUARTERLY AND ANNUAL PUBLICATIONS

	Author
1. Comparability Ratios Vital Statistics for New York State, 1970	George McVey
2. Statistical Review of Induced Abortions in New York State in 1970 Vital Statistics for New York State, 1970	Staff Vital, Statistics Unit, Bureau of Biostatistics
3. International Classification of Diseases and Its Importance to Health Statistics Vital Statistics Review, Jan.-Mar. 1971	Margaret B. Hoff
4. Upstate New York Adoption Study, 1968 Vital Statistics Review, Jan.-Mar. 1971	K. K. Chan
5. Census Tract Vital Statistics Program Vital Statistics Review, Apr.-June 1971	George McVey
6. Congenital Malformations of the Central Nervous System Vital Statistics Review, July-Sept. 1971	Margret Keogh
7. Suicide Trends in Upstate New York, 1950-1970 Vital Statistics Review, July-Sept. 1971	Gene Therriault
8. The Medical Rehabilitation Program in New York State Vital Statistics Review, Oct.-Dec. 1971	Solomon Kunofsky
9. Factors in the Development of Morbidity Statistics Vital Statistics Review, Oct.-Dec. 1971	Joan Peak
10. Analysis of the Effects of Changes in the Divorce Law, New York State Vital Statistics for New York State, 1971	George McVey
11. Cancer Reporting in New York State Vital Statistics Review, Jan.-Mar. 1972	Adele Polan
12. Sex Differentials in Mortality Vital Statistics Review, Jan.-Mar. 1972	Elias D. Loizides
13. Deaths Associated with Aircraft Accidents Occurring in Upstate New York 1969 Through 1971 Vital Statistics Review, Apr.-June 1972	Theodore Seaman

14. Suicide Trends in Various Age Groups Upstate New York, 1950-1970
Vital Statistics Review, Apr.-June 1972 — Gene Therriault, Richard Krueger

15. Effect of the Change in the International Classification of Diseases on Violent Death Statistics in New York State
Vital Statistics Review, July-Sept. 1972 — Phillip Quickenton

16. Electronic Data Processing for Health
Vital Statistics Review, July-Sept. 1972 — Harold M. Gottheim

17. Deaths Associated with Agricultural Accidents Occurring in Upstate New York, 1967-1971
Vital Statistics Review, Oct.-Dec. 1972 — Timothy Smith

18. Life Tables and The Expectation of Life
Vital Statistics of New York State, 1972 — George McVey

19. Congenital Umbilical Hernia by Race
Vital Statistics Review, Jan.-Mar. 1973 — Solomon Kunofsky

20. Induced Abortions: Seasonal and Geographic Trends
Vital Statistics Review, Apr.-June 1973 — George McVey, Timothy Smith, Sheila Pigott

21. Sudden Infant Death Syndrome in Upstate New York, 1969-1971
Vital Statistics Review, Apr.-June 1973 — Theodore Seaman

22. Heart Disease Mortality Trends Among New York State Residents, 1960-1970
Vital Statistics Review, July-Sept. 1973 — Patricia King

23. Some Descriptive Statistics on Age of Parents, Live Birth Order, and Interval between Live Births for Upstate New York, 1968-1972
Vital Statistics Review, Oct.-Dec. 1973 — Theodore Seaman

24. The Use of Vital Records in the Birth Defects Institute
Vital Statistics Review, Oct.-Dec. 1973 — Joyce Piper

25. What Parents are Naming Their Children
Vital Statistics of New York State, 1973 — Theodore Seaman

26. Trends in Cesarean Section 1963-1972
Vital Statistics Review, Jan.-Mar. 1974 — Ellen Burometto

27. Association Between Population Density and Mortality
Vital Statistics Review, Apr.-June 1974 — Richard Allen

28. Deaths From Poisonings, New York State Exclusive of New York City 1952-1972
Vital Statistics Review, July-Sept. 1974 — George McVey

29. Deaths Occurring in New York State Due to Motor Vehicle Accidents
Vital Statistics Review, July-Sept. 1974 — Theodore Seaman

30. Report on Divorces, New York State 1968-1973
Vital Statistics Review, Oct.-Dec. 1974 — George McVey

31. Accelerated Improvement in the Expectation of Life of New York State Residents in the 1970's
Vital Statistics of New York State, 1974 — Sidheshwar Prasad

32. Leading Causes of Death by Sex and Age in New York State 1920-1970
Vital Statistics Review, Jan.-Mar. 1975 — Timothy Smith

33. Selected Factors Related to Low Birthweight
Vital Statistics Review, Apr.-June 1975 — Michael Zdeb

34. Age, Race, Sex and Occupation Differentials in Alcoholic Cirrhosis Mortality
Vital Statistics Review, July-Sept. 1975 — Peter Herzfeld

35. Female Breast Cancer Mortality and Socioeconomic Level for Nine Upstate New York Counties
Vital Statistics Review, Oct.-Dec. 1975 — Bruce Rubin

36. Sequential Analysis - A Tool for Monitoring Health Status
Vital Statistics of New York State, 1975 — Margaret Hoff, Sc.D.

37. 1975 Life Tables Indicate Further Increase in the Expectation of Life
Vital Statistics of New York State, 1975 — Sidheshwar Prasad

38. Quality Control in Vital Records Processing
Vital Statistics Review, Jan.-Mar. 1976 — Peter M. Carucci

39. Induced Termination of Pregnancy as a Function of Total Products of Conception, New York State exclusive of New York City
Vital Statistics Review, Apr.-June 1976 — George L. McVey

40. Applications of a Clustering Algorithm
Vital Statistics Review, July-Sept. 1976 — Michael S. Zdeb

41. Fertility Decline in New York State 1960-1975
Vital Statistics Review, Oct.-Dec. 1976 — Richard Krueger

42. Health Status in Upstate New York, 1973-1975
Vital Statistics Review, Jan.-Mar. 1977 — Paul M. Wood

43. An Improved Method of Illegitimate Birth Estimation for Upstate New York — J. Ross Stenstrom
Vital Statistics Review, Apr.-June 1977 — Peter M. Carucci

44. Socioeconomic Stratification Applied to the Analysis of Health Problems
Vital Statistics Review, July-Sept. 1977 — Aare Ilves

45. A Review of the Literature on Neonatal Intensive Care
Vital Statistics Review, Oct.-Dec. 1977 — Michael S. Zdeb

46. Neonatal Mortality in Upstate New York 1960-1976
Vital Statistics Review, Jan.-Mar. 1978 — Michael S. Zdeb

47. Demographic Analysis of Illegimate Births in Upstate New York 1960-1975
Vital Statistics Review, April-June 1978 — Edward Jow-Ching Tu

48. Small Area Statistical Program
Vital Statistics Review, July-Sept. 1978 — George McVey

49. Sedative Deaths in Upstate New York 1965-1977
Vital Statistics Review, Oct.-Dec. 1978 — Joan P. Cooney

50. Preliminary Findings From a Study of Socioeconomic and Urban-Rural Differentials in Mortality from Census Tract Data, Upstate New York 1975-1976 — George L. McVey
Vital Statistics Review, Jan.-Mar. 1979 — Sidheshwar Prasad

51. Teenage Pregnancy in Upstate New York 1969-1978 — Patricia A. MacCubbin
Vital Statistics Review, Apr.-June 1979

52. Trends in Age of Parents, Live Birth Order and Intervals between Live Births, Upstate New York 1968-1978
Vital Statistics Review, July-Sept. 1979 — Theodore Seaman

53. Birthweight, Gestation and Neonatal Mortality in Upstate New York, 1971-1978
Vital Statistics Review, Oct.-Dec. 1979 — Michael S. Zdeb

54. New York State - A Century of Birth, Death and Marriage
Vital Statistics of New York State, 1979 — Joan P. Cooney

55. Sudden Infant Death Syndrome in Upstate New York 1974-1978
Vital Statistics Review, Jan.-Mar. 1980 — Robert Pennacchia

56. Accidental Agricultural Deaths in Upstate New York 1972-1979
Vital Statistics Review, Apr.-June 1980 — Timothy Smith

57. Accidental Deaths Associated with Transportation New York State, 1970-1979
Vital Statistics Review, Apr.-June 1980 — Theodore Seaman

58. Twin Deliveries in Upstate New York 1977-1978
Vital Statistics Review, July-Sept. 1980 — Thomas M. Coleman, Michael A. Pepe

59. Vital Statistics Geocoding: A First Report of an Auto-Geocoding Experience
Vital Statistics Review, Oct.-Dec. 1980 — George L. McVey

60. Socioeconomic and Urban-Rural Differentials for Mortality Adjusted for Age From Census Tract Data Upstate New York, 1975-1978
Vital Statistics Review, Jan.-Mar. 1981 — George L. McVey

61. Where People Die, 1980
Vital Statistics Review, Apr.-June 1981 — John J. Tarmey

62. Quality of Vital Statistics Data-A Review of Selected Studies
Vital Statistics Review, July-Sept. 1981 — Joan P. Cooney

63. Hispanic Origin Births
Vital Statistics Review, Oct.-Dec. 1981 — Theodore Seaman

64. Health Statistics - Historical Imperatives and Future Directions
Vital Statistics Review, Jan.-Mar. 1982 — Vito M. Logrillo

65. Comparison of Fetal Death Certificates and Hospital Records
Vital Statistics Review, Apr.-June 1982 — Patricia MacCubbin, Peter M. Carucci, John J. Tarmey

66. Firearm - Related Mortality in New York State During 1981 By the Age, Sex and Race of the Victim
Vital Statistics Review, July-Sept. 1982 — Paul Gotebiowski

67. The Effect of Race Selection and Classification on Medical Statistics
Vital Statistics Review, Oct.-Dec. 1982 — Joan P. Cooney

68. Special Note on Race Specific Rates
Vital Statistics Review, Oct.-Dec. 1982 — Staff, Vital Statistics Unit, Bureau of Biostatistics

ARTICLES: JOURNALS

1. J.P. Cooney, What Determines the Start of Prenatal Care? Medical Care 23: 986-997, 1985

2. Zdeb, M.; Therriault, G.; and Logrillo, V.; Frequency, Spacing and Outcome of Pregnancies Subsequent to Primary Cesarean Childbirth; American Journal of Obstetrics and Gynecology; September 15, 1984; Volume 150, Number 2.

3. Greenwald, P.; Kovasznay, B.; Collins, D.; and Therriault, G.; Sarcomas of Soft Tissue After Vietnam Service; Journal of the National Cancer Institute, November, 1984; Volume 73, Number 5.

4. Bush, B.; Lo, F.; Baker, F.; Tumosonis, C.; Therriault, G.; and Zdeb M.; Chronic Toxicity Studies of Crude Organic Chemical Pollutants, Illustrated by Studies with Aroclor 1254; Archives of Environmental Contamination and Toxicology; March, 1983; Volume 12, Number 2.

5. Zdeb, M.; Therriault, G.; and Logrillo, V.; Cesarean Section in Upstate New York; American Journal of Epidemiology; September, 1980; Volume 112, Number 3.

6. Katz, B.; Zdeb, M.; and Therriault, G.; Where People Die; Public Health Reports; November-December, 1979; Volume 94, Number 6.

7. K. Woodrow, D.W. Hastings and Edward Jow-Ching Tu, "Rural and Urban Patterns of Marriage, Divorce and Mortality in TN," The Survey of Business, V.13, No.1, 1977.

8. K. Woodrow, D.W. Hastings and Edward Jow-Ching Tu, "Rural and Urban Patterns of Marriage, Divorce and Mortality in TN, 1970" Rural Sociology V. 43, No.1, 1978.

9. Edward Jow-Ching Tu, "Cohort Maternal Mortality, New York State: 1917 to 1972, "American Journal of Public Health, V. 69, No. 10, 1979.

10. Edward Jow-Ching Tu, "Interstate Differences in Marriage and Divorce: A Life Table Analysis, "Social Statistics Section, Proceedings of the ASA, August 1979.

11. Edward Jow-Ching Tu and P.M. Herzfeld, "The Impact of Legal Abortion on Marital and Nonmarital Fertility in Upstate New York", Family Planning Perspectives, V. 14, No. 1, 1982.

12. Edward Jow-Ching Tu and J.L. Chuang, "Age, Period and Cohort Effects on Maternal Mortality: A Linear Logit Model", Social Statistics Section, Proceedings of the ASA, August 1982.

13. Edward Jow-Ching Tu and J.L. Chuang, "Age, Period and Cohort Effects on Maternal Mortality: A Linear Logit Model Analysis" Social Biology, winter, 1983.

14. Edward Jow-Ching Tu and J.L. Chuang, "Age-Period-Cohort Analysis of Age-Specific Fertility Schedules: A Multi-plicative-Interaction Logic Model," Journal of Population Studies, October, 1984.

15. Edward Jow-Ching Tu, "Working Life of New York State Physicians, 1980," American Journal of Public Health, May, 1985.

16. Edward Jow-Ching Tu, "An Alternative Approach to the Dynamics of Fertility in China, 1950-1981." Social Statistics Section, Proceedings of the ASA, August 1985.

17. Edward Jow-Ching Tu, "A Multiple Cause-of-Death Analysis of Hypertension-Related Mortality in New York State, 1968-1982." Proceedings of the 20th National Meeting of the PHCRS, August, 1985.

18. Edward Jow-Ching Tu, "On Long-Term Mortality Trends in Taiwan, 1906-1980," Chinese Journal of Sociology, September, 1985.

19. Edward Jow-Ching Tu, "Population Change and Social Organization." Journal of Population Studies, June, 1986.

20. Edward Jow-Ching Tu, "Estimating Lifetime Risk of Nursing Home Residency: A Further Note." The Gerontologist, Vol. 26, No. 5, October, 1986.

21. Edward Jow-Ching Tu, Jersey Liang and Xiaugming Chen, "Population Aging in the People's Republic of China." Social Science and Medicine, November, 1986.

DEPARTMENT OF HEALTH
DAVID AXELROD, M.D.
Commissioner